

2

DICCIONARIO DE NOMBRES VULGARES EN INGLÉS DE ESPECIES HERBÁCEAS Y ARBUSTIVAS DE LA FLORA IBÉRICA

DICCIONARIO DE NOMBRES VULGARES EN INGLÉS DE ESPECIES HERBÁCEAS Y ARBUSTIVAS DE LA FLORA IBÉRICA

C. FERRER Y A. BROCA

Departamento de Agricultura y Economía Agraria. Universidad de Zaragoza.

Miguel Servet 177. E-50013 Zaragoza (España)

E-mail: ferrera@posta.unizar.es
broca@posta.unizar.es

INTRODUCCIÓN

Es muy frecuente, en las revisiones bibliográficas donde sólo se cuenta con el título o el resumen de los artículos (en inglés), que aparezcan nombres de especies sólo con su nombre vulgar. Esto no es habitual en Revistas de ciencias “básicas” (Botánica, Ecología, Fisiología Vegetal, Fitosociología) pero sí lo es cuando se trata de revistas científicas o de divulgación con carácter más agronómico, como sería el caso de los pastos en sus numerosos aspectos o vertientes. La búsqueda del nombre científico de la especie en cuestión, para saber de qué trata el artículo que nos ofrece la bibliografía, no siempre resulta fácil ni asequible.

A la inversa, los autores españoles publicamos en inglés con cierta frecuencia y, aún haciéndolo en español debemos redactar un *summary* o *abstract* en dicho idioma, planteándose entonces el problema inverso: la búsqueda del nombre vulgar en inglés.

Por esta razón, el primero de los autores empezó, hace más de veinte años, a construir una base de datos de nombres vulgares en inglés, a partir fundamentalmente de la lectura de separatas donde, en general, tarde o temprano aparece el nombre científico correspondiente. Dicha base de datos, como es lógico, ha ido enriqueciéndose con los años y, con la valiosa colaboración del segundo de los autores, hemos decidido completarla y ofrecérsela a nuestros colegas de la Sociedad Española para el Estudio de los Pastos (SEEP).

Como indica el título, sólo nos referimos a especies herbáceas y arbustivas (de la flora ibérica), por ser las de mayor interés en Pascicultura. En un principio podría pensarse que la relación de especies que se presenta es exagerada en el ámbito de la SEEP, puesto que, como es obvio, la mayor parte de dichas especies no tienen interés

como alimento para el ganado convencional (vacuno, ovino, caprino, equino...). Sin embargo otras muchas sí lo son para otro tipo de ganado, las abejas, de donde extraen néctar, polen, zumos y propóleos. De muchas especies arbustivas, el ganado puede ramonear frutos, flores, hojas, ramón, rebrotes e incluso cortezas. Muchas especies deben considerarse en Pascicultura no por su valor alimenticio sino por su toxicidad (son muy frecuentes las intoxicaciones en el pastoreo) o por caracteres morfológicos o anatómicos mecánicamente perjudiciales (espinas, limbos cortantes, flores aristadas, frutos espinosos, etc.). Pero incluso las especies tóxicas pueden tener su interés en alimentación puesto que “no hay plantas tóxicas sino dosis tóxicas” y así, dichas especies pueden en algún momento aportar al ganado principios medicinales, tónicos y estimulantes, oligoelementos, sales, etc. Otras especies, sin valor alimenticio aparente, son consideradas en el mundo de la Pascicultura, por su valor ecológico: encespedantes, protectoras del suelo frente a la erosión, adaptaciones a condiciones edáficas adversas (exceso de alcalinidad o acidez, salinidad, exceso de humedad o sequía, etc.). Cada vez son más numerosos en Pascicultura los trabajos que tratan de fitoecología, fitosociología, diversidad vegetal, etc., donde deben tenerse en cuenta “todas” las especies presentes en el pasto. Finalmente, también aparecen en el *diccionario* numerosas especies cultivadas que, en principio, podrían parecer lejanas del mundo de la Pascicultura; sin embargo, muchas de ellas (los cereales por ejemplo) pueden tener también uso forrajero o como rastrojo, y otras aparecen de modo espontáneo en barbechos y eriales. Se han excluido, por razones obvias, especies acuáticas, rupícolas, etc.

La primera parte del *diccionario* presenta los nombres científicos (omitiendo la autoría por razones de simplificación y espacio) y, a continuación, los correspondientes nombres vulgares en inglés. Se dan también nombres de géneros y de familias y sólo excepcionalmente de subespecies. Evidentemente, de muchas especies ibéricas (endémicas, raras o con poca difusión fuera de la Península o de la Cuenca Mediterránea) no existen nombres vulgares en inglés. Los nombres científicos están actualizados con *Flora Europea* o *Flora Ibérica*. Cuando un mismo nombre científico tiene asignados varios nombres vulgares, se repite tantas veces como número de éstos. En total han resultado 2245 táxones (2930 entradas reales por las repeticiones).

La segunda parte del *diccionario* presenta los nombres vulgares en inglés y, a continuación, los correspondientes nombres científicos. El resto de las precisiones del párrafo anterior son válidas para esta parte. Cabe precisar, además, que los nombres vulgares, por la nacionalidad de las revistas, autores de los trabajos, etc., pueden tener orígenes muy diversos (Gran Bretaña, Irlanda, Estados Unidos, Canadá, Australia, Nueva Zelanda, Sudáfrica, etc.), que ahora nos resultaría difícil de atribuir. Por otro lado hacemos constar que, en inglés, la utilización de guiones separadores o incluso la

separación o unión de palabras no parece responder a ninguna regla prefijada (*watercress*, *water dock*, *waterbent*), y lo mismo ocurre con la utilización o no de apóstrofes y genitivos (*dog's-tail* o *dogstail*). Nosotros hemos reflejado la forma más frecuente en la literatura consultada, si bien hemos tratado de homogeneizar; por ejemplo: *hair-grass*, siempre con guion. En total, han resultado 2727 nombres vulgares diferentes (2930 entradas reales por las repeticiones).

Para los nombres vulgares en lenguas españolas, los autores recomiendan las excelentes obras publicadas por el Real Jardín Botánico (CSIC), en la Colección *Archivos de Flora Ibérica*, nº 4, 1992 (Nombres vulgares, I) y nº7, 1996 (Nombres vulgares, II).

Dar una relación bibliográfica de la multitud de artículos y publicaciones utilizados en este trabajo resultaría, además de prolijo, innecesario. No obstante, deseamos hacer constar las siguientes cuatro obras de referencia, que nos han servido para, como última tarea, contrastar y completar la base de datos con que contábamos.

Deseamos finalmente expresar nuestro agradecimiento a D^a M^a Jesús Villa, por su inestimable ayuda en la labor mecanográfica.

REFERENCIAS BIBLIOGRÁFICAS

- BARNES, R.F.; MILLER, D.A.; NELSON, C.J. (Ed.), 1995. *Fourrages Volume I. An Introduction to Grassland Agriculture*. Iowa State University Press. Ames. Iowa (EEUU).
- HÄFLIGER, B.; SCHOLZ, H., 1981. *Grass Weeds*. Documenta CIBA-GEIGY. Suiza.
- MABBERLEY, D.J., 1990: *The Plant-Book. A portable dictionary of the higher plants*. Cambridge University Press. Cambridge (Reino Unido).
- STACE, C., 1991: *New flora of the British Isles*. Cambridge University Press. Cambridge.

DICTIONARY OF COMMON ENGLISH NAMES OF HERBACEOUS AND SHRUBBY IBERIAN PLANTS

INTRODUCTION

In bibliographic reviews where the reader has only to reply on the title or summary of the articles (in English), it is frequently only the common names of species which are given. This is not customary in major scientific journals dealing with the 'basic' sciences

(Botany, Ecology, Plant Physiology, Phytosociology) but is normal in proceedings of ordinary scientific journals or those with a more agronomic character such as those dealing with grasslands in all its numerous aspects and viewpoints. The search for the scientific name of the species in question, in order to know what is being discussed by the article which presents the bibliography to us, is neither always easy nor obtainable.

Conversely, the Spanish authors publish their work in English with a certain frequency and even when they publish in Spanish have to compose a *summary* or *abstract* in English thus presenting the opposite problem: the search for the common English name.

For this reason the first of the authors of this article began, more than twenty years ago, to construct a database of common English names, basically derived from the reading of reprints where, late or early, there appears the corresponding scientific names. As is logical, the aforesaid database has expanded over the years, and with the voluntary collaboration of the second author above, we decided to complete it and offer it to our colleagues in the Spanish Society for the Study of Grasslands.

As the title above indicates, we only deal with herbaceous and shrubby species (of the Iberian flora), particularly those which are of major interest in grassland husbandry. Initially we had thought that the relationship of the presented species to the ambit of the Society was exaggerated since, as is obvious, the largest proportion of the said species does not have interest for conventional livestock farming (cattle, sheep, goats, horses....). However, other species are relevant for another type of husbandry, beekeeping, because of the extraction from these species of nectar, pollen, juices and propolis by bees. On many shrubby species livestock can browse fruits, flowers, leaves, shoots, regrowths and also barks. In grassland husbandry many of the species ought not to be considered for their feeding value but for their toxicity (poisonings during grazing are very frequent) or for injurious, morphological or anatomical characteristics (thorns, sharp branches, awned flowers, spiny fruits, etc.). But the toxic species are of interest in nutrition since 'there are not toxic plants but toxic doses' and so such species can, at some moment, contribute to the medicinal principles of livestock farming by means of tonics, stimulants, trace elements, salts, etc. Other species without apparent feeding value are well regarded in the field of grassland husbandry because of their ecological value: turf or lawn types, protectors of the soil against erosion, species adapted to adverse soil conditions (extreme alkalinity or acidity, salinity, excessive wetness or drought, etc.). Increasingly, grassland husbandry trials which deal with phytoecology, phytosociology, vegetational diversity etc., have become more numerous, trials which need to take account of 'all' the species present in the grassland sward. Finally, numerous cultivated species appear in the *dictionary*, species which in principle should have a

distant relevance to the world of grassland husbandry; however, many of them (the cereals for example) can also be used as forage or as stubble and others appear spontaneously in fallowed or uncultivated land. For obvious reasons we have excluded aquatic species, rupicolous species, etc.

The first part of the *dictionary* presents the scientific names (omitting the authority for reasons of simplification and space) and then, the corresponding common English names. We also give names of genera and of families and only exceptionally, of subspecies. Clearly, for many Iberian species (endemic, rare or with a small distribution outwith the Peninsula or Mediterranean Basin) common English names do not exist. The scientific names were brought up-to-date by *European Flora* or *Iberian Flora*. When the same scientific name is assigned several alternative common names, all of these are listed. The total number of entries is comprised of 2245 species (2930 actual entries by including the alternative names).

The second part of the dictionary presents the common English names and then the corresponding scientific names. The rest of the supplementary information names referred to in the preceding paragraph are valid for this part. Moreover, it is certain that the common names, because of the nationality of the journals, authors of the works, etc., can have very diverse origins (Great Britain, Ireland, United States, Canada, Australia, New Zealand, South Africa, etc.) and this would now make it difficult to attribute them precisely. On the other hand, we note clearly that in English the use of separation 'hyphens' or including the separation space or joining together of words does not seem to follow any predefined rule (*water-cress*, *water dock*, *waterbent*) and the same occurs with the use of the apostrophe and genitive cases (*dog's-tail* or *dogstail*). We have used the form that is most frequently used in the literature consulted and so we dealt with these questions in a consistent manner; for example, *hair-grass*, always with a hyphen. The result has been 2727 different common names (2930 actual entries by including alternative names).

For the common Spanish names, the authors recommend the excellent books published by the Real Jardín Botánico (CSIC), in the series *Archivos de Flora Ibérica*, nº 4, 1992 (Nombres vulgares, I) and nº 7, 1996 (Nombres vulgares, II).

To give a bibliography of the multitude of articles and publications in this work would result in it being too drawn out and, in addition, unnecessary. Nevertheless we wish to record the following works of reference which have enabled us, as a final task, to test and complete the database on which we can rely.

Finally we wish to express our thanks to D^a M^a Jesús Villa for her invaluable help in typing.

NOMBRES CIENTÍFICOS-NOMBRES VULGARES EN INGLÉS SCIENTIFIC NAMES - COMMON NAMES

- | | |
|---|---|
| <p>Abutilon theophrasti: chingma</p> <p>Abutilon theophrasti: indian mallow</p> <p>Abutilon theophrasti: velvetleaf</p> <p>Acanthaceae: bear's-breech family</p> <p>Acanthus mollis: bear's-breech</p> <p>Aceras anthropophorum: man orchid</p> <p>Aconitum napellus: monk's-hood</p> <p>Aconitum vulparia: fox bane</p> <p>Aconitum vulparia: wolf's-bane</p> <p>Acorus calamus: calamus root</p> <p>Acorus calamus: flagroot</p> <p>Acorus calamus: sweet-flag</p> <p>Actaea spicata: baneberry</p> <p>Actaea spicata: herb Christopher</p> <p>Achillea: yarrow</p> <p>Achillea ligustica: southern yarrow</p> <p>Achillea millefolium: milfoil</p> <p>Achillea millefolium: yarrow</p> <p>Achillea ptarmica: sneezewort</p> <p>Adiantaceae: maidenhair fern family</p> <p>Adiantum capillus-veneris: maidenhair fern</p> <p>Adonis annua: pheasant's-eye</p> <p>Adoxa moschatellina: moschatel</p> <p>Adoxaceae: moschatel family</p> <p>Aegilops: goatgrass</p> <p>Aegilops: wild wheat</p> <p>Aegilops triuncialis: barb goatgrass</p> <p>Aegilops triuncialis: hard goatgrass</p> <p>Aeonium arboreum: aeonium</p> <p>Aetheorhiza bulbosa: tuberous hawk's-beard</p> <p>Aethusa cynapium: fool's parsley</p> <p>Agrimonia: agrimony</p> <p>Agrimonia eupatoria: agrimony</p> <p>Agrimonia procera: fragrant agrimony</p> <p>Agropyron: wheatgrass</p> <p>Agropyron cristatum: crested wheatgrass</p> <p>Agropyron cristatum: fairway wheatgrass</p> <p>Agrostema githago: corncockle</p> <p>Agrostis: bentgrass</p> <p>Agrostis canina: brown bentgrass</p> | <p>Agrostis canina: velvet bent</p> <p>Agrostis canina: velvet bentgrass</p> <p>Agrostis capillaris: browntop</p> <p>Agrostis capillaris: browntop bentgrass</p> <p>Agrostis capillaris: colonial bentgrass</p> <p>Agrostis capillaris: common bentgrass</p> <p>Agrostis castellana: highland bentgrass</p> <p>Agrostis curtisii: bristle bentgrass</p> <p>Agrostis gigantea: black bentgrass</p> <p>Agrostis gigantea: redtop</p> <p>Agrostis nebulosa: cloud bentgrass</p> <p>Agrostis stolonifera: creeping bentgrass</p> <p>Agrostis stolonifera: fiorin</p> <p>Aira: hair-grass</p> <p>Aira caryophyllea: silver hair-grass</p> <p>Aira praecox: early hair-grass</p> <p>Ajuga: bugle</p> <p>Ajuga chamaepitys: ground-pine</p> <p>Ajuga chamaepitys: yellow bugle</p> <p>Ajuga pyramidalis: pyramidal bugle</p> <p>Ajuga reptans: bugle</p> <p>Alcea rosea: hollyhock</p> <p>Alchemilla: lady's-mantle</p> <p>Alchemilla alpina: alpine lady's-mantle</p> <p>Alchemilla xanthochlora: lady's-mantle</p> <p>Alisma plantago-aquatica: water plantain</p> <p>Alopecurus: foxtail</p> <p>Alopecurus aequalis: orange foxtail</p> <p>Alopecurus aequalis: short-awned foxtail</p> <p>Alopecurus arundinaceus: creeping foxtail</p> <p>Alopecurus bulbosus: bulbous foxtail</p> <p>Alopecurus geniculatus: kneed foxtail</p> <p>Alopecurus geniculatus: marsh foxtail</p> <p>Alopecurus geniculatus: water foxtail</p> <p>Alopecurus myosuroides: black twitch</p> <p>Alopecurus myosuroides: black-grass</p> <p>Alopecurus myosuroides: large foxtail</p> <p>Alopecurus myosuroides: slender foxtail</p> <p>Alopecurus pratensis: meadow foxtail</p> <p>Althaea: marsh-mallow</p> |
|---|---|

- Althaea hirsuta:** rough marsh-mallow
Althaea officinalis: marsh-mallow
Alyssum: alison
Alyssum alyssoides: hoary alyssum
Alyssum alyssoides: small alison
Alliaria petiolata: garlic mustard
Alliaria petiolata: hedge garlic
Alliaria petiolata: jack-by-the-hedge
Allium: garlic
Allium: onion
Allium ampeloprasum: leek
Allium ampeloprasum: wild leek
Allium carinatum: keeled garlic
Allium moly: moly
Allium moly: yellow garlic
Allium neapolitanum: neapolitan garlic
Allium nigrum: broad-leaved onion
Allium oleraceum: field garlic
Allium roseum: rosy garlic
Allium scorodoprasum: sand leek
Allium schoenoprasum: chives
Allium sphaerocephalon: round-headed leek
Allium subhirsutum: hairy garlic
Allium triquetrum: three-cornered garlic
Allium ursinum: ramsons
Allium ursinum: wild garlic
Allium ursinum: wood garlic
Allium vineale: crow garlic
Allium vineale: false garlic
Allium vineale: wild onion
Amaranthaceae: pigweed family
Amaranthus: amaranth
Amaranthus: bhaji
Amaranthus: pigweed
Amaranthus albus: tumbleweed
Amaranthus albus: white pigweed
Amaranthus blitoides: prostrate pigweed
Amaranthus cruentus: purple amaranth
Amaranthus deflexus: perennial pigweed
Amaranthus graecizans: short-tepalled pigweed
Amaranthus hybridus: green amaranth
Amaranthus retroflexus: common amaranth
Amaranthus retroflexus: redroot pigweed
Amaranthus standleyanus: indehiscent pigweed
Ambrosia: ragweed
Ambrosia coronopifolia: perennial ragweed
Amelanchier: juneberry
Amelanchier: serviceberry
Amelanchier: shad
Amelanchier: shad bush
Amelanchier: snowy mespilus
Amelanchier ovalis: snowy mespilus
Ammi majus: bullwort
Ammi visnaga: toothpick-plant
Ammophila: beachgrass
Ammophila arenaria: european beachgrass
Ammophila arenaria: marram
Ammophila arenaria: mel grass
Ampelodesmos mauritanica: dis grass
Ampelodesmos mauritanica: diss
Anacamptis pyramidalis: pyramidal orchid
Anagallis: pimpernel
Anagallis: weather-glass
Anagallis arvensis: poor man's weather-glass
Anagallis arvensis: scarlet pimpernel
Anagallis arvensis: shepherd's weather-glass
Anagallis foemina: blue pimpernel
Anagallis minima: chaffweed
Anagallis monelli: blue pimpernel
Anagallis tenella: bog pimpernel
Anchusa: alkanet
Anchusa arvensis: bugloss
Anchusa azurea: garden anchusa
Anchusa officinalis: alkanet
Andropogon: bluestem
Androsace: rock jasmine
Anemone: anemone
Anemone: wind flower
Anemone coronaria: lily-of-the-field
Anemone nemorosa: wood anemone
Anemone ranunculoides: yellow anemone
Anethum graveolens: dill
Angelica: angelica
Angelica sylvestris: wild angelica
Anogramma leptophylla: Jersey fern
Antennaria dioica: cat's foot

- Antennaria dioica:** mountain everlasting
Anthemis: chamomile
Anthemis arvensis: corn chamomile
Anthemis cotula: mayweed
Anthemis cotula: stinking chamomile
Anthemis tinctoria: dyer's chamomile
Anthemis tinctoria: golden chamomile
Anthemis tinctoria: yellow chamomile
Anthericum liliago: St Bernard's lily
Anthoxanthum: vernal-grass
Anthoxanthum aristatum: annual vernal-grass
Anthoxanthum odoratum: spring grass
Anthoxanthum odoratum: sweet vernal-grass
Anthoxanthum odoratum: vernal-grass
Anthriscus: chervil
Anthriscus caucalis: bur parsley
Anthriscus cerefolium: garden chervil
Anthriscus sylvestris: cow parsley
Anthyllis vulneraria: kidneyvetch
Anthyllis vulneraria: lady's fingers
Apera: silky bent
Apera interrupta: dense silky-bent
Apera spica-venti: loose silky-bent
Apera spica-venti: silky bentgrass
Apera spica-venti: windgrass
Aphanes arvensis: parsley piet
Apiaceae: carrot family
Apium: celery
Apium: marshwort
Apium graveolens: celeriac
Apium graveolens: wild celery
Apium inundatum: lesser marshwort
Apium nodiflorum: fool's watter-cress
Apium repens: creeping marshwort
Apocynaceae: periwinkle family
Aquifoliaceae: holly family
Aquilegia: columbine
Aquilegia: granny-bonnets
Aquilegia pyrenaica: pyrenean columbine
Aquilegia vulgaris: columbine
Arabidopsis thaliana: thale cress
Arabis: cress
Arabis: rock-cress
Arabis: wall cress
Arabis alpina: alpine rock-cress
Arabis collina: rosy cress
Arabis glabra: tower mustard
Arabis hirsuta: hairy rock-cress
Arabis stricta: Bristol rock-cress
Arabis turrita: tower cress
Araceae: lords-and-ladies family
Araliaceae: ivy family
Arbutus unedo: strawberry-tree
Arctium: burdock
Arctium lappa: gobo
Arctium lappa: greater burdock
Arctium minus: lesser burdock
Arctostaphylos: bearberry
Arctostaphylos alpinus: black bearberry
Arctostaphylos alpinus: mountain bearberry
Arctostaphylos uva-ursi: bearberry
Arctostaphylos uva-ursi: mealberry
Arctostaphylos uva-ursi: uva-ursi
Arctotheca calendula: capeweed
Arctotheca calendula: plain treasureflower
Arenaria: sandwort
Arenaria balearica: mossy sandwort
Arenaria ciliata: fringed sandwort
Arenaria serpyllifolia: thyme-leaved sandwort
Argemone mexicana: mexican poppy
Argemone mexicana: prickly poppy
Arisarum proboscideum: mousetailplant
Aristida: wiregrass
Aristida adscensionis: annual bristle grass
Aristida adscensionis: six weeks needle grass
Aristida adscensionis: six weeks three-awn
Aristolochia: birthwort
Aristolochia clematitis: birthwort
Aristolochia rotunda: smearwort
Aristolochiaceae: birthwort family
Armeria: thrift
Armeria alliacea: Jersey thrif
Armeria maritima: sea pink
Armeria maritima: thrift
Armoracia rusticana: horse-radish
Arnoseris minima: lamb's succory

- Arnoseris minima:** swine succory
Arrhenatherum: oat-grass
Arrhenatherum elatius: false oat-grass
Arrhenatherum elatius: french ryegrass
Arrhenatherum elatius: tall oat-grass
Arrhenatherum elatius var. bulbosum: bulbous oat-grass
Artemisia: mugwort
Artemisia: ragweed
Artemisia: sage
Artemisia: sagebrush
Artemisia abrotanum: lad's love
Artemisia abrotanum: old man
Artemisia abrotanum: southernwood
Artemisia absinthium: absinthe
Artemisia absinthium: wormwood
Artemisia campestris: field wormwood
Artemisia verlotiorum: chinese mugwort
Artemisia vulgaris: mugwort
Arum: lords-and-ladies
Arum italicum: italian lords-and-ladies
Arum maculatum: cuckoo pint
Arum maculatum: jack-in-the-pulpit
Arum maculatum: lords-and-ladies
Arum maculatum: wake-robin
Aruncus dioicus: buk's-beard
Arundo donax: bamboo reed
Arundo donax: giant reed
Arundo donax: spanish reed
Asarina procumbens: trailing snapdragon
Asarum europaeum: asarabacca
Asparagus: asparagus
Asperugo procumbens: madwort
Asperula: woodruff
Asperula arvensis: blue woodruff
Asperula cynanchica: squinancywort
Asperula taurina: pink woodruff
Asphodelus albus: white asphodel
Aspleniaceae: spleenwort family
Asplenium: spleenwort
Asplenium adiantum-nigrum: black spleenwort
Asplenium marinum: sea spleenwort
Asplenium obovatum: lanceolate spleenwort
Asplenium ruta-muraria: spleenwort
Asplenium ruta-muraria: wall-rue
Asplenium septentrionale: forked spleenwort
Asplenium trichomanes: maidenhair spleenwort
Aster: aster
Aster: frost flowers
Aster: Michaelmas-daisy
Aster: starwort
Aster lanceolatus: narrow-leaved Michaelmas-daisy
Aster linosyris: goldilocks aster
Aster tripolium: sea aster
Asteraceae: daisy family
Astragalus: goat's thorn
Astragalus: gum sarcocolla
Astragalus: locoweed
Astragalus: milk-vetch
Astragalus: sarcocolla
Astragalus alpinus: alpine milk-vetch
Astragalus cicer: chick-pea milk-vetch
Astragalus danicus: purple milk-vetch
Astragalus glycyphyllos: fitsroot
Astragalus glycyphyllos: wild liquorice
Astrantia major: astrantia
Astrantia major: masterwort
Athyriaceae: lady-fern family
Athyrium distentifolium: alpine lady-fern
Athyrium filix-femina: lady-fern
Atriplex: orache
Atriplex: saltbush
Atriplex halimus: shrubby orache
Atriplex hastata: spear-leaved orache
Atriplex hortensis: garden orache
Atriplex laciniata: frosted orache
Atriplex littoralis: grass-leaved orache
Atriplex patula: common orache
Atropa belladonna: belladonna
Atropa belladonna: deadly nightshade
Aubrieta deltoidea: aubretia
Avena: oat
Avena: oat-grass
Avena barbata: bearded oat
Avena barbata: slender oat

| | |
|--|--|
| Avena fatua: common wild oat | Bidens: bur-marigold |
| Avena fatua: spring wild oat | Bidens: cuckold |
| Avena fatua: wild oat | Bidens cernua: nodding bur-marigold |
| Avena sativa: cultivated oat | Bidens frondosa: beggarticks |
| Avena sativa: oat | Bidens pilosa: beggarticks |
| Avena sativa: red oat | Bidens pilosa: black-jack |
| Avena sativa: white oat | Bidens tripartita: trifid bur-marigold |
| Avena sativa: wild oat | Bilderdykia aubertii: russian-vine |
| Avena sterilis: animated oat | Bilderdykia convolvulus: black-bindweed |
| Avena sterilis: sterile oat | Bilderdykia dumetorum: copse-bindweed |
| Avena sterilis: winter wild-oat | Biserrula pelecinus: biserrula |
| Avena strigosa: black oat | Bituminaria: scurfy pea |
| Avena strigosa: bristle oat | Blackstonia perfoliata: yellow-wort |
| Avena strigosa: lop-sided oat | Blechnaceae: hard-fern family |
| Avena strigosa: small oat | Blechnum spicant: hard-fern |
| Avenula pratensis: meadow oat-grass | Blysmus compressus: flatsedge |
| Avenula pubescens: downy oat-grass | Boraginaceae: borage family |
| Azolla filiculoides: water fern | Borago officinalis: borage |
| Azollaceae: water fern family | Botrychium lunaria: moonwort |
| Baccharis halimifolia: consumption weed | Brachiaria eruciformis: signal-grass |
| Baccharis halimifolia: tree groundsel | Brachypodium: false brome |
| Balsaminaceae: balsam family | Brachypodium distachyon: purple false-brome |
| Ballota nigra: black horehound | Brachypodium distachyon: stiff brome |
| Barbarea: winter-cress | Brachypodium pinnatum: clalk false-brome |
| Barbarea intermedia: medium flowered winter-cress | Brachypodium pinnatum: tor-grass |
| Barbarea verna: american winter-cress | Brachypodium sylvaticum: false brome |
| Barbarea verna: land cress | Brassica: cabbage |
| Barbarea verna: winter-cress | Brassica: mustard |
| Barbarea verna: yellow rocket | Brassica: rape |
| Barbarea vulgaris: winter-cress | Brassica juncea: chinese mustard |
| Barbarea vulgaris: yellow rocket | Brassica juncea: rai |
| Bartsia alpina: alpine bartsia | Brassica napus: canola |
| Bellis perennis: daisy | Brassica napus: colza |
| Bellis perennis: hen-and-chickens | Brassica napus: rape |
| Berberidaceae: barberry family | Brassica nigra: black mustard |
| Berberis: barberry | Brassica oleracea: cabbage |
| Berberis vulgaris: barberry | Brassica rapa: sarson |
| Berula erecta: lesser water-parisnip | Brassica rapa: turnip |
| Beta vulgaris: beet | Brassica tournefortii: pale cabbage |
| Beta vulgaris: mangel-wurzel | Brassicaceae: cabbage family |
| Beta vulgaris: mangold | Briza: quaking-grass |
| Beta vulgaris: sugar beet | Briza: shaking-grass |
| | Briza maxima: big quaking-grass |

Briza maxima: greater quaking-grass
Briza media: intermediate quaking-grass
Briza media: jiggle-joggles
Briza media: mean quaking-grass
Briza media: quaking-grass
Briza media: tottergrass
Briza minor: lesser quaking-grass
Briza minor: little quaking-grass
Briza minor: shiverygrass
Bromus: brome
Bromus: bromegrass
Bromus arvensis: corn bromegrass
Bromus arvensis: field brome
Bromus arvensis: field chess
Bromus benekenii: lesser hairy-brome
Bromus commutatus: hairy chess
Bromus commutatus: meadow brome
Bromus diandrus: great brome
Bromus diandrus: ripgut brome
Bromus diandrus: slands grass
Bromus erectus: upright brome
Bromus hordeaceus: soft chess
Bromus hordeaceus: soft-brome
Bromus inermis: hungarian brome
Bromus inermis: smooth brome
Bromus lanceolatus: large-headed brome
Bromus lanceolatus: mediterranean brome
Bromus lanceolatus: purple-awned brome
Bromus madritensis: compact brome
Bromus racemosus: smooth brome
Bromus ramosus: hairy-brome
Bromus rigidus: bronchograss
Bromus rigidus: great brome
Bromus rigidus: ripgut brome
Bromus rigidus: ripgutgrass
Bromus rubens: foxtail brome
Bromus rubens: foxtail chess
Bromus rubens: red brome
Bromus secalinus: cheat grass
Bromus secalinus: chess brome
Bromus secalinus: rye brome
Bromus sterilis: barren brome
Bromus sterilis: poverty brome

Bromus sterilis: sterile brome
Bromus tectorum: downy brome
Bromus tectorum: drooping brome
Bromus tectorum: wall brome
Bromus willdenowii: prairie grass
Bromus willdenowii: rescue brome
Bromus willdenowii: rescuegrass
Bromus willdenowii: Schraders bromegrass
Bunias: warty-cabbage
Bunium bulbocastanum: great pignut
Bupleurum: hare's-ear
Bupleurum baldense: small hare's-ear
Bupleurum falcatum: sickle-leaved hare's-ear
Bupleurum fruticosum: shrubby hare's-ear
Bupleurum rotundifolium: thorow-vax
Bupleurum tenuissimum: slender hare's-ear
Butomaceae: flowering-rush family
Butomus umbellatus: flowering-rush
Buxaceae: box family
Buxus sempervirens: box
Buxus sempervirens: boxwood
Cakile maritima: sea rocket
Calamagrostis: small-reed
Calamagrostis canescens: purple small-reed
Calamagrostis epigejos: wood small-reed
Calamintha: calamint
Calamintha sylvatica: wood calamint
Calendula: marigold
Calendula arvensis: field marigold
Calendula officinalis: pot marigold
Calendula officinalis: ruddles
Calicotome spinosa: prickly broom
Calitrichie: starwort
Caltha palustris: king cup
Caltha palustris: marsh marigold
Caltha palustris: may blob
Calystegia: bindweed
Calystegia sepium: hedge bindweed
Calystegia silvatica: large bindweed
Calystegia soldanella: sea bindweed
Callitrichaceae: water-starwort family
Callitrichie obtusangula: brunt-fruited water-starwort

- Calluna vulgaris:** heather
Calluna vulgaris: ling
Camelina: gold-of-pleasure
Camelina microcarpa: lesser gold-of-pleasure
Camelina sativa: false flax
Camelina sativa: gold-of-pleasure
Campanula: bellflower
Campanula glomerata: clustered bellflower
Campanula latifolia: giant bellflower
Campanula medium: Canterbury-bells
Campanula patula: spreading bellflower
Campanula persicifolia: peach-leaved bellflower
Campanula rapunculoides: creeping bellflower
Campanula rapunculus: rampion bellflower
Campanula rotundifolia: bluebell
Campanula rotundifolia: harebell
Campanula trachelium: nettle-leaved bellflower
Campanulaceae: bellflower family
Caprifoliaceae: honeysuckle family
Capsella: shepherd's-purse
Capsella bursa-pastoris: shepherd's-purse
Capsella rubella: pink shepherd's-purse
Cardamine: bitter-cress
Cardamine: cress
Cardamine amara: large bitter-cress
Cardamine flexuosa: wavy bitter-cress
Cardamine heptaphylla: pinnate coralroot
Cardamine hirsuta: hairy bitter-cress
Cardamine impatiens: narrow-leaved bitter-cress
Cardamine pratensis: cuckooflower
Cardamine pratensis: lady's smock
Cardamine pratensis: meadow cress
Cardamine pratensis: spinks
Cardamine raphanifolia: greater cuckooflower
Cardaria draba: hoary cress
Carduus: thistle
Carduus crispus: welted thistle
Carduus nutans: musk thistle
Carduus pycnocephalus: Plymouth thistle
Carduus tenuiflorus: slender thistle
Carex: sedge
Carex acutiformis: lesser pond-sedge
Carex arenaria: sand sedge
Carex atrata: black alpine-sedge
Carex binervis: green-ribbed sedge
Carex capillaris: hair sedge
Carex caryophyllea: spring sedge
Carex curta: white sedge
Carex davalliana: Davall's sedge
Carex depauperata: starved wood-sedge
Carex digitata: fingered sedge
Carex dioica: dioecious sedge
Carex distans: distant sedge
Carex disticha: brown sedge
Carex divisa: divided sedge
Carex divulsa: grey sedge
Carex echinata: star sedge
Carex elata: tufted-sedge
Carex ericetorum: rare sping-sedge
Carex extensa: long-bracted sedge
Carex flacca: glaucous sedge
Carex flava: large yellow-sedge
Carex hirta: hairy sedge
Carex hostiana: tawny sedge
Carex lachenalii: hare's-foot sedge
Carex laevigata: smooth-stalked sedge
Carex lasiocarpa: slender sedge
Carex limosa: bog-sedge
Carex maritima: curved sedge
Carex montana: soft-leaved sedge
Carex muricata: prickly sedge
Carex nigra: common sedge
Carex ornithopoda: bird's-foot sedge
Carex otrubae: false fox-sedge
Carex ovalis: oval sedge
Carex pallescens: pale sedge
Carex panicea: carnation sedge
Carex paniculata: greater tussock-sedge
Carex pendula: pendulous sedge
Carex pilulifera: pill sedge
Carex pseudocyperus: cyperus sedge
Carex pulicaris: flea sedge
Carex punctata: dotted sedge
Carex remota: remote sedge
Carex riparia: greater pond-sedge
Carex rostrata: bottle sedge

- Carex rupestris:** rock sedge
Carex spicata: spiked sedge
Carex strigosa: thin-spiked wood-sedge
Carex sylvatica: wood-sedge
Carex tomentosa: downy-fruited sedge
Carex trinervis: three-nerved sedge
Carex vaginata: sheathed sedge
Carex versicaria: bladder-sedge
Carex vulpina: true fox-sedge
Carlina: carline
Carlina: thistle
Carlina vulgaris: carline thistle
Carthamus: safflower
Carthamus: saffron thistle
Carthamus lanatus: downy safflower
Carthamus tinctorius: kurdee
Carthamus tinctorius: safflower
Carum: caraway
Carum carvi: caraway
Carum carvi: kümmel
Carum carvi: seedcake
Carum verticillatum: whorled caraway
Caryophyllaceae: pink family
Catabrosa aquatica: water hair
Catabrosa aquatica: whorl-grass
Caucalis: bur parsley
Cenchrus: bur grass
Cenchrus: hedgehog grass
Cenchrus: sandbur
Centaurea: bluebottle
Centaurea: centaury
Centaurea: knapweed
Centaurea: star-thistle
Centaurea aspera: rough star-thistle
Centaurea calcitrapa: red star-thistle
Centaurea cyanus: cornflower
Centaurea diluta: lesser star-thistle
Centaurea jacea: brown knapweed
Centaurea melitensis: maltese star-thistle
Centaurea montana: mountain bluet
Centaurea montana: perennial cornflower
Centaurea nigra: common knapweed
Centaurea nigra: hard heads
Centaurea paniculata: Jersey knapweed
Centaurea sabiosa: greater knapweed
Centaurea solstitialis: yellow star-thistle
Centaurium: centaury
Centaurium erythraea: common centaury
Centaurium pulchellum: lesser centaury
Centaurium scilloides: perennial centaury
Centaurium tenuiflorum: slender centaury
Centranthus: red valerian
Centranthus calcitrapae: annual valerian
Centranthus ruber: red valerian
Cephalanthera: helleborine
Cephalanthera damasonium: white helleborine
Cephalanthera longifolia: narrow-leaved helleborine
Cephalanthera rubra: red helleborine
Cephalaria: giant scabious
Cerastium: chickweed
Cerastium: mouse-ear
Cerastium: mouse-ear chickweed
Cerastium alpinum: alpine mouse-ear
Cerastium arvense: field mouse-ear
Cerastium brachypetalum: grey mouse-ear
Cerastium cerastoides: starwort mouse-ear
Cerastium diffusum: sea mouse-ear
Cerastium fontanum: common mouse-ear
Cerastium glomeratum: sticky mouse-ear
Cerastium pumilum: dwarf mouse-ear
Cerastium semidecandrum: little mouse-ear
Ceterach officinarum: rustyback
Cicendia filiformis: yellow centaury
Cicerbita: blue-sow-thistle
Cicerbita alpina: alpine blue-sow-thistle
Cicerbita plumieri: hairless blue-sow-thistle
Cicuta virosa: cowbane
Cicuta virosa: water hemlock
Cichorium intybus: chicory
Cichorium intybus: succory
Circaeae: enchanter's-nightshade
Circaeae alpina: alpine enchanter's-nightshade
Circaeae intermedia: upland enchanter's-nightshade
Circaeae lutetiana: enchanter's-nightshade

- Cirsium:** thistle
Cirsium acaule: dwarf thistle
Cirsium arvense: canadian thistle
Cirsium arvense: creeping thistle
Cirsium dissectum: meadow thistle
Cirsium eriophorum: woolly thistle
Cirsium erisithales: yellow thistle
Cirsium helenioides: melancholy thistle
Cirsium oleraceum: cabbage thistle
Cirsium palustre: marsh thistle
Cirsium tuberosum: tuberous thistle
Cirsium vulgare: bull thistle
Cirsium vulgare: scotch thistle
Cirsium vulgare: spear thistle
Cistaceae: rock-rose family
Cistus: cistus
Cistus: rock-rose
Cistus ladanifer: ladanum
Cistus monspeliensis: Montpellier cistus
Cistus salviaefolius: sage leaf cistus
Cladium mariscus: great fen-sedge
Clematis flammula: virgin's-bower
Clematis vitalba: old maid's beard
Clematis vitalba: traveller's joy
Clematis viticella: purple clematis
Clinopodium vulgare: wild basil
Clusiaceae: St John's-wort family
Cochlearia: scurvygrass
Cochlearia officinalis: common scurvygrass
Cochlearia pyrenaica: pyrenean scurvygrass
Coeloglossum viride: frog bit
Coeloglossum viride: frog orchid
Colchicum autumnale: autumn crocus
Colchicum autumnale: meadow saffron
Colutea arborea: bladder-senna
Commelinaceae: spiderwort family
Conium maculatum: hemlock
Conopodium majus: earth nut
Conopodium majus: pignut
Conringia orientalis: hare's-ear mustard
Consolida: larkspur
Consolida orientalis: eastern larkspur
Convallaria majalis: lily-of-the-valley
- Convolvulaceae:** bindweed family
Convolvulus arvensis: corn bind
Convolvulus arvensis: field bindweed
Conyza: fleabane
Conyza bonariensis: argentine fleabane
Conyza canadiensis: canadian fleabane
Corallorrhiza trifida: coralroot orchid
Coriandrum sativum: coriander
Coronilla: scorpion vetch
Coronilla: senna
Coronilla emerus: scorpion senna
Coronilla scorpioides: annual scorpion-vetch
Coronilla valentina: bastard senna
Coronilla valentina: shrubby scorpion-vetch
Coronilla varia: crownvetch
Coronopus: swine-cress
Coronopus: wartcress
Coronopus didymus: lesser swine-cress
Coronopus squamatus: swine-cress
Corrigiola litoralis: strapwort
Cortaderia selloana: pampas-grass
Corydalis: corydalis
Corydalis bulbosa: hollow-root
Corydalis solida: bird-in-a-bush
Corynephorus: hair-grass
Corynephorus canescens: grey hair-grass
Cotoneaster integrifolius: wild cotoneaster
Cotula coronopifolia: buttonweed
Crambe maritima: sea-kale
Crassula: pigmyweed
Crassula tillaea: mossy stonecrop
Crassulaceae: stonecrop family
Crataegus: hawthorn
Crataegus: may
Crataegus: thorn
Crataegus azarolus: azarole
Crataegus laciniata: oriental hawthorn
Crataegus laevigata: midland hawthorn
Crataegus monogyna: bread-and-cheese
Crataegus monogyna: hawthorn
Crataegus monogyna: quickthorn quickset
Crataegus monogyna: whitethorn
Crepis: hawk's-beard

Crepis biennis: rough hawk's-beard
Crepis capillaris: smooth hawk's-beard
Crepis foetida: stinking hawk's-beard
Crepis mollis: northern hawk's-beard
Crepis nicaeensis: french hawk's-beard
Crepis paludosa: marsh hawk's-beard
Crepis setosa: bristly hawk's-beard
Crepis tectorum: narrow-leaved hawk's-beard
Crepis vesicaria: beaked hawk's-beard
Crithmum maritimum: rock samphire
Crocus: crocus
Crocus nudiflorus: autumn crocus
Crocus vernus: dutch crocus
Crocus vernus: spring crocus
Cruciata: crosswort
Cruciata laevipes: crosswort
Cryptogramma crispa: parsley fern
Cucubalus baccifer: berry catchfly
Cuminum cyminum: cumin
Cuscuta: devil's guts
Cuscuta: dodder
Cuscuta: scald
Cuscuta epithymum: dodder
Cuscuta europaea: greater dodder
Cuscuteae: dodder family
Cyclamen: cyclamen
Cymbalaria muralis: ivy-leaved toadflax
Cymbalaria muralis: mother-of-thousands
Cymbalaria muralis: pennywort
Cymbalaria muralis: wandering sailor
Cynodon dactylon: bermudagrass
Cynodon dactylon: couchgrass
Cynodon dactylon: dhob
Cynodon dactylon: dhuh
Cynodon dactylon: doob grass
Cynodon dactylon: kweek grass
Cynoglossum: hound's-tongue
Cynoglossum germanicum: green hound's-tongue
Cynoglossum officinale: hound's-tongue
Cynosurus: dog's-tail
Cynosurus: silky bent
Cynosurus cristatus: crested dog's-tail

Cynosurus echinatus: hedgehog dog's-tail grass
Cynosurus echinatus: rough dog's-tail
Cyperaceae: sedge family
Cyperus: galingale
Cyperus eragrostis: pale galingale
Cyperus fuscus: brown galingale
Cyperus longus: galingale
Cyperus longus: sweet galingale
Cypripedium calceolus: lady's-slipper
Cystopteris: bladder-fern
Cystopteris dickieana: Dickie's bladder-fern
Cystopteris fragilis: brittle bladder-fern
Cystopteris montana: mountain bladder-fern
Cytisus: broom
Cytisus multiflorus: white broom
Cytisus scoparius: broom
Cytisus scoparius: european broom
Cytisus striatus: hairy-fruited broom
Chaenorhinum: toadflax
Chaenorhinum minus: small toadflax
Chaenorhinum organifolium: malling toadflax
Chaerophyllum: chervil
Chaerophyllum aureum: golden chervil
Chaerophyllum hirsutum: hairy chervil
Chaerophyllum temulentum: rough chervil
Chamaemelum nobile: chamomile
Chamaemelum nobile: chamomile tea
Chamaemelum nobile: sweet chamomile
Chamaenerion angustifolium: rosebay willowherb
Chamaerops humilis: algerian fibre
Chamomilla recutita: wild chamomile
Chamomilla sauvageon: pineapple-weed
Cheiranthus: gilliflower
Cheiranthus cheiri: wall-flower
Chelidonium majus: greater celandine
Chenopodiaceae: goosefoot family
Chenopodium: goosefoot
Chenopodium: lambsquarters
Chenopodium album: fat-hen
Chenopodium ambrosioides: epazote
Chenopodium ambrosioides: mexican-tea
Chenopodium ambrosioides: wormseed

- Chenopodium bonus-henricus:** allgood
Chenopodium bonus-henricus: blite
Chenopodium bonus-henricus: good-King-Henry
Chenopodium ficifolium: fig-leaved goosefoot
Chenopodium glaucum: oak-leaved goosefoot
Chenopodium hybridum: maple-leaved goosefoot
Chenopodium multifidum: scented goosefoot
Chenopodium murale: nettle-leaved goosefoot
Chenopodium opulifolium: grey goosefoot
Chenopodium polyspermum: many-seeded goosefoot
Chenopodium rubrum: red goosefoot
Chenopodium urbicum: upright goosefoot
Chenopodium vulvaria: stinking goosefoot
Chrysanthemum: crown daisy
Chrysanthemum coronarium: crown daisy
Chrysanthemum segetum: corn marigold
Chrysosplenium: golden-saxifrage
Chrysosplenium alternifolium: alternate-leaved golden-saxifrage
Chrysosplenium oppositifolium: opposite-leaved golden-saxifrage
Daboecia cantabrica: St Dabeoc's heath
Dactylis glomerata: cock's-foot
Dactylis glomerata: orchardgrass
Dactylorhiza: marsh-orchid
Dactylorhiza incarnata: early marsh-orchid
Dactylorhiza maculata: heath spotted-orchid
Dactylorhiza majalis: western marsh-orchid
Danthonia: oat-grass
Danthonia: wallaby grass
Danthonia decumbens: heath-grass
Daphne: mezereon
Daphne laureola: spurge-laurel
Daphne mezereum: mezereon
Datura: thorn-apple
Datura ferox: angel's-trumpets
Datura stramonium: Jimson weed
Datura stramonium: stramonium
Datura stramonium: thorn-apple
Daucus carota: carrot
Davallia canariensis: hare's-foot fern
Davalliaceae: hare's-foot fern family
Descurainia sophia: flixweed
Deschampsia: hair-grass
Deschampsia cespitosa: fescue-leaved hair-grass
Deschampsia cespitosa: tufted hair-grass
Deschampsia cespitosa: tussock grass
Deschampsia flexuosa: crinkled hair-grass
Deschampsia flexuosa: wavy hair-grass
Deschampsia setacea: bog hair-grass
Desmazeria: ferngrass
Desmazeria rigida: ferngrass
Desmazeria rigida: hard meadow grass
Desmazeria rigida: hard Poa
Dianthus: gilliflower
Dianthus: pink
Dianthus armeria: Deptford pink
Dianthus barbatus: sweet-William
Dianthus caryophyllus: carnation
Dianthus caryophyllus: clove gilliflower
Dianthus caryophyllus: picotee
Dianthus deltoides: maiden pink
Dianthus deltoides: meadow pink
Dianthus gallicus: Jersey pink
Digitalis: foxglove
Digitalis lutea: straw foxglove
Digitalis purpurea: foxglove
Digitaria: crab grass
Digitaria: finger-grass
Digitaria: witch-grass
Digitaria: woollyfinger
Digitaria ischaemum: smooth finger-grass
Digitaria sanguinalis: hairy crabgrass
Digitaria sanguinalis: hairy finger-grass
Diphasium alpinum: alpine clubmoss
Diphasium complanatum: Issler's clubmoss
Diplotaxis: wall-rocket
Diplotaxis erucoides: white rocket
Diplotaxis muralis: annual wall-rocket
Diplotaxis tenuifolia: perennial wall-rocket
Dipsacaceae: teasel family
Dipsacus: teasel
Dipsacus fullonum: wild teasel

- Dipsacus pilosus:** shepherd's rod
Dipsacus pilosus: small teasel
Dipsacus sativus: fuller's teasel
Dittrichia: fleabane
Dittrichia graveolens: stinking fleabane
Dittrichia viscosa: woody fleabane
Doronicum: leopard's-bane
Doronicum pardalianches: leopard's-bane
Doronicum plantagineum: plantain-leaved leopard's-bane
Draba: whitlowgrass
Draba aizoides: yellow whitlowgrass
Draba incana: hoary whitlowgrass
Draba muralis: wall whitlowgrass
Dranculus vulgaris: dragon arum
Drosera: sundew
Drosera intermedia: oblong-leaved sundew
Drosera rotundifolia: round-leaved sundew
Droseraceae: sundew family
Dryas octopetala: mountain avens
Dryopteridaceae: buckler-fern family
Dryopteris: buckler-fern
Dryopteris: shield-fern
Dryopteris abbreviata: mountain male-fern
Dryopteris aemula: hay-scented buckler-fern
Dryopteris borreri: male-fern
Dryopteris carthusiana: narrow buckler-fern
Dryopteris dilatata: broad buckler-fern
Dryopteris dilatata: florist's-fern
Dryopteris filix-mas: male-fern
Dryopteris villarii: rigid buckler-fern
Echinochloa: cockspur
Echinochloa colona: jungle rice
Echinochloa colona: shama millet
Echinochloa crus-galli: barnyard grass
Echinochloa crus-galli: cockspur
Echinochloa crus-galli: japanese millet
Echinops: globe-thistle
Echinops sphaerocephalus: glandular globe-thistle
Echium: viper's-bugloss
Echium plantagineum: Paterson's curse
Echium plantagineum: purple viper's-bugloss
Echium rosulatum: lax viper's-bugloss
Echium vulgare: viper's-bugloss
Elaeagnaceae: sea-buckthorn family
Elaeagnus: elaeagnus
Elaeagnus: oleaster
Elaeagnus: silverberry
Elaeagnus angustifolia: russian olive
Elatinaceae: waterwort family
Elatine: waterwort
Elatine hexandra: six-stamened waterwort
Elatine hydropiper: eight-stamened waterwort
Eleocharis: rush
Eleocharis: spike-rush
Eleocharis austriaca: northern spike-rush
Eleocharis multicaulis: many-stalked spike-rush
Eleocharis palustris: common spike-rush
Eleocharis parvula: dwarf spike-rush
Eleocharis quinqueflora: few-flowered spike-rush
Eleocharis uniglumis: slender spike-rush
Eleusine: crab grass
Eleusine: yard-grass
Eleusine indica: bullgrass
Eleusine indica: crows foot grass
Eleusine indica: goosegrass
Eleusine indica: wiregrass
Eleusine indica: yard-grass
Eleusine tristachya: american yard-grass
Elymus: couch
Elymus: wheatgrass
Elymus: wild rye
Elymus caninus: bearded couch
Elymus caninus: fibrous wheatgrass
Elymus farctus: sand couch
Elymus pungens: sea couch
Elymus repens: common couch
Elymus repens: couchgrass
Elymus repens: quackgrass
Elymus repens: quickgrass
Elymus repens: twitchgrass
Elymus repens: witch-grass
Empetraceae: crowberry family
Empetrum nigrum: crowberry

- Empetrum nigrum:** curleberry
Epigonium aphyllum: ghost orchid
Epilobium: californian fuchsia
Epilobium: willowherb
Epilobium alsinifolium: chickweed willowherb
Epilobium anagallidifolium: alpine willowherb
Epilobium angustifolium: fireweed
Epilobium angustifolium: rosebay willowherb
Epilobium hirsutum: great willowherb
Epilobium lanceolatum: spear-leaved willowherb
Epilobium montanum: broad-leaved willowherb
Epilobium obscurum: short-fruited willowherb
Epilobium palustre: marsh willowherb
Epilobium parviflorum: hoary willowherb
Epilobium roseum: pale willowherb
Epilobium tetragonum: square-stalked willowherb
Epipactis: helleborine
Epipactis atrorubens: dark-red helleborine
Epipactis helleborine: broad-leaved helleborine
Epipactis palustris: marsh helleborine
Equisetaceae: horsetail family
Equisetum: horsetail
Equisetum: scouring rush
Equisetum arvense: field horsetail
Equisetum fluviatile: water horsetail
Equisetum hyemale: rough horsetail
Equisetum palustre: marsh horsetail
Equisetum ramosissimum: branched horsetail
Equisetum sylvaticum: wood horsetail
Equisetum telmateia: great horsetail
Equisetum variegatum: variegated horsetail
Eragrostis: love-grass
Eragrostis barrelieri: mediterranean love-grass
Eragrostis cilianensis: grey love-grass
Eragrostis cilianensis: spreading love-grass
Eragrostis cilianensis: stink-grass
Eragrostis minor: little love-grass
Eragrostis minor: small love-grass
Eragrostis pilosa: indian love-grass
Eragrostis pilosa: Jersey love-grass
Eragrostis pilosa: soft love-grass
Erica: heather
Erica arborea: arborescent heather
Erica arborea: briar root
Erica arborea: tree heath
Erica ciliaris: Dorset heath
Erica cinerea: bell heather
Erica erigena: irish heath
Erica lusitanica: portuguese heath
Erica mackiana: Mackay's heath
Erica terminalis: corsican heath
Erica tetralix: bog heather
Erica tetralix: cross-leaved heath
Erica vagans: Cornish heath
Ericaceae: heather family
Erigeron: fleabane
Erigeron acer: blue fleabane
Erigeron annuus: daisy fleabane
Erigeron annuus: tall fleabane
Erigeron karvinskianus: mexican fleabane
Erinacea anthyllis: hedgehog broom
Erinus alpinus: fairy foxglove
Eriophorum: cottongrass
Eriophorum angustifolium: common cottongrass
Eriophorum angustifolium: cotton sedge
Eriophorum latifolium: broad-leaved cottongrass
Eriophorum vaginatum: hare's-tail cottongrass
Erodium: stork's-bill
Erodium botrys: mediterranean stork's-bill
Erodium cicutarium: common stork's-bill
Erodium chium: three-lobed stork's-bill
Erodium malacoides: soft stork's-bill
Erodium maritimum: sea stork's-bill
Erophila: whitlowgrass
Erophila verna: common whitlowgrass
Eruca vesicaria: garden rocket
Eruca vesicaria: salad rocket
Erucastrum gallicum: hairy rocket
Eryngium: eryngo
Eryngium campestre: field eryngo
Eryngium maritimum: sea-holly
Erysimum: wallflower
Erysimum cheiranthoides: treacle mustard
Erythronium dens-canis: dog's tooth violet

- Eschscholzia californica:** californian poppy
Eupatorium cannabinum: ague weed
Eupatorium cannabinum: hemp-agrimony
Euphorbia: spurge
Euphorbia amygdaloides: wood spurge
Euphorbia cyparissias: cypress spurge
Euphorbia characias: mediterranean spurge
Euphorbia dulcis: sweet spurge
Euphorbia esula: leafy spurge
Euphorbia exigua: dwarf spurge
Euphorbia helioscopia: sun spurge
Euphorbia hyberna: irish spurge
Euphorbia lathyris: caper spurge
Euphorbia lathyris: mole plant
Euphorbia maculata: spotted spurge
Euphorbia paralias: sea spurge
Euphorbia peplis: purple spurge
Euphorbia peplus: petty spurge
Euphorbia platyphyllos: broad-leaved spurge
Euphorbia portlandica: Portland spurge
Euphorbia serrulata: upright spurge
Euphorbiaceae: spurge family
Euphrasia: eyebright
Euphrasia officinalis: eyebright
Exaculum pusillum: guernsey centaury
Fabaceae: legumes
Fabaceae: pea family
Fagopyrum esculentum: buckwheat
Falcaria vulgaris: longleaf
Ferula: sagapenum
Ferula communis: giant fennel
Festuca: bluegrass
Festuca: fescue
Festuca altissima: wood fescue
Festuca arundinacea: reed fescue
Festuca arundinacea: tall fescue
Festuca gigantea: giant fescue
Festuca heterophylla: various-leaved fescue
Festuca juncifolia: rush-leaved fescue
Festuca lemanii: confused fescue
Festuca ovina: sheep's-fescue
Festuca ovina var. *duriuscula*: hard fescue
Festuca pratensis: meadow fescue
Festuca rubra: creeping fescue
Festuca rubra: red fescue
Festuca tenuifolia: fine-leaved sheep's-fescue
Filaginella uliginosa: marsh cudweed
Filago: cudweed
Filago gallica: narrow-leaved cudweed
Filago lutescens: red-tipped cudweed
Filago minima: small cudweed
Filago pyramidalis: broad-leaved cudweed
Filago vulgaris: common cudweed
Filipendula: meadowsweet
Filipendula ulmaria: meadowsweet
Filipendula vulgaris: dropwort
Foeniculum vulgare: fennel
Fragaria: strawberry
Fragaria moschata: hautbois
Fragaria moschata: hautboy
Fragaria vesca: alpine strawberry
Fragaria vesca: wild strawberry
Frangula alnus: alder buckthorn
Frankenia: sea heath
Frankenia laevis: sea heath
Fritillaria: snake's head
Fritillaria meleagris: fritillary
Fumaria: fumitory
Fumaria bastardii: tall ramping-fumitory
Fumaria capreolata: white ramping-fumitory
Fumaria densiflora: dense-flowered fumitory
Fumaria muralis: common ramping-fumitory
Fumaria officinalis: common fumitory
Fumaria parviflora: fine-leaved fumitory
Fumaria reuteri: Martin's ramping-fumitory
Fumaria vaillantii: few-flowered fumitory
Fumariaceae: fumitory family
Gagea: star-of-Bethlehem
Gagea lutea: yellow star-of-Bethlehem
Galanthus nivalis: snowdrop
Galega officinalis: goat's-rue
Galeopsis: hemp-nettle
Galeopsis angustifolia: red hemp-nettle
Galeopsis ladanum: broad-leaved hemp-nettle
Galeopsis segetum: downy hemp-nettle
Galeopsis tetrahit: common hemp-nettle

- Galinsoga ciliata:** shaggy-soldier
Galium: bedstraw
Galium aparine: cleavers
Galium aparine: gossegrass
Galium aparine: sweet hearts
Galium boreale: northern bedstraw
Galium mollugo: hedge bedstraw
Galium odoratum: woodruff
Galium palustre: common marsh-bedstraw
Galium parisiense: wall bedstraw
Galium pumilum: slender bedstraw
Galium saxatile: heath bedstraw
Galium spurium: false cleavers
Galium tricornutum: corn cleavers
Galium uliginosum: fen bedstraw
Galium verum: lady's bedstraw
Gamochaeta purpurea: american cudweed
Gastridium ventricosum: nit-grass
Gaudinia fragilis: french oat-grass
Genista: broom
Genista: greenweed
Genista anglica: needle furze
Genista anglica: needle whin
Genista anglica: petty whin
Genista hispanica: spanish gorse
Genista pilosa: hairy greenweed
Gentiana: gentian
Gentiana asclepiadea: willow gentian
Gentiana lutea: yellow gentian
Gentiana nivalis: alpine gentian
Gentiana pneumonanthe: marsh gentian
Gentiana verna: spring gentian
Gentianaceae: gentian family
Gentianella: gentian
Gentianella campestris: field gentian
Gentianella ciliata: fringed gentian
Geraniaceae: crane's-bill family
Geranium: crane's-bill
Geranium: geranium
Geranium columbinum: long-stalked crane's-bill
Geranium dissectum: cut-leaved crane's-bill
Geranium endressii: french crane's-bill
Geranium lucidum: shining crane's-bill
Geranium molle: dove's-foot crane's-bill
Geranium nodosum: knotted crane's-bill
Geranium pratense: meadow crane's-bill
Geranium purpureum: little-Robin
Geranium pusillum: small-flowered crane's-bill
Geranium pyrenaicum: hedgerow crane's-bill
Geranium robertianum: herb-Robert
Geranium rotundifolium: round-leaved crane's-bill
Geranium sanguineum: bloody crane's-bill
Geranium sylvaticum: wood crane's-bill
Gesneriaceae: pyrenean-violet family
Geum: avens
Geum rivale: water avens
Geum urbanum: wood avens
Geum urbanum: yellow avens
Gladiolus: bluebell
Gladiolus: gladiolus
Gladiolus communis: eastern gladiolus
Gladiolus illyricus: wild gladiolus
Glaucium: horned-poppy
Glaucium corniculatum: red horned-poppy
Glaucium flavum: sea poppy
Glaucium flavum: yellow horned-poppy
Glaux maritima: sea-milkwort
Glechoma hederacea: alehoof
Glechoma hederacea: ground-ivy
Gleditsia: honey locust
Glyceria: sweet-grass
Glyceria declinata: small sweet-grass
Glyceria fluitans: floating sweet-grass
Glycine max: soja
Glycine max: soy
Glycine max: soya bean
Glycine max: soybean
Glycyrrhiza glabra: liquorice
Gnaphalium: cudweed
Gnaphalium luteo-album: Jersey cudweed
Goodyera repens: creeping lady's-tresses
Gramineae: grass family
Gratiola officinalis: hedge hyssop
Grossulariaceae: gooseberry family
Guizotia abyssinica: niger

- Gymnadenia conopsea:** fragrant orchid
Gymnadenia conopsea: scented orchid
Gymnadenia conopsea: sweet-scented orchid
Gymnocarpium: oak fern
Gymnocarpium dryopteris: oak fern
Gymnocarpium robertianum: limestone fern
Hainardia cylindrica: barb grass
Hainardia cylindrica: one-glumed hard-grass
Halimione portulacoides: sea-purslane
Hedera helix: ivy
Hedypnois cretica: scaly hawkbit
Hedysarum coronarium: espercket
Hedysarum coronarium: french honeysuckle
Hedysarum coronarium: sulla
Hedysarum coronarium: sulla sweetvetch
Helianthemum: rock-rose
Helianthemum apenninum: white rock-rose
Helianthemum nummularium: common rock-rose
Helianthemum canum: hoary rock-rose
Helianthus tuberosus: Jerusalem artichoke
Helictotrichon: oat-grass
Helichrysum: everlastingflower
Helleborus: hellebore
Helleborus foetidus: bear's foot
Helleborus foetidus: stinking hellebore
Helleborus viridis: green hellebore
Hepatica nobilis: liverleaf
Heracleum sphondylium: cow parsnip
Heracleum sphondylium: hogweed
Herminium monorchis: musk orchid
Herniaria: rupturewort
Herniaria ciliolata: fringed rupturewort
Herniaria glabra: herniary
Herniaria glabra: smooth rupturewort
Herniaria hirsuta: hairy rupturewort
Hesperis matronalis: damask violet
Hesperis matronalis: dame's rocket
Hesperis matronalis: dame's-violet
Hesperis matronalis: rocket
Hesperis matronalis: sweet rocket
Hibiscus: rose mallow
Hibiscus trionum: bladder ketmia
Hieracium: hawkweed
Hieracium flagellare: Shetland mouse-ear-hawkweed
Hieracium peleterianum: shaggy mouse-ear-hawkweed
Hieracium pilosella: mouse-ear-hawkweed
Hieracium praetaltum: tall mouse-ear-hawkweed
Himantoglossum hircinum: lizard orchid
Hippocrepis comosa: horseshoe vetch
Hippophae rhamnoides: sea-buckthorn
Hippuridaceae: mare's-tail family
Hippuris vulgaris: mares's tail
Hirschfeldia incana: hoary mustard
Holcus: soft-grass
Holcus lanatus: common velvetgrass
Holcus lanatus: meadow soft-grass
Holcus lanatus: velvetgrass
Holcus lanatus: Yorkshire-fog
Holcus mollis: creeping fog
Holcus mollis: creeping soft-grass
Holcus mollis: german velvetgrass
Holosteum: mouse-ear
Homogyne alpina: purple colt's-foot
Hordelymus europaeus: wood barley
Hordeum: barley
Hordeum bulbosum: bulbous barley
Hordeum distichon: two-rowed barley
Hordeum hystrich: mediterranean barley
Hordeum leporinum: barleygrass
Hordeum leporinum: hare barley
Hordeum leporinum: wild barley
Hordeum marinum: sea barley
Hordeum murinum: mouse barley
Hordeum murinum: wall barley
Hordeum secalinum: meadow barley
Hordeum vulgare: common barley
Hordeum vulgare: pearl barley
Hordeum vulgare: six-rowed barley
Hordeum vulgare: winter barley
Hornungia petraea: hutchinsia
Huperzia selago: fir clubmoss
Hyacinthoides: bluebell
Hyacinthoides hispanica: spanish bluebell

- Hyacinthoides italicica:** italian bluebell
Hyacinthoides non-scripta: bluebell
Hydrocotyle vulgaris: marsh pennywort
Hymenophyllaceae: filmy-fern family
Hymenophyllum tunbrigense: Tunbridge filmy-fern
Hyoscyamus niger: henbane
Hypericum: St John's-wort
Hypericum androsaemum: tutsan
Hypericum elodes: marsh St John's-woort
Hypericum hircinum: stinking tutsan
Hypericum hirsutum: hairy St John's-woort
Hypericum humifusum: trailing St John's-woort
Hypericum maculatum: imperforate St John's-woort
Hypericum montanum: pale St John's-woort
Hypericum nummularium: round-leaved St John's-woort
Hypericum perforatum: perforate St John's-woort
Hypericum pulchrum: slender St John's-woort
Hypericum tetrapterum: square-stalked St John's-woort
Hypericum undulatum: wavy St John's-woort
Hypochaeris: cat's-ear
Hypochaeris glabra: smooth cat's-ear
Hypochaeris maculata: spotted cat's-ear
Hypochaeris radicata: cat's-ear
Hypolepidaceae: bracken family
Hyssopus officinalis: hyssop
Iberis: candytuft
Iberis amara: wild candytuft
Iberis sempervirens: perennial candytuft
Iberis umbellata: garden candytuft
Ilex aquifolium: hedgehog holly
Ilex aquifolium: holly
Illecebrum verticillatum: coral-necklace
Impatiens: balsam
Impatiens: jewel weed
Impatiens noli-tangere: touch-me-not balsam
Imperata cylindrica: alang-alang
Imperata cylindrica: bladygrass
Imperata cylindrica: cogongrass
Imperata cylindrica: cotton grass
Imperata cylindrica: lalang
Inula: fleabane
Inula conyzoides: plough-man's-spikenard
Inula crithmoides: golden-samphire
Inula helenium: elecampane
Inula salicina: irish fleabane
Ionopsidium acaule: violet cress
Ipomoea: morning-glory
Ipomoea purpurea: morning-glory
Iridaceae: iris family
Iris: flag
Iris: iris
Iris foetidissima: gladdon
Iris foetidissima: roast beef plant
Iris foetidissima: stinking gladwin
Iris foetidissima: stinking iris
Iris germanica: bearded iris
Iris germanica: fleur-de-lis
Iris germanica: orris root
Iris latifolia: english iris
Iris pseudacorus: yellow flag
Iris pseudacorus: yellow iris
Iris spuria: blue iris
Iris xiphium: spanish iris
Isatis tinctoria: dyer's woad
Isatis tinctoria: woad
Isoetaceae: quillwort family
Isoetes: quillwort
Isoetes histrix: land quillwort
Ixia paniculata: tubular corn-lily
Jasione: sheep's-bit
Jasione montana: sheep's-bit scabious
Juncaceae: rush family
Juncaginaceae: arrowgrass family
Juncus: chibasa
Juncus: rush
Juncus acutiflorus: sharp-flowered rush
Juncus acutus: sharp rush
Juncus alpinus: alpine rush
Juncus articulatus: jointed rush
Juncus bufonius: toad rush
Juncus bulbosus: bulbous rush

- Juncus capitatus:** dwarf rush
Juncus compressus: round-fruited rush
Juncus conglomeratus: compact rush
Juncus effusus: igusa
Juncus effusus: soft-rush
Juncus filiformis: thread rush
Juncus foliosus: leafy rush
Juncus gerardii: saltmarsh rush
Juncus hybridus: frog rush
Juncus inflexus: hard rush
Juncus maritimus: sea rush
Juncus pygmaeus: pigmy rush
Juncus squarrosus: heath rush
Juncus subnodulosus: blunt-flowered rush
Juncus subulatus: Somerset rush
Juncus tenuis: slender rush
Juncus trifidus: three-leaved rush
Juncus triglumis: three-flowered rush
Kickxia: fluellens
Kickxia elatine: sharp-leaved fluellens
Kickxia spuria: round-leaved fluellens
Knautia arvensis: field scabious
Kobresia simpliciuscula: false sedge
Kochia scoparia: summer-cypress
Koeleria: hair-grass
Koeleria macrantha: crested hair-grass
Koeleria macrantha: junegrass
Koeleria vallesiana: Somerset hair-grass
Lactuca: lettuce
Lactuca saligna: least lettuce
Lactuca serriola: compass plant
Lactuca serriola: prickly lettuce
Lactuca virosa: great lettuce
Lactuca virosa: lactucarium
Lagurus ovatus: hare's-tail
Lamarckia aurea: golden dog's-tail
Lamarckia aurea: goldentop grass
Lamiaceae: dead-nettle family
Lamiastrum galeobdolon: yellow archangel
Lamium: dead-nettle
Lamium album: white dead-nettle
Lamium amplexicaule: henbit dead-nettle
Lamium hybridum: cut-leaved dead-nettle
Lamium maculatum: spotted dead-nettle
Lamium purpureum: red dead-nettle
Lappula: bur forget-me-not
Lapsana communis: nipplewort
Lathyrus: pea
Lathyrus: peavine
Lathyrus: vetchling
Lathyrus annuus: fodder pea
Lathyrus aphaca: yellow vetchling
Lathyrus cicer: falcon-pea
Lathyrus cicer: flatpod peavine
Lathyrus heterophyllus: Norfolk everlasting-pea
Lathyrus hirsutus: caleypea
Lathyrus hirsutus: hairy vetchling
Lathyrus hirsutus: roughpea
Lathyrus hirsutus: singletarypea
Lathyrus japonicus: beachpea
Lathyrus japonicus: sea pea
Lathyrus latifolius: broad-leaved everlasting-pea
Lathyrus niger: black pea
Lathyrus nissolia: grass vetchling
Lathyrus palustris: marsh pea
Lathyrus pratensis: meadow vetchling
Lathyrus sativus: dogtooth pea
Lathyrus sativus: grasspea
Lathyrus sativus: khesara
Lathyrus sylvestris: flatpea
Lathyrus sylvestris: narrow-leaved everlasting-pea
Lathyrus sylvestris: Wagner pea
Lathyrus tingitanus: Tangier pea
Lathyrus tuberosus: earth chestnut
Lathyrus tuberosus: tuberous pea
Lavandula: lavender
Lavandula stoechas: french lavender
Lavatera: cheeses
Lavatera: tree-mallow
Lavatera arborea: tree-mallow
Lavatera cretica: smaller tree-mallow
Lavatera olbia: Hyeres tree-mallow
Leersia oryzoides: cut-grass
Leersia oryzoides: rice cut-grass
Legousia: Venus's-looking-glass

- Leguminosae:** legumes
Lentibulariaceae: bladderwort family
Leontodon: hawkbit
Leontodon autumnalis: autumn hawkbit
Leontodon hispidus: rough hawkbit
Leontodon taraxacoides: lesser hawkbit
Leontopodium alpinum: edelweiss
Leonurus cardiaca: motherwort
Lepidium: cress
Lepidium: pepperwort
Lepidium bonariense: argentine pepperwort
Lepidium campestre: field pepperwort
Lepidium graminifolium: tall pepperwort
Lepidium heterophyllum: Smith's pepperwort
Lepidium latifolium: dittander
Lepidium perfoliatum: perfoliate pepperwort
Lepidium ruderale: narrow-leaved pepperwort
Lepidium sativum: garden cress
Lepidium sativum: golden cress
Lepidium virginicum: least pepperwort
Lepidotis inundata: marsh clubmoss
Leucanthemum: marguerite
Leucanthemum vulgare: crown daisy
Leucanthemum vulgare: dog daisy
Leucanthemum vulgare: moon daisy
Leucanthemum vulgare: oxeye daisy
Leucojum: snowflake
Leucojum aestivum: summer snowflake
Leucojum autumnale: autumn snowflake
Leucojum vernum: spring snowflake
Levisticum officinale: lovage
Leymus arenarius: lyme-grass
Ligusticum: scots lovage
Ligustrum: privet
Ligustrum vulgare: wild privet
Liliaceae: lily family
Lilium: lily
Lilium bulbiferum: orange lily
Lilium martagon: martagon lily
Lilium martagon: turk's-cap
Lilium pyrenaicum: pyrenean lily
Limonium: marsh rosemary
Limonium: sea-lavender
Limonium: statice
Limonium auriculae-ursifolium: broad-leaved sea-lavender
Limonium bellidifolium: matted sea-lavender
Limonium binervosum: rock sea-lavender
Limonium vulgare: common sea-lavender
Limonium vulgare: marsh rosemary
Limosella aquatica: mudwort
Linaceae: flax family
Linaria: toadflax
Linaria arenaria: sand toadflax
Linaria pelisseriana: Jersey toadflax
Linaria repens: pale toadflax
Linaria supina: prostrate toadflax
Linaria vulgaris: butter and eggs
Linaria vulgaris: common toadflax
Linum: flax
Linum bienne: pale flax
Linum catharticum: fairy flax
Linum catharticum: purging flax
Linum narbonense: blue flax
Linum perenne: perennial flax
Linum usitatissimum: flax
Linum usitatissimum: linseed oil
Listera: twayblade
Listera cordata: lesser twayblade
Listera ovata: common twayblade
Lithospermum arvense: bastard alkanet
Lithospermum arvense: field gromwell
Lithospermum officinale: gromwell
Littorella uniflora: shoreweed
Lobelia urens: heath lobelia
Lobularia maritima: sweet alison
Lobularia maritima: sweet alyssum
Loiseleuria procumbens: alpine azalea
Loiseleuria procumbens: trailing azalea
Lolium: ryegrass
Lolium multiflorum: annual ryegrass
Lolium multiflorum: italian ryegrass
Lolium perenne: english ryegrass
Lolium perenne: perennial ryegrass
Lolium remotum: hardy ryegrass
Lolium rigidum: annual ryegrass

- Lolium rigidum:** mediterranean ryegrass
Lolium rigidum: swiss ryegrass
Lolium rigidum: wimmera ryegrass
Lolium temulentum: bearded ryegrass
Lolium temulentum: darnel
Lolium temulentum: poison ryegrass
Lonicera: honeysuckle
Lonicera caprifolium: perfoliate honeysuckle
Lonicera japonica: japanese honeysuckle
Lonicera periclymenum: honeysuckle
Lonicera xylosteum: fly honeysuckle
Lophochloa cristata: annual cat's-tail
Lophochloa cristata: cat's-tail grass
Lophochloa cristata: mediterranean hair-grass
Lotus: bird's-foot-trefoil
Lotus: trefoil
Lotus corniculatus: bird's-foot-trefoil
Lotus corniculatus: common bird's-foot-trefoil
Lotus corniculatus: eggs and bacon
Lotus pedunculatus: big trefoil
Lotus pedunculatus: greater bird's-foot-trefoil
Lotus tenuis: narrowleaf bird's-foot-trefoil
Lunaria annua: honesty
Lunaria annua: penny flower
Lupinus: lupin
Lupinus albus: egyptian lupin
Lupinus albus: white lupin
Lupinus angustifolius: blue lupin
Lupinus angustifolius: narrow-leaved lupin
Lupinus luteus: yellow lupin
Luzula: wood-rush
Luzula campestris: field wood-rush
Luzula forsteri: southern wood-rush
Luzula luzuloides: white wood-rush
Luzula multiflora: heath wood-rush
Luzula pallescens: fen wood-rush
Luzula pilosa: hairy wood-rush
Luzula sylvatica: great wood-rush
Lycium barbarum: duke of Argyll's teaplat
Lycopodiaceae: clubmoss family
Lycopodium: clubmoss
Lycopodium annotinum: interrupted clubmoss
Lycopodium clavatum: stag's-horn clubmoss
Lycopus europaeus: gypsywort
Lycopus europaeus: water horehound
Lychnis: campion
Lychnis: catchfly
Lychnis alpina: alpine campion
Lychnis alpina: alpine catchfly
Lychnis coronaria: mullein pink
Lychnis coronaria: rose campion
Lychnis flos-cuculi: ragged-Robin
Lychnis viscaria: sticky catchfly
Lygeum spartum: albardine
Lysimachia: loosestrife
Lysimachia nemorum: yellow pimpernel
Lysimachia nummularia: creeping-Jenny
Lysimachia nummularia: moneywort
Lysimachia vulgaris: yellow loosestrife
Lythraceae: purple-loosestrife family
Lythrum: purple-loosestrife
Lythrum hyssopifolia: grass-poly
Lythrum junceum: false grass-poly
Lythrum portula: water-purslane
Lythrum salicaria: purple-loosestrife
Maianthemum bifolium: may lily
Malcomia maritima: Virginia stock
Malva: cheeses
Malva: mallow
Malva alcea: greater musk-mallow
Malva moschata: musk-mallow
Malva neglecta: dwarf mallow
Malva nicaensis: french mallow
Malva parviflora: egyptian mallow
Malva parviflora: least mallow
Malva sylvestris: common mallow
Malvaceae: mallow family
Mandragora: mandrake
Marrubium vulgare: white horehound
Marsileaceae: pillwort family
Matricaria: mayweed
Matricaria maritima: sea mayweed
Matthiola: gilliflower
Matthiola: stock
Matthiola incana: Brompton stock
Matthiola incana: hoary stock

- Matthiola sinuata:** sea stock
Meconopsis: blue poppy
Meconopsis cambrica: welsh poppy
Medicago: burclover
Medicago: medic
Medicago: medick
Medicago arabica: spotted burclover
Medicago arabica: spotted medick
Medicago arborea: moon trefoil
Medicago arborea: tree-medick
Medicago laciniata: tattered medick
Medicago lupulina: black medick
Medicago lupulina: hop clover
Medicago lupulina: shamrock
Medicago lupulina: yellow trefoil
Medicago minima: bur medick
Medicago minima: little burclover
Medicago orbicularis: buttonclover
Medicago polymorpha: California burclover
Medicago polymorpha: Serena medic
Medicago polymorpha: toothed medick
Medicago praecox: early medick
Medicago sativa: alfalfa
Medicago sativa: lucerne
Medicago sativa subsp. *falcata*: yellow alfalfa
Medicago scutellata: snail medick
Medicago truncatula: barrel medick
Medicago truncatula: strong-spined medick
Melampyrum: cow-wheat
Melampyrum arvense: field cow-wheat
Melampyrum cristatum: crested cow-wheat
Melampyrum pratense: common cow-wheat
Melampyrum sylvaticum: small cow-wheat
Melica: melick
Melica nutans: mountain melick
Melica uniflora: wood melick
Melilotus: melilot
Melilotus: sweetclover
Melilotus alba: white melilot
Melilotus alba: white sweetclover
Melilotus altissima: tall melilot
Melilotus indica: annual yellow sweetclover
Melilotus indica: small melilot
Melilotus indica: sourclover
Melilotus officinalis: ribbed melilot
Melilotus officinalis: yellow melilot
Melilotus officinalis: yellow sweetclover
Melilotus sulcata: furrowed melilot
Melissa officinalis: balm
Melissa officinalis: sweet balm
Melissa officinalis: tea balm
Melittis melissophyllum: bastard balm
Mentha: mint
Mentha aquatica: water mint
Mentha arvensis: corn mint
Mentha arvensis: field mint
Mentha longifolia: false aple-mint
Mentha longifolia: horse mint
Mentha piperita: bergamot mint
Mentha piperita: peppermint
Mentha pulegium: Gibraltar mint
Mentha pulegium: pennyroyal
Mentha spicata: spear mint
Mentha suaveolens: apple-mint
Mentha suaveolens: round-leaved mint
Mentha suaveolens: woolly mint
Mentha verticillata: whorled mint
Mentha villosa: apple-mint
Mercurialis: mercury
Mercurialis annua: annual mercury
Mercurialis perennis: dog's mercury
Meum athamanticum: baldmoney
Meum athamanticum: meu
Meum athamanticum: spignel
Mibora minima: early sand-grass
Milium: millet
Milium effusum: millet grass
Milium effusum: wood millet
Milium vernale: early millet
Minuartia: sandwort
Minuartia hybrida: fine-leaved sandwort
Minuartia recurva: recurved sandwort
Minuartia sedoides: cyphel
Minuartia sedoides: mossy cyphel
Minuartia verna: spring sandwort
Mirabilis jalapa: four-o'clock plant

Misopates calycinum: pale weasel's-snout
Moehringia trinervia: three-nerved sandwort
Moenchia erecta: upright chickweed
Molinia caerulea: purple moor-grass
Moneses uniflora: one-flowered wintergreen
Montia fontana: blinks
Muscari: grape-hyacinth
Muscaria botryoides: compact grape-hyacinth
Muscaria comosum: feather hyacinth
Muscaria comosum: tassel hyacinth
Muscaria neglectum: grape-hyacinth
Mycelis muralis: wall lettuce
Myosotis: forget-me-not
Myosotis: mouse-ear
Myosotis: scorpion grass
Myosotis alpestris: alpine forget-me-not
Myosotis arvensis: field forget-me-not
Myosotis discolor: changing forget-me-not
Myosotis laxa: tufted forget-me-not
Myosotis ramosissima: early forget-me-not
Myosotis scorpioides: water forget-me-not
Myosotis secunda: creeping forget-me-not
Myosotis sicula: Jersey forget-me-not
Myosotis stolonifera: pale forget-me-not
Myosotis sylvatica: garden forget-me-not
Myosotis sylvatica: wood forget-me-not
Myosoton aquaticum: water chickweed
Myosurus minimus: mouse-tail
Myrrhis odorata: sweet cicely
Narcissus: daffodil
Narcissus bulbocodium: hoop-petticoat daffodil
Narcissus cyclamineus: cyclamen-flowered daffodil
Narcissus incomparabilis: nonesuch daffodil
Narcissus jonquilla: jonquil
Narcissus odorus: hybrid jonquil
Narcissus papyraceus: paper-white daffodil
Narcissus poeticus: pheasant's-eye daffodil
Narcissus pseudonarcissus: daffodil
Narcissus pseudonarcissus: Lent lily
Narcissus tazetta: bunch-flowered daffodil
Nardus stricta: mat-grass
Narthecium ossifragum: bog asphodel

Nasturtium: water-cress
Nasturtium microphyllum: narrow-fruited water-cress
Nasturtium officinale: water-cress
Neotinea maculata: dense-flowered orchid
Neottia nidus-avis: bird's-nest orchid
Nepeta: cat-mint
Nepeta: catnip
Nepeta: catnip
Nerium oleander: oleander
Nerium oleander: rose bay
Neslia paniculata: ball mustard
Nigella damascena: love-in-a-mist
Nothoscordum inodorum: honey-bell
Odontites: bartsia
Odontites verna: red bartsia
Oenanthe: water-dropwort
Oenanthe aquatica: fine-leaved water-dropwort
Oenanthe aquatica: water fennel
Oenanthe crocata: hemlock water-dropwort
Oenanthe crocata: water hemlock
Oenanthe fistulosa: tubular water-dropwort
Oenanthe lachenalii: parsley water-dropwort
Oenanthe pimpinelloides: corky-fruited water-dropwort
Oenothera: evening-primrose
Oenothera biennis: common evening-primrose
Oenothera stricta: fragrant evening-primrose
Oleaceae: ash family
Omalotheca: cudweed
Omalotheca supina: dwarf cudweed
Omalotheca sylvatica: heath cudweed
Omphalodes: blue-eyed-Mary
Onagraceae: willowherb family
Onobrychis viciifolia: holy clover
Onobrychis viciifolia: sainfoin
Ononis: restarrow
Ononis baetica: Salzmann's restarrow
Ononis mitissima: mediterranean restarrow
Ononis natrix: yellow restarrow
Ononis reclinata: small restarrow
Ononis repens: common restarrow
Ononis spinosa: spiny restarrow

- Onopordum acanthium:** cotton thistle
Ophioglossaceae: adder's-tongue family
Ophioglossum: adder's-tongue
Ophioglossum: snake tongue
Ophioglossum lusitanicum: least adder's-tongue
Ophioglossum vulgatum: adder's-tongue
Ophrys: spider-orchid
Ophrys apifera: bee orchid
Ophrys fuciflora: late spider-orchid
Ophrys insectifera: fly orchid
Ophrys sphegodes: early spider-orchid
Orchidaceae: orchid family
Orchis: orchid
Orchis laxiflora: Jersey orchid
Orchis laxiflora: loose-flowered orchid
Orchis mascula: early-purple orchid
Orchis militaris: military orchid
Orchis militaris: solidier orchid
Orchis morio: green-winged orchid
Orchis purpurea: lady orchid
Orchis simia: monkey orchid
Orchis ustulata: burnt orchid
Origanum majorana: marjoram
Origanum majorana: sweet marjoram
Origanum onites: pot marjoram
Origanum vulgare: wild marjoram
Ornithogalum: star-of-Bethlehem
Ornithogalum nutans: drooping star-of-Bethlehem
Ornithogalum pyrenaicum: bath asparagus
Ornithogalum pyrenaicum: spiked star-of-Bethlehem
Ornithogalum umbellatum: star-of-Bethlehem
Ornithopus: bird's-foot
Ornithopus compressus: yellow serratella
Ornithopus perpusillus: bird's-foot
Ornithopus pinnatus: orange bird's-foot
Ornithopus sativus: serratella
Orobanchaceae: broomrape family
Orobanche: broomrape
Orobanche alba: thyme broomrape
Orobanche caryophyllacea: bedstraw broomrape
Orobanche crenata: bean broomrape
Orobanche elatior: knapweed broomrape
Orobanche hederae: ivy broomrape
Orobanche minor: common broomrape
Orobanche purpurea: yarrow broomrape
Orobanche ramosa: hemp broomrape
Orobanche rapum-genistae: greater broomrape
Orobanche reticulata: thistle broomrape
Orthilia secunda: serrated wintergreen
Oryza sativa: paddy
Oryza sativa: rice
Osmunda regalis: royal fern
Osmundaceae: royal fern family
Otanthus maritimus: cotton weed
Oxalidaceae: wood-sorrel family
Oxalis: sorrel
Oxalis: wood-sorrel
Oxalis acetosella: hallelujah
Oxalis acetosella: wood-sorrel
Oxalis articulata: pink-sorrel
Oxalis corniculata: procumbent yellow-sorrel
Oxalis europaea: upright yellow-sorrel
Oxalis latifolia: garden pink-sorrel
Oxalis pes-caprae: bermuda-buttercup
Oxytropis: crazyweed
Oxytropis: locoweed
Oxytropis: milk-vetch
Oxytropis: oxytropis
Oxytropis campestris: yellow oxytropis
Oxytropis halleri: purple oxytropis
Paeonia: peony
Paeoniaceae: peony family
Panicum: crab grass
Panicum: millet
Panicum: panic
Panicum: panic grass
Panicum: switch-grass
Panicum capillare: witch-grass
Panicum miliaceum: broom millet
Panicum miliaceum: broomcorn
Panicum miliaceum: common millet
Panicum miliaceum: hog millet
Panicum miliaceum: proso millet
Panicum miliaceum: russian millet

- Panicum repens:** torpedograss
- Papaver:** poppy
- Papaver argemone:** prickly poppy
- Papaver dubium:** long-headed poppy
- Papaver hybridum:** rough poppy
- Papaver rhoeas:** common poppy
- Papaver rhoeas:** corn poppy
- Papaver somniferum:** maw seed
- Papaver somniferum:** opium poppy
- Papaveraceae:** poppy family
- Paradisea liliastrum:** St Bruno's lily
- Parapholis:** hard-grass
- Parapholis incurva:** curved hard-grass
- Parapholis strigosa:** hard-grass
- Parentucellia viscosa:** yellow bartsia
- Parietaria diffusa:** pellitory-of-the wall
- Paris quadrifolia:** herb Paris
- Parnassia palustris:** grass-of-Parnassus
- Paspalum:** finger-grass
- Paspalum dilatatum:** dallisgrass
- Paspalum paspalodes:** water finger-grass
- Paspalum vaginatum:** knotgrass
- Pastinaca sativa:** parsnip
- Pedicularis:** lousewort
- Pentaglottis sempervirens:** green alkanet
- Petasites:** butterbur
- Petasites albus:** white butterbur
- Petasites fragans:** winter heliotrope
- Petasites hybrida:** butterbur
- Petrerhagia:** pink
- Petrerhagia nanteuilii:** childing pink
- Petrerhagia prolifera:** proliferous pink
- Petrerhagia saxifraga:** tunic-flower
- Petroselinum:** parsley
- Petroselinum crispum:** garden parsley
- Petroselinum crispum:** Hamburg parsley
- Petroselinum crispum:** italian parsley
- Petroselinum crispum:** turnip-rooted parsley
- Petroselinum segetum:** corn parsley
- Peucedanum:** hog's fennel
- Peucedanum officinale:** hog's fennel
- Peucedanum ostruthium:** masterwort
- Phalaris:** canary-grass
- Phalaris:** phalaris
- Phalaris aquatica:** bulbous canary-grass
- Phalaris aquatica:** tuberous canary-grass
- Phalaris arundinacea:** reed canary-grass
- Phalaris arundinacea:** ribbon grass
- Phalaris brachystachys:** confused canary-grass
- Phalaris brachystachys:** short-spiked canary-grass
- Phalaris canariensis:** annual canary-grass
- Phalaris canariensis:** birdseed grass
- Phalaris canariensis:** canary-grass
- Phalaris coerulescens:** sunolgrass
- Phalaris minor:** lesser canary-grass
- Phalaris minor:** littleseed canary-grass
- Phalaris paradoxa:** awned canary-grass
- Phalaris paradoxa:** bristle-spiked canary-grass
- Phalaris paradoxa:** hood canary-grass
- Phaseolus:** bean
- Phleum:** cat's-tail
- Phleum alpinum:** alpine cat's-tail
- Phleum alpinum:** alpine timothy
- Phleum arenarium:** sand cat's-tail
- Phleum nodosum:** smaller cat's-tail
- Phleum phleoides:** purple-stem cat's-tail
- Phleum pratense:** hergrass
- Phleum pratense:** timothy
- Phleum pratense:** timothygrass
- Phlomis:** sage
- Phlomis fruticosa:** Jerusalem sage
- Phragmites australis:** common reed
- Phragmites australis:** durma mats
- Phragmites australis:** nal
- Phyllitis scolopendrium:** hart's-tongue
- Phyllocoete caerulea:** blue heath
- Physalis:** ground cherry
- Physalis:** japanese-lantern
- Physalis alkekengi:** japanese-lantern
- Physalis peruviana:** cape-gooseberry
- Phyteuma:** horned rampion
- Phyteuma:** rampion
- Phyteuma orbiculare:** round-headed rampion
- Phyteuma spicatum:** spiked rampion
- Picris:** ox tongue

- Picris echioides:** bristly oxtongue
Picris hieracoides: hawkweed oxtongue
Pilularia globulifera: pillwort
Pimpinella: burnet-saxifrage
Pimpinella anisum: anise
Pimpinella major: greater burnet-saxifrage
Pimpinella saxifraga: burnet-saxifrage
Pinguicula: butterwort
Pinguicula alpina: alpine butterwort
Pinguicula grandiflora: large-flowered butterwort
Pinguicula vulgaris: bog violet
Pinguicula vulgaris: common butterwort
Piptatherum: mountain rice
Piptatherum miliaceum: bamboo grass
Piptatherum miliaceum: rice millet
Piptatherum miliaceum: smilo-grass
Pistacia lentiscus: mastic
Pisum: pea
Pisum sativum: common pea
Pisum sativum: field pea
Pisum sativum: winter pea
Pittosporaceae: pittosporum family
Pittosporum: pittosporum
Pittosporum tobira: cheesewood
Plantaginaceae: plantain family
Plantago: plantain
Plantago afra: glandular plantain
Plantago afra: psyllium
Plantago arenaria: branched plantain
Plantago coronopus: buck's-horn plantain
Plantago lanceolata: ribwort plantain
Plantago major: common plantain
Plantago major: greater plantain
Plantago maritima: sea plantain
Plantago media: hoary plantain
Platanthera: butterfly-orchid
Platanthera bifolia: lesser butterfly-orchid
Platanthera chlorantha: greater butterfly-orchid
Plumbaginaceae: thrift family
Poa: bluegrass
Poa: meadow-grass
Poa alpina: alpine meadow-grass
Poa angustifolia: narrow-leaved meadow-grass
- Poa annua:** annual bluegrass
Poa annua: annual meadow-grass
Poa annua: wintergrass
Poa bulbosa: bulbous bluegrass
Poa bulbosa: bulbous meadow-grass
Poa bulbosa: winter bluegrass
Poa compressa: Canada bluegrass
Poa compressa: flattened meadow-grass
Poa chaixii: broad-leaved meadow-grass
Poa infirma: early meadow-grass
Poa nemoralis: wood meadow-grass
Poa pratensis: Kentucky bluegrass
Poa pratensis: smooth meadow-grass
Poa pratensis: smooth-stalked meadow-grass
Poa trivialis: rough bluegrass
Poa trivialis: rough meadow-grass
Poa trivialis: rough stalked bluegrass
Poaceae: grass family
Polemoniaceae: Jacob's-ladder family
Polemonium: moss pink
Polemonium caeruleum: Jacob's-ladder
Polycarpon tetraphyllum: four-leaved allseed
Polygala: milkwort
Polygala calcarea: chalk milkwort
Polygala serpyllifolia: heath milkwort
Polygala vulgaris: common milkwort
Polygala vulgaris: gang-flower
Polygalaceae: milkwort family
Polygonaceae: knotweed family
Polygonatum: Solomon's-seal
Polygonatum multiflorum: Solomon's-seal
Polygonatum odoratum: garden Solomon's-seal
Polygonatum verticillatum: whorled Solomon's-seal
Polygonum: bistort
Polygonum: knotgrass
Polygonum: knotweed
Polygonum alpinum: alpine knotweed
Polygonum amphibium: amphibious bistort
Polygonum arenastrum: equal-leaved knotgrass
Polygonum aviculare: knotgrass
Polygonum bistorta: common bistort
Polygonum hidropiper: water-pepper

Polygonum lapathifolium: pale persicaria

Polygonum maritimum: sea knotgrass

Polygonum minus: small water-pepper

Polygonum mite: tasteless water-pepper

Polygonum patulum: red-knotgrass

Polygonum persicaria: redleg

Polygonum persicaria: redshank

Polygonum rurivagum: cornfield knotgrass

Polygonum viviparum: alpine bistort

Polypodiaceae: polypody family

Polypodium: polypody

Polypodium australe: southern polypody

Polypodium interjectum: intermediate polypody

Polypodium vulgare: polypody

Polypogon: beard-grass

Polypogon monspeliensis: annual beard-grass

Polypogon monspeliensis: rabbitfootgrass

Polypogon viridis: water bentgrass

Polypogon viridis: waterbent

Polystichum: shield-fern

Polystichum aculeatum: hard shield-fern

Polystichum lonchitis: holly-fern

Polystichum setiferum: soft shield-fern

Portulaca oleracea: common purslane

Portulacaceae: blinks family

Potentilla: cinquefoil

Potentilla anglica: trailing tormentil

Potentilla anserina: silver weed

Potentilla argentea: hoary cinquefoil

Potentilla crantzii: alpine cinquefoil

Potentilla erecta: tormentil

Potentilla fruticosa: shrubby cinquefoil

Potentilla inclinata: grey cinquefoil

Potentilla palustris: marsh cinquefoil

Potentilla recta: sulphur cinquefoil

Potentilla reptans: creeping cinquefoil

Potentilla rupestris: rock cinquefoil

Potentilla sterilis: barren strawberry

Primula: primrose

Primula elatior: oxlip

Primula farinosa: bird's-eye primrose

Primula veris: cowslip

Primula veris: paigle

Primula veris: palsywort

Primula vulgaris: primrose

Primulaceae: primrose family

Prunella: selfheal

Prunella laciniata: cut-leaved selfheal

Prunella vulgaris: selfheal

Prunus: cherry

Prunus: greengage

Prunus laurocerasus: cherry laurel

Prunus lusitanica: Portugal laurel

Prunus mahaleb: St Lucie cherry

Prunus spinosa: blackthorn

Prunus spinosa: sloe

Pseudorchis albida: small-white orchid

Pteridaceae: ribbon fern family

Pteridium aquilinum: bracken

Pteridium aquilinum: brake

Pteridium aquilinum: eagle fern

Pteridium aquilinum: hog brake

Pteridium aquilinum: warabi

Pteris cretica: ribbon fern

Puccinellia: alkaligrass

Puccinellia: salt meadow grass

Puccinellia: saltmarsh-grass

Puccinellia distans: reflexed saltmarsh-grass

Puccinellia fasciculata: borrer's saltmarsh-grass

Puccinellia maritima: common saltmarsh-grass

Puccinellia rupestris: stiff saltmarsh-grass

Pulicaria: fleabane

Pulicaria dysenterica: common fleabane

Pulicaria vulgaris: small fleabane

Pulmonaria: lungwort

Pulmonaria longifolia: narrow-leaved lungwort

Pulsatilla vulgaris: pasqueflower

Pyracantha coccinea: firethorn

Pyrola: wintergreen

Pyrola minor: common wintergreen

Pyrola rotundifolia: round-leaved wintergreen

Pyrolaceae: wintergreen family

Radiola linoides: allseed

Ramonda myconi: pyrenean-violet

Ranunculaceae: buttercup family

Ranunculus: buttercup

- Ranunculus:** crowfoot
Ranunculus: paigle
Ranunculus: spearwort
Ranunculus aconitifolius: aconite-leaved buttercup
Ranunculus aconitifolius: fair maids of France
Ranunculus aconitifolius: fair maids of Kent
Ranunculus acris: meadow buttercup
Ranunculus aquatilis: common water-crowfoot
Ranunculus arvensis: corn buttercup
Ranunculus auricomus: goldilocks buttercup
Ranunculus baudotii: brackish water-crowfoot
Ranunculus bulbosus: bulbous buttercup
Ranunculus ficaria: lesser celandine
Ranunculus flammula: lesser spearwort
Ranunculus fluitans: river water-crowfoot
Ranunculus hederaceus: ivy-leaved crowfoot
Ranunculus lingua: greater spearwort
Ranunculus muricatus: rough-fruited buttercup
Ranunculus omiophyllus: round-leaved crowfoot
Ranunculus ophioglossifolius: adder's-tongue spearwort
Ranunculus paludosus: Jersey buttercup
Ranunculus parviflorus: small-flowered buttercup
Ranunculus peltatus: pond water-crowfoot
Ranunculus repens: creeping buttercup
Ranunculus sardous: hairy buttercup
Ranunculus sceleratus: celery-leaved buttercup
Ranunculus trichophyllus: thread-leaved water-crowfoot
Ranunculus tripartitus: three-lobed crowfoot
Raphanus: radish
Raphanus raphanistrum: wild radish
Raphanus sativus: garden radish
Rapistrum rugosum: bastard cabbage
Reseda: mignonette
Reseda alba: white mignonette
Reseda lutea: wild mignonette
Reseda luteola: dyer's rocket
Reseda luteola: weld
Reseda odorata: garden mignonette
Reseda phytisma: corn mignonette
- Resedaceae:** mignonette family
Rhamnaceae: buckthorn family
Rhamnus: buckthorn
Rhamnus alaternus: mediterranean buckthorn
Rhamnus cathartica: buckthorn
Rhamnus cathartica: european buckthorn
Rhamnus cathartica: purging buckthorn
Rhamnus cathartica: sapgreen
Rhamnus saxatilis: yellow berry
Rhinanthus: yellow-rattle
Rhinanthus angustifolius: greater yellow-rattle
Rhinanthus minor: hayrattle
Rhinanthus minor: yellow-rattle
Rhodiola rosea: roseroot
Rhododendron: azalea
Rhododendron: rhododendron
Rhododendron ferrugineum: alpine rose
Rhynchospora: beak-rush
Rhynchospora: beak-sedge
Rhynchospora alba: white beak-sedge
Rhynchospora fusca: brown beak-sedge
Ribes: gooseberry
Ribes alpinum: mountain currant
Ribes rubrum: garnet berry
Ribes rubrum: red currant
Ribes uva-crispa: feaberry
Ribes uva-crispa: gooseberry
Ridolfia segetum: false fennel
Romulea columnae: sand crocus
Roripa: water-cress
Roripa amphibia: great yellow-cress
Roripa islandica: northern yellow-cress
Roripa sylvestris: creeping yellow-cress
Rosa: rose
Rosa agrestis: small-leaved sweet-briar
Rosa arvensis: field rose
Rosa caesia: hairy dog-rose
Rosa canina: dog-rose
Rosa gallica: red rose
Rosa gallica: rose of Lancaster
Rosa glauca: red-leaved rose
Rosa micrantha: small-flowered sweet-briar
Rosa moschata: musk rose

Rosa pimpinellifolia: burnet rose
Rosa rubiginosa: eglantine
Rosa rubiginosa: sweet-briar
Rosa stylosa: short-styled field-rose
Rosa tomentosa: harsh downy-rose
Rosaceae: rose family
Rosmarinus officinalis: rosemary
Rubia: wild madder
Rubia peregrina: wild madder
Rubia tinctorum: alizarin
Rubia tinctorum: madder
Rubiaceae: bedstraw family
Rubus: blackberry bush
Rubus: bramble
Rubus caesius: dewberry
Rubus idaeus: raspberry
Rubus saxatilis: stone bramble
Rumex: dock
Rumex: sorrel
Rumex acetosa: common sorrel
Rumex acetosella: sheep's sorrel
Rumex conglomeratus: clustered dock
Rumex crispus: curled dock
Rumex crispus: curly dock
Rumex hidrolapathum: water dock
Rumex longifolius: northern dock
Rumex maritimus: golden dock
Rumex obtusifolius: broad-leaved dock
Rumex palustris: marsh dock
Rumex pulcher: fiddle dock
Rumex rupestris: shore dock
Rumex sanguineus: wood dock
Rumex scutatus: french sorrel
Ruscus: butcher's-broom
Ruscus aculeatus: butcher's-broom
Ruscus aculeatus: pettigree
Ruscus aculeatus: pettigree
Ruscus hypoglossum: spineless butcher's-broom
Ruta graveolens: herb-of-Grace
Ruta graveolens: rue
Sagina: pearlwort
Sagina apelata: annual pearlwort
Sagina maritima: sea pearlwort

Sagina nodosa: knotted pearlwort
Sagina procumbens: procumbent pearlwort
Sagina saginoides: alpine pearlwort
Salicornia: glasswort
Salicornia: marsh samphire
Salicornia europaea: common glasswort
Salicornia europaea: chicken claws
Salpichroa origanifolia: cock's-eggs
Salsola: glasswort
Salsola: saltwort
Salsola kali: russian thistle
Salsola kali: saltwort
Salvia: clary
Salvia glutinosa: sticky clary
Salvia lavandulifolia: chia seeds
Salvia officinalis: sage
Salvia pratensis: meadow clary
Salvia sclarea: clary
Salvia verbenaca: wild clary
Salvia verticillata: whorled clary
Salvia viridis: annual clary
Salvia viridis: bluebell
Sambucus: elder
Sambucus ebulus: danewort
Sambucus ebulus: dwarf elder
Sambucus nigra: elder
Sambucus racemosa: red-berried elder
Samolus valerandi: brookweed
Sanguisorba: burnet
Sanguisorba minor: fodder burnet
Sanguisorba minor: salad burnet
Sanguisorba officinalis: great burnet
Sanicula europaea: sanicle
Santalaceae: bastard-toadflax family
Santolina: holy flax
Santolina chamaecyparissus: lavender-cotton
Saponaria: soapwort
Saponaria ocymoides: rock soapwort
Saponaria officinalis: bouncing Bet
Saponaria officinalis: fuller's herb
Saponaria officinalis: soapwort
Satureja hortensis: summer savory
Satureja montana: winter savory

- Saussurea alpina:** alpine saw-wort
Saxifraga: rock foil
Saxifraga: saxifrage
Saxifraga aizoides: yellow saxifrage
Saxifraga continentalis: mossy saxifrage
Saxifraga granulata: meadow saxifrage
Saxifraga hirsuta: kidney saxifrage
Saxifraga oppositifolia: purple saxifrage
Saxifraga rotundifolia: round-leaved saxifrage
Saxifraga spathularis: St Patrick's-cabbage
Saxifraga stellaris: starry saxifrage
Saxifraga tridactylites: rue-leaved saxifrage
Saxifraga umbrosa: pyrenean saxifrage
Saxifragaceae: saxifrage family
Scabiosa: scabious
Scabiosa atropurpurea: sweet scabious
Scabiosa columbaria: small scabious
Scandix pecten-veneris: lady's comb
Scandix pecten-veneris: shepherd's-needle
Scandix pecten-veneris: Venus's comb
Scilla: squill
Scilla atumnalis: autumn squill
Scilla bifolia: alpine squill
Scilla lilio-hyacinthus: pyrenean squill
Scilla peruviana: portuguese squill
Scilla verna: spring squill
Scirpus: club-rush
Scirpus cernuus: optical fibre plant
Scirpus cernuus: slender club-rush
Scirpus cespitosus: deergrass
Scirpus fluitans: floating club-rush
Scirpus holoschoenus: round-headed club-rush
Scirpus hudsonianus: cotton deergrass
Scirpus lacustris: common club-rush
Scirpus maritimus: sea club-rush
Scirpus pungens: sharp club-rush
Scirpus setaceus: club-rush
Scirpus sylvaticus: wood club-rush
Scirpus triquetus: triangular club-rush
Scleranthus: knawel
Scleranthus annuus: annual knawel
Scleranthus perennis: perennial knawel
Scolymus hispanicus: golden thistle
Scolymus hispanicus: spanish oyster plant
Scorpiurus muricatus: casterpillar-plant
Scorzonera humilis: viper's-grass
Scrophularia: figwort
Scrophularia auriculata: water figwort
Scrophularia canina: french figwort
Scrophularia nodosa: common figwort
Scrophularia scorodonia: balm-leaved figwort
Scrophularia vernalis: yellow figwort
Scrophulariaceae: figwort family
Scutellaria: helmet flower
Scutellaria: skullcap
Scutellaria galericulata: skullcap
Scutellaria hastifolia: Norfolk skullcap
Scutellaria minor: lesser skullcap
Schismus barbatus: kelch-grass
Schkuhria pinnata: dwarf marigold
Schoenus: bog-rush
Schoenus nigricans: black bog-rush
Secale cereale: cereal rye
Secale cereale: rye
Sedum: live long
Sedum: stonecrop
Sedum acre: biting stonecrop
Sedum acre: wall pepper
Sedum album: white stonecrop
Sedum anacampseros: love-restoring stonecrop
Sedum anglicum: english stonecrop
Sedum dasypodium: thick-leaved stonecrop
Sedum forsterianum: rock stonecrop
Sedum reflexum: reflexed stonecrop
Sedum sediforme: pale stonecrop
Sedum spurium: caucasian stonecrop
Sedum telephium: live forever
Sedum telephium: orpine
Sedum villosum: hairy stonecrop
Selaginella: lesser clubmoss
Selaginella kraussiana: Kraus's clubmoss
Selaginella selaginoides: lesser clubmoss
Selaginellaceae: lesser clubmoss family
Selinum carvifolia: Cambridge milk-parsley
Sempervivum tectorum: house-leek
Senecio: ragwort

- Senecio aquaticus:** marsh ragwort
Senecio bicolor: silver ragwort
Senecio doria: golden ragwort
Senecio doronicum: chamois ragwort
Senecio elegans: jacobaea
Senecio jacobaea: common ragwort
Senecio lopezii: purple ragwort
Senecio paludosus: fen ragwort
Senecio sylvaticus: heath groundsel
Senecio viscosus: sticky groundsel
Senecio vulgaris: groundsel
Serratula tinctoria: saw-wort
Seseli: moon carrot
Sesleria albicans: blue moor-grass
Setaria: bristle-grass
Setaria italica: foxtail bristle-grass
Setaria italica: foxtail millet
Setaria italica: german millet
Setaria italica: hungarian millet
Setaria italica: italian millet
Setaria pumila: cat's-tail millet
Setaria pumila: pigeon grass
Setaria pumila: yellow bristle-grass
Setaria pumila: yellow foxtail grass
Setaria verticillata: rough bristle-grass
Setaria viridis: green bristle-grass
Setaria viridis: green foxtail grass
Sherardia arvensis: field madder
Sibbaldia procumbens: sibbaldia
Sibthorpia europaea: Cornish moneywort
Silaum silaus: pepper-saxifrage
Silene: campion
Silene: catchfly
Silene acaulis: moss campion
Silene armeria: sweet-William catchfly
Silene coeli-rosa: rose-of-heaven
Silene conica: sand catchfly
Silene dioica: red campion
Silene gallica: small-flowered catchfly
Silene italica: italian catchfly
Silene noctiflora: night-flowering catchfly
Silene nutans: Nottingham catchfly
Silene otites: spanish catchfly
Silene vulgaris: bladder campion
Silene vulgaris: sea campion
Silene vulgaris: white campion
Silene vulgaris: white cockle
Silybum marianum: holy thistle
Silybum marianum: kengued seed
Silybum marianum: milk thistle
Simethis planifolia: kerry lily
Sinapis: mustard
Sinapis alba: white mustard
Sinapis arvensis: charlock
Sison amomum: stone parsley
Sisymbrium: rocket
Sisymbrium erysimoides: french rocket
Sisymbrium irio: London-rocket
Sisymbrium loeselii: false London-rocket
Sisymbrium officinale: hedge mustard
Sisymbrium orientale: eastern rocket
Sisymbrium strictissimum: perennial rocket
Sisyrinchium bermudiana: blue-eyed-grass
Sium: water-parsnip
Sium latifolium: greater water-parsnip
Smilax: catbrier
Smilax: green briar
Smyrnium: alexanders
Smyrnium olusatrum: alexanders
Smyrnium perfoliatum: perfoliate alexanders
Solanaceae: nightshade family
Solanum: nightshade
Solanum dulcamara: bittersweet
Solanum nigrum: black nightshade
Solanum nigrum: wonderberry
Soleirolia soleirolii: mind-your-own-bussines
Soleirolia soleirolii: mother-of-thousands
Solidago: goldenrod
Solidago canadiensis: canadian goldenrod
Solidago gigantea: early goldenrod
Solidago virgaurea: goldenrod
Sonchus: milk thistle
Sonchus: sow-thistle
Sonchus arvensis: perennial sow-thistle
Sonchus asper: prickly sow-thistle
Sonchus oleraceus: smooth sow-thistle

- Sorghum:** broomcorn
Sorghum: millet
Sorghum: sorghum
Sorghum bicolor: broomcorn
Sorghum bicolor: dari
Sorghum bicolor: durra
Sorghum bicolor: great millet
Sorghum bicolor: jowar
Sorghum bicolor: milo
Sorghum bicolor: sorghum
Sorghum halepense: Johnson-grass
Sorghum sudanense: Sudan-grass
Sparganium: bur-reed
Sparganium angustifolium: floating bur-reed
Sparganium emersum: unbranched bur-reed
Sparganium erectum: branched bur-reed
Sparganium minimum: least bur-reed
Spartina: cord-grass
Spartina: marsh grass
Spartina: rice grass
Spartina alterniflora: smooth cord-grass
Spartina maritima: small cord-grass
Spartium junceum: spanish broom
Spergula: spurrey
Spergula arvensis: corn spurrey
Spergula morisonii: pearlwort spurrey
Spergularia: sand-spurrey
Spergularia: sea-spurrey
Spergularia bocconii: greek sea-spurrey
Spergularia marina: lesser sea-spurrey
Spergularia media: greater sea-spurrey
Spergularia rubra: sand-spurrey
Spergularia rupicola: rock sea-spurrey
Spiraea: bridewort
Spiranthes: lady's-tresses
Spiranthes aestivalis: summer lady's-tresses
Spiranthes spiralis: autumn lady's-tresses
Sporobolus: dropseed
Sporobolus: rush grass
Sporobolus: sacaton
Sporobolus indicus: dropseed
Sporobolus indicus: smutgrass
Stachys: hedge nettle
Stachys: woundwort
Stachys alpina: limestone woundwort
Stachys annua: annual yellow-woundwort
Stachys arvensis: field woundwort
Stachys germanica: downy woundwort
Stachys officinalis: betony
Stachys palustris: allheal
Stachys palustris: marsh betony
Stachys palustris: marsh woundwort
Stachys recta: perennial yellow-woundwort
Stachys sylvatica: hedge woundwort
Stellaria: chickweed
Stellaria: starwort
Stellaria: stitchwort
Stellaria alsine: bog stitchwort
Stellaria graminea: lesser stitchwort
Stellaria holostea: greater stitchwort
Stellaria media: common chickweed
Stellaria media: common stitchwort
Stellaria neglecta: greater chickweed
Stellaria nemorum: wood stitchwort
Stellaria palustris: marsh stitchwort
Stellaria pallida: lesser chickweed
Sternbergia lutea: winter daffodil
Stipa: feather grass
Stipa: needle-grass
Stipa: wintergrass
Stipa capensis: mediterranean needle-grass
Stipa pennata: european feather grass
Stipa tenacissima: alfa
Stipa tenacissima: algerian grass
Stipa tenacissima: esparto grass
Suaeda: sea-blite
Suaeda maritima: annual sea-blite
Suaeda maritima: sea-blite
Suaeda vera: shrubby sea-blite
Subularia aquatica: awlwort
Succisa pratensis: blue buttons
Succisa pratensis: devil's bit scabious
Swertia: chiretta
Symporicarpus albus: snowberry
Symphytum officinale: comfrey
Tagetes minuta: southern marigold

- Tanacetum:** tansy
- Tanacetum parthenium:** feverfew
- Tanacetum parthenium:** golden feather
- Tanacetum vulgare:** tansy
- Taraxacum:** dandelion
- Taraxacum officinale:** dandelion
- Teesdalia nudicaulis:** shepherd's cress
- Tetragonolobus maritimus:** dragon's-teech
- Teucrium:** germander
- Teucrium botrys:** cut-leaved germander
- Teucrium chamaedrys:** wall germander
- Teucrium scordium:** water germander
- Teucrium scorodonia:** wood germander
- Teucrium scorodonia:** wood sage
- Thalictrum:** meadow-rue
- Thalictrum alpinum:** alpine meadow-rue
- Thalictrum aquilegiifolium:** french meadow-rue
- Thalictrum flavum:** common meadow-rue
- Thalictrum minus:** lesser meadow-rue
- Thelypteridaceae:** marsh fern family
- Thelypteris palustris:** marsh fern
- Thesium:** bastard-toadflax
- Thlaspi:** penny-cress
- Thlaspi alliaceum:** garlic penny-cress
- Thlaspi arvense:** field penny-cress
- Thlaspi arvense:** Mithridate mustard
- Thlaspi perfoliatum:** perfoliate penny-cress
- Thymelaea hirsuta:** mitnan
- Thymelaeaceae:** mezereon family
- Thymus:** thyme
- Thymus praecox:** serpolet oil
- Thymus praecox:** wild thyme
- Thymus pulegioides:** large thyme
- Thymus serpyllum:** breckland thyme
- Thymus vulgaris:** thyme
- Tofieldia:** asphodel
- Tordylium maximum:** hartwort
- Torilis:** hedge-parsley
- Torilis arvensis:** spreading hedge-parsley
- Torilis japonica:** upright hedge-parsley
- Torilis nodosa:** knolted hedge-parsley
- Trachelium caeruleum:** throatwort
- Tradescantia fluminensis:** wandering-Jew
- Tragopogon:** goat's-beard
- Tragopogon hybridus:** slender salsify
- Tragopogon porrifolius:** mock oyster
- Tragopogon porrifolius:** oyster plant
- Tragopogon porrifolius:** salsify
- Tragopogon porrifolius:** vegetable oyster
- Tragopogon pratensis:** goat's-beard
- Tragus racemosus:** european bur-grass
- Tragus racemosus:** small bur-grass
- Tragus racemosus:** spike bur-grass
- Tragus racemosus:** stalked carrot seedgrass
- Tribulus:** burweed
- Tribulus terrestris:** caltrops
- Trichomanes:** bristle fern
- Trichomanes speciosum:** killarney fern
- Trifolium:** clover
- Trifolium:** trefoil
- Trifolium alexandrinum:** berseem clover
- Trifolium alexandrinum:** egyptian clover
- Trifolium angustifolium:** narrow clover
- Trifolium arvense:** hare's-foot clover
- Trifolium arvense:** rabbitfoot clover
- Trifolium aureum:** hop clover
- Trifolium aureum:** large trefoil
- Trifolium bocconei:** twin-headed clover
- Trifolium campestre:** hop trefoil
- Trifolium campestre:** large hop clover
- Trifolium cernuum:** nodding clover
- Trifolium dubium:** lesser trefoil
- Trifolium dubium:** small hop clover
- Trifolium fragiferum:** strawberry clover
- Trifolium glomeratum:** cluster clover
- Trifolium hirtum:** rose clover
- Trifolium hybridum:** alsike clover
- Trifolium hybridum:** swedish clover
- Trifolium incarnatum:** crimson clover
- Trifolium incarnatum:** italian clover
- Trifolium lappaceum:** bur clover
- Trifolium lappaceum:** lappa clover
- Trifolium medium:** zigzag clover
- Trifolium micranthum:** slender trefoil
- Trifolium michelianum:** bigflower clover
- Trifolium nigrescens:** ball clover

- Trifolium occidentale:** western clover
Trifolium ochroleucum: sulphur clover
Trifolium ornithopodioides: bird's-foot clover
Trifolium pratense: purple clover
Trifolium pratense: red clover
Trifolium repens: dutch clover
Trifolium repens: white clover
Trifolium resupinatum: persian clover
Trifolium resupinatum: reversed clover
Trifolium squamosum: sea clover
Trifolium stellatum: starry clover
Trifolium striatum: knotted clover
Trifolium striatum: striate clover
Trifolium strictum: upright clover
Trifolium subterraneum: subterranean clover
Trifolium suffocatum: suffocated clover
Trifolium tomentosum: cotton clover
Trifolium tomentosum: woolly clover
Triglochin: arrowgrass
Triglochin maritimum: sea arrowgrass
Triglochin palustre: marsh arrowgrass
Trigonella: fenugreek
Trigonella corniculata: sickle-fruited fenugreek
Trigonella foenum-graecum: fenugreek
Trinia glauca: honewort
Trisetum: hair-grass
Trisetum flavescens: yellow oat-grass
Trisetum flavescens: yellow trisetum
Triticum: wheat
Triticum aestivum: bread wheat
Triticum aestivum: spelt-wheat
Triticum aestivum: spring wheat
Triticum aestivum: wheat
Triticum durum: durum
Triticum durum: emmer
Triticum monococcum: einkorn
Triticum turgidum: rivet wheat
Trollius europaeus: globeflower
Tropaeolaceae: nasturtium family
Tropaeolum majus: indian cress
Tropaeolum majus: nasturtium
Tuberaria guttata: spotted rock-rose
Tulipa: tulip
- Tulipa gesneriana:** garden tulip
Tulipa sylvestris: wild tulip
Tussilago farfara: colt's-foot
Typha: bulrush
Typha: reed mace
Typha angustifolia: lesser bulrush
Typha latifolia: bulrush
Typhaceae: bulrush family
Ulex: furze
Ulex: gorse
Ulex europaeus: gorse
Ulex europaeus: whin
Ulex gallii: western gorse
Ulex minor: dwarf gorse
Ulex parviflorus: thorny gorse
Umbilicus rupestris: navelwort
Umbilicus rupestris: penny pies
Umbilicus rupestris: pennywort
Umbilicus rupestris: wall pennywort
Urtica: nettle
Urtica dioica: common nettle
Urtica pilulifera: roman nettle
Urtica urens: dog nettle
Urtica urens: small nettle
Urticaceae: nettle family
Vaccaria pyramidata: cowherb
Vaccinium: bilberry
Vaccinium: blueberry
Vaccinium: bluet
Vaccinium: buckberry
Vaccinium: cranberry
Vaccinium: huckleberry
Vaccinium myrtillus: bilberry
Vaccinium myrtillus: blaeberry
Vaccinium myrtillus: deciduous bilberry
Vaccinium myrtillus: whortleberry
Vaccinium uliginosum: bog bilberry
Vaccinium vitis-idaea: evergreen lingonberry
Vaccinium vitis-idaea: foxberry
Vaccinium vitis-idaea: cowberry
Valeriana: valerian
Valeriana dioica: marsh valerian
Valeriana officinalis: allheal

Valeriana officinalis: common valerian
Valeriana pyrenaica: pyrenean valerian
Valerianaceae: valerian family
Valerianella: cornsalad
Valerianella carinata: keeled-fruited cornsalad
Valerianella dentata: narrow-fruited cornsalad
Valerianella eriocarpa: hairy-fruited cornsalad
Valerianella locusta: common cornsalad
Valerianella locusta: lamb's lettuce
Valerianella rimososa: broad-fruited cornsalad
Veratrum album: white hellebore
Verbascum: mullein
Verbascum blattaria: moth mullein
Verbascum chaixii: nettle-leaved mullein
Verbascum densiflorum: dense-flowered mullein
Verbascum lychnitis: white mullein
Verbascum nigrum: black mullein
Verbascum nigrum: dark mullein
Verbascum phlomoides: orange mullein
Verbascum pulverulentum: hoary mullein
Verbascum thapsus: common mullein
Verbascum thapsus: great mullein
Verbascum thapsus: hag-taper
Verbascum virgatum: twiggy mullein
Verbena officinalis: Juno's tears
Verbena officinalis: vervain
Verbenaceae: vervain family
Veronica: bird's eye
Veronica: speedwell
Veronica acinifolia: french speedwell
Veronica agrestis: green field-speedwell
Veronica alpina: alpine speedwell
Veronica anagallis-aquatica: blue water-speedwell
Veronica arvensis: corn speedwell
Veronica arvensis: wall speedwell
Veronica austriaca: large speedwell
Veronica beccabunga: brooklime
Veronica catenata: pink water-speedwell
Veronica cymbalaria: pale speedwell
Veronica chamaedrys: germander speedwell
Veronica fruticans: rock speedwell
Veronica hederifolia: ivy-leaved speedwell

Veronica montana: wood speedwell
Veronica officinalis: heath speedwell
Veronica peregrina: american speedwell
Veronica persica: common field-speedwell
Veronica polita: grey field-speedwell
Veronica praecox: Breckland speedwell
Veronica scutellata: marsh speedwell
Veronica serpyllifolia: thyme-leaved speedwell
Veronica spicata: spiked speedwell
Veronica triphyllos: fingered speedwell
Veronica verna: spring speedwell
Viburnum: viburnum
Viburnum lantana: twistwood
Viburnum lantana: wayfaring-tree
Viburnum opulus: cramp bark
Viburnum opulus: guelder-rose
Viburnum opulus: snowball-tree
Viburnum tinus: laurustinus
Vicia: bean
Vicia: vetch
Vicia angustifolia: narrowleaf vetch
Vicia articulata: single-flowered vetch
Vicia benghalensis: purple vetch
Vicia bithynica: bithynian vetch
Vicia cracca: bird vetch
Vicia cracca: tufted vetch
Vicia ervilia: bitter vetch
Vicia faba: broadbean
Vicia faba: field bean
Vicia faba: horsebean
Vicia faba: wheat-faba bean
Vicia hirsuta: hairy tare
Vicia lathyroides: spring vetch
Vicia lutea: yellow-vetch
Vicia monantha: bard vetch
Vicia narbonensis: Narbonne vetch
Vicia orobus: wood bitter-vetch
Vicia pannoica: hungarian vetch
Vicia sativa: common vetch
Vicia sativa: tare
Vicia sepium: bush vetch
Vicia sylvatica: wood vetch
Vicia tenuifolia: fine-leaved vetch

- Vicia tetrasperma:** smooth tare
Vicia villosa: fodder vetch
Vicia villosa: hairy vetch
Vicia villosa: russian vetch
Vicia villosa: winter vetch
Vinca: periwinkle
Vinca difformis: intermediate periwinkle
Vinca major: greater periwinkle
Vinca minor: lesser periwinkle
Viola: pansy
Viola: violet
Viola arvensis: field pansy
Viola canina: heath dog violet
Viola cornuta: horned pansy
Viola hirta: hairy violet
Viola kitaibeliana: dwarf pansy
Viola lactea: pale dog-violet
Viola lutea: mountain pansy
Viola odorata: sweet violet
Viola palustris: bog violet
Viola palustris: marsh violet
Viola persicifolia: fen violet
Viola reichenbachiana: early dog-violet
Viola riviniana: common dog-violet
Viola rupestris: Teesdale violet
Viola tricolor: heart's ease
- Viola tricolor:** love-in-idleness
Viola tricolor: wild pansy
Violaceae: violet family
Vulpia: fescue
Vulpia bromoides: barren fescue
Vulpia bromoides: squirreltail fescue
Vulpia ciliata: bearded fescue
Vulpia fasciculata: dune fescue
Vulpia myuros: rat's-tail fescue
Vulpia myuros: ratail fescue
Vulpia myuros: silvergrass
Vulpia myuros: six weeks grass
Vulpia unilateralis: mat-grass fescue
Wahlenbergia hederacea: ivy-leaved bellflower
Woodsia alpina: alpine woodsia
Xanthium: cocklebur
Xanthium: Noogoora bur
Xanthium spinosum: clotbur
Xanthium spinosum: spiny cocklebur
Xanthium strumarium: rough cocklebur
Zea mays: corn
Zea mays: hominy
Zea mays: maize
Zea mays: mealies
Zea mays: sweet corn

NOMBRES VULGARES EN INGLÉS - NOMBRES CIENTÍFICOS

COMMON NAMES - SCIENTIFIC NAMES

- absinthe:** *Artemisia absinthium*
- aconite-leaved buttercup:** *Ranunculus aconitifolius*
- adder's-tongue:** *Ophioglossum*
- adder's-tongue:** *Ophioglossum vulgatum*
- adder's-tongue family:** *Ophioglossaceae*
- adder's-tongue spearwort:** *Ranunculus ophioglossifolius*
- aeonium:** *Aeonium arboreum*
- agrimony:** *Agrimonia*
- agrimony:** *Agrimonia eupatoria*
- ague weed:** *Eupatorium cannabinum*
- alang-alang:** *Imperata cylindrica*
- albardine:** *Lygeum spartum*
- alder buckthorn:** *Frangula alnus*
- alehoof:** *Glechoma hederacea*
- alexanders:** *Smyrnium*
- alexanders:** *Smyrnium olusatrum*
- alfa:** *Stipa tenacissima*
- alfalfa:** *Medicago sativa*
- algerian fibre:** *Chamaerops humilis*
- algerian grass:** *Stipa tenacissima*
- alison:** *Alyssum*
- alizarin:** *Rubia tinctorum*
- alkaligrass:** *Puccinellia*
- alkanet:** *Anchusa*
- alkanet:** *Anchusa officinalis*
- alpine azalea:** *Loiseleuria procumbens*
- alpine bartsia:** *Bartsia alpina*
- alpine bistort:** *Polygonum viviparum*
- alpine blue-sow-thistle:** *Cicerbita alpina*
- alpine butterwort:** *Pinguicula alpina*
- alpine campion:** *Lychnis alpina*
- alpine cat's-tail:** *Phleum alpinum*
- alpine catchfly:** *Lychnis alpina*
- alpine cinquefoil:** *Potentilla crantzii*
- alpine clubmoss:** *Diphasium alpinum*
- alpine enchanter's-nighthshade:** *Circaeа alpina*
- alpine forget-me-not:** *Myosotis alpestris*
- alpine gentian:** *Gentiana nivalis*
- alpine knotweed:** *Polygonum alpinum*
- alpine lady-fern:** *Athyrium distentifolium*
- alpine lady's-mantle:** *Alchemilla alpina*
- alpine meadow-grass:** *Poa alpina*
- alpine meadow-rue:** *Thalictrum alpinum*
- alpine milk-vetch:** *Astragalus alpinus*
- alpine mouse-ear:** *Cerastium alpinum*
- alpine pearlwort:** *Sagina saginoides*
- alpine rock-cress:** *Arabis alpina*
- alpine rose:** *Rhododendron ferrugineum*
- alpine rush:** *Juncus alpinus*
- alpine saw-wort:** *Saussurea alpina*
- alpine speedwell:** *Veronica alpina*
- alpine squill:** *Scilla bifolia*
- alpine strawberry:** *Fragaria vesca*
- alpine timothy:** *Phleum alpinum*
- alpine willowherb:** *Epilobium anagallidifolium*
- alpine woodsia:** *Woodsia alpina*
- alsike clover:** *Trifolium hybridum*
- alternate-leaved golden-saxifrage:** *Chrysosplenium alternifolium*
- allgood:** *Chenopodium bonus-henricus*
- allheal:** *Stachys palustris*
- allheal:** *Valeriana officinalis*
- allseed:** *Radiola linoides*
- amaranth:** *Amaranthus*
- american cudweed:** *Gamochaeta purpurea*
- american speedwell:** *Veronica peregrina*
- american winter-cress:** *Barbarea verna*
- american yard-grass:** *Eleusine tristachya*
- amphibious bistort:** *Polygonum amphibium*
- anemone:** *Anemone*
- angel's-trumpets:** *Datura ferox*
- angelica:** *Angelica*
- animated oat:** *Avena sterilis*
- anise:** *Pimpinella anisum*
- annual beard-grass:** *Polypogon monspeliensis*
- annual bluegrass:** *Poa annua*

annual bristle grass: *Aristida adscensionis*
annual canary-grass: *Phalaris canariensis*
annual cat's-tail: *Lophochloa cristata*
annual clary: *Salvia viridis*
annual knawel: *Scleranthus annuus*
annual meadow-grass: *Poa annua*
annual mercury: *Mercurialis annua*
annual pearlwort: *Sagina apetala*
annual ryegrass: *Lolium multiflorum*
annual ryegrass: *Lolium rigidum*
annual scorpion-vetch: *Coronilla scorpioides*
annual sea-blite: *Suaeda maritima*
annual valerian: *Centranthus calcitrapae*
annual vernal-grass: *Anthoxanthum aristatum*
annual wall-rocket: *Diplotaxis muralis*
annual yellow sweetclover: *Melilotus indica*
annual yellow-woundwort: *Stachys annua*
apple-mint: *Mentha suaveolens*
apple-mint: *Mentha villosa*
arborescent heather: *Erica arborea*
argentine fleabane: *Conyza bonariensis*
argentine pepperwort: *Lepidium bonariense*
arrowgrass: *Triglochin*
arrowgrass family: *Juncaginaceae*
asarabacca: *Asarum europaeum*
ash family: *Oleaceae*
aspargus: *Asparagus*
aster: *Aster*
aphodel: *Tofieldia*
astrantia: *Astrantia major*
aubretia: *Aubrieta deltoidea*
autumn crocus: *Colchicum autumnale*
autumn crocus: *Crocus nudiflorus*
autumn hawkbit: *Leontodon autumnalis*
autumn lady's-tresses: *Spiranthes spiralis*
autumn snowflake: *Leucojum autumnale*
autumn squill: *Scilla autumnalis*
avens: *Geum*
awlwort: *Subularia aquatica*
awned canary-grass: *Phalaris paradoxa*
azalea: *Rhododendron*
azarole: *Crataegus azarolus*
baldmoneys: *Meum athamanticum*

balm: *Melissa officinalis*
balm-leaved figwort: *Scrophularia scorodonia*
balsam: *Impatiens*
balsam family: *Balsaminaceae*
ball clover: *Trifolium nigrescens*
ball mustard: *Neslia paniculata*
bamboo grass: *Piptatherum miliaceum*
bamboo reed: *Arundo donax*
baneberry: *Actaea spicata*
barb goatgrass: *Aegilops triuncialis*
barb grass: *Hainardia cylindrica*
barberry: *Berberis*
barberry: *Berberis vulgaris*
barberry family: *Berberidaceae*
bard vetch: *Vicia monantha*
barley: *Hordeum*
barleygrass: *Hordeum leporinum*
barnyard grass: *Echinochloa crus-galli*
barrel medick: *Medicago truncatula*
barren brome: *Bromus sterilis*
barren fescue: *Vulpia bromoides*
barren strawberry: *Potentilla sterilis*
bartsia: *Odontites*
bastard alkanet: *Lithospermum arvense*
bastard balm: *Melittis melissophyllum*
bastard cabbage: *Rapistrum rugosum*
bastard senna: *Coronilla valentina*
bastard-toadflax: *Thesium*
bastard-toadflax family: *Santalaceae*
bath asparagus: *Ornithogalum pyrenaicum*
beachgrass: *Ammophila*
beachpea: *Lathyrus japonicus*
beak-rush: *Rhynchospora*
beak-sedge: *Rhynchospora*
beaked hawk's-beard: *Crepis vesicaria*
bean: *Phaseolus*
bean: *Vicia*
bean broomrape: *Orobanche crenata*
bear's foot: *Helleborus foetidus*
bear's-breech: *Acanthus mollis*
bear's-breech family: *Acanthaceae*
bearberry: *Arctostaphylos*
bearberry: *Arctostaphylos uva-ursi*

- beard-grass:** *Polypogon*
bearded couch: *Elymus caninus*
bearded fescue: *Vulpia ciliata*
bearded iris: *Iris germanica*
bearded oat: *Avena barbata*
bearded ryegrass: *Lolium temulentum*
bedstraw: *Galium*
bedstraw broomrape: *Orobanche caryophyllacea*
bedstraw family: *Rubiaceae*
bee orchid: *Ophrys apifera*
beet: *Beta vulgaris*
beggarticks: *Bidens frondosa*
beggarticks: *Bidens pilosa*
bell heather: *Erica cinerea*
belladonna: *Atropa belladonna*
bellflower: *Campanula*
bellflower family: *Campanulaceae*
bentgrass: *Agrostis*
bergamot mint: *Mentha piperita*
bermuda-buttercup: *Oxalis pes-caprae*
bermudagrass: *Cynodon dactylon*
berry catchfly: *Cucubalus baccifer*
berseem clover: *Trifolium alexandrinum*
betony: *Stachys officinalis*
bhaji: *Amaranthus*
big quaking-grass: *Briza maxima*
big trefoil: *Lotus pedunculatus*
bigflower clover: *Trifolium michelianum*
bilberry: *Vaccinium*
bilberry: *Vaccinium myrtillus*
bindweed: *Calystegia*
bindweed family: *Convolvulaceae*
bird-in-a-bush: *Corydalis solida*
bird vetch: *Vicia cracca*
bird's eye: *Veronica*
bird's-eye primrose: *Primula farinosa*
bird's-foot: *Ornithopus*
bird's-foot: *Ornithopus perpusillus*
bird's-foot clover: *Trifolium ornithopodioides*
bird's-foot sedge: *Carex ornithopoda*
bird's-foot-trefoil: *Lotus*
bird's-foot-trefoil: *Lotus corniculatus*
bird's-nest orchid: *Neottia nidus-avis*
- birdseed grass:** *Phalaris canariensis*
birthwort: *Aristolochia*
birthwort: *Aristolochia clematitis*
birthwort family: *Aristolochiaceae*
biserrula: *Biserrula pelecinus*
bistort: *Polygonum*
bithynian vetch: *Vicia bithynica*
biting stonecrop: *Sedum acre*
bitter-cress: *Cardamine*
bitter vetch: *Vicia ervilia*
bittersweet: *Solanum dulcamara*
black alpine-sedge: *Carex atrata*
black bearberry: *Arctostaphylos alpinus*
black bentgrass: *Agrostis gigantea*
black-bindweed: *Bilderdykia convolvulus*
black bog-rush: *Schoenus nigricans*
black-grass: *Alopecurus myosuroides*
black horehound: *Ballota nigra*
black-jack: *Bidens pilosa*
black medick: *Medicago lupulina*
black mullein: *Verbascum nigrum*
black mustard: *Brassica nigra*
black nightshade: *Solanum nigrum*
black oat: *Avena strigosa*
black pea: *Lathyrus niger*
black spleenwort: *Asplenium adiantum-nigrum*
black twitch: *Alopecurus myosuroides*
blackberry bush: *Rubus*
blackthorn: *Prunus spinosa*
bladder campion: *Silene vulgaris*
bladder-fern: *Cystopteris*
bladder ketmia: *Hibiscus trionum*
bladder-sedge: *Carex versicaria*
bladder-senna: *Colutea arborescens*
bladderwort family: *Lentibulariaceae*
bladygrass: *Imperata cylindrica*
blaeberry: *Vaccinium myrtillus*
blinks: *Montia fontana*
blinks family: *Portulacaceae*
blite: *Chenopodium bonus-henricus*
bloody crane's-bill: *Geranium sanguineum*
blue buttons: *Succisa pratensis*
blue-eyed-grass: *Sisyrinchium bermudiana*

blue-eyed-Mary: *Omphalodes*
blue flax: *Linum narbonense*
blue fleabane: *Erigeron acer*
blue heath: *Phyllodoce caerulea*
blue iris: *Iris spuria*
blue lupin: *Lupinus angustifolius*
blue moor-grass: *Sesleria albicans*
blue pimpernel: *Anagallis foemina*
blue pimpernel: *Anagallis monelli*
blue poppy: *Meconopsis*
blue-sow-thistle: *Cicerbita*
blue water-speedwell: *Veronica anagallis-aquatica*
blue woodruff: *Asperula arvensis*
bluebell: *Campanula rotundifolia*
bluebell: *Gladiolus*
bluebell: *Hyacinthoides*
bluebell: *Hyacinthoides non-scripta*
bluebell: *Salvia viridis*
blueberry: *Vaccinium*
bluebottle: *Centaurea*
bluegrass: *Festuca*
bluegrass: *Poa*
bluestem: *Andropogon*
bluet: *Vaccinium*
blunt-flowered rush: *Juncus subnodulosus*
bog asphodel: *Narthecium ossifragum*
bog bilberry: *Vaccinium uliginosum*
bog hair-grass: *Deschampsia setacea*
bog heather: *Erica tetralix*
bog pimpernel: *Anagallis tenella*
bog-rush: *Schoenus*
bog-sedge: *Carex limosa*
bog stitchwort: *Stellaria alsine*
bog violet: *Pinguicula vulgaris*
hog violet: *Viola palustris*
borage: *Borago officinalis*
borage family: *Boraginaceae*
borrer's saltmarsh-grass: *Puccinellia fasciculata*
bottle sedge: *Carex rostrata*
bouncing Bet: *Saponaria officinalis*
box: *Buxus sempervirens*
box family: *Buxaceae*

boxwood: *Buxus sempervirens*
bracken: *Pteridium aquilinum*
bracken family: *Hypolepidaceae*
brackish water-crowfoot: *Ranunculus baudotii*
brake: *Pteridium aquilinum*
bramble: *Rubus*
branched bur-reed: *Sparganium erectum*
branched horsetail: *Equisetum ramosissimum*
branched plantain: *Plantago arenaria*
bread-and-cheese: *Crataegus monogyna*
bread wheat: *Triticum aestivum*
Breckland speedwell: *Veronica praecox*
breckland thyme: *Thymus serpyllum*
briar root: *Erica arborea*
bridewort: *Spiraea*
bristle bentgrass: *Agrostis curtissii*
bristle fern: *Trichomanes*
bristle-grass: *Setaria*
bristle oat: *Avena strigosa*
bristle-spiked canary-grass: *Phalaris paradoxa*
bristly hawk's-beard: *Crepis setosa*
bristly oxtongue: *Picris echioides*
Bristol rock-cress: *Arabis stricta*
brittle bladder-fern: *Cystopteris fragilis*
broad buckler-fern: *Dryopteris dilatata*
broad-fruited cornsalad: *Valerianella rimosa*
broad-leaved cottongrass: *Eriophorum latifolium*
broad-leaved cudweed: *Filago pyramidata*
broad-leaved dock: *Rumex obtusifolius*
broad-leaved everlasting-pea: *Lathyrus latifolius*
broad-leaved helleborine: *Epipactis helleborine*
broad-leaved hemp-nettle: *Galeopsis ladanum*
broad-leaved meadow-grass: *Poa chaixii*
broad-leaved onion: *Allium nigrum*
broad-leaved sea-lavender: *Limonium auriculae-ursifolium*
broad-leaved spurge: *Euphorbia platyphylllos*
broad-leaved willowherb: *Epilobium montanum*
broadbean: *Vicia faba*
brome: *Bromus*
bromegrass: *Bromus*
Brompton stock: *Matthiola incana*
bronchograss: *Bromus rigidus*

- brooklime:** *Veronica beccabunga*
brookweed: *Samolus valerandi*
broom: *Cytisus*
broom: *Cytisus scoparius*
broom: *Genista*
broom millet: *Panicum miliaceum*
broomcorn: *Panicum miliaceum*
broomcorn: *Sorghum*
broomcorn: *Sorghum bicolor*
broomrape: *Orobanche*
broomrape family: *Orobanchaceae*
brown beak-sedge: *Rhynchospora fusca*
brown bentgrass: *Agrostis canina*
brown galingale: *Cyperus fuscus*
brown knapweed: *Centaurea jacea*
brown sedge: *Carex disticha*
browntop: *Agrostis capillaris*
browntop bentgrass: *Agrostis capillaris*
brunt-fruited water-starwort: *Callitrichia obtusangula*
buck's-horn plantain: *Plantago coronopus*
buckberry: *Vaccinium*
buckler-fern: *Dryopteris*
buckler-fern family: *Dryopteridaceae*
buckthorn: *Rhamnus*
buckthorn: *Rhamnus cathartica*
buckthorn family: *Rhamnaceae*
buckwheat: *Fagopyrum esculentum*
bugle: *Ajuga*
bugle: *Ajuga reptans*
bugloss: *Anchusa arvensis*
buk's-beard: *Aruncus dioicus*
bulbous barley: *Hordeum bulbosum*
bulbous bluegrass: *Poa bulbosa*
bulbous buttercup: *Ranunculus bulbosus*
bulbous canary-grass: *Phalaris aquatica*
bulbous foxtail: *Alopecurus bulbosus*
bulbous meadow-grass: *Poa bulbosa*
bulbous oat-grass: *Arrhenatherum elatius var. bulbosum*
bulbous rush: *Juncus bulbosus*
bulrush: *Typha*
bulrush: *Typha latifolia*
bulrush family: *Typhaceae*
bull thistle: *Cirsium vulgare*
bullgrass: *Eleusine indica*
bullwort: *Ammi majus*
bunch-flowered daffodil: *Narcissus tazetta*
bur clover: *Trifolium lappaceum*
bur forget-me-not: *Lappula*
bur grass: *Cenchrus*
bur-marigold: *Bidens*
bur medick: *Medicago minima*
bur parsley: *Anthriscus caucalis*
bur parsley: *Caucalis*
bur-reed: *Sparganium*
burclover: *Medicago*
burdock: *Arctium*
burnet: *Sanguisorba*
burnet rose: *Rosa pimpinellifolia*
burnet-saxifrage: *Pimpinella*
burnet-saxifrage: *Pimpinella saxifraga*
burnt orchid: *Orchis ustulata*
burweed: *Tribulus*
bush vetch: *Vicia sepium*
butcher's-broom: *Ruscus*
butcher's-broom: *Ruscus aculeatus*
butter and eggs: *Linaria vulgaris*
butterbur: *Petasites*
butterbur: *Petasites hybridus*
buttercup: *Ranunculus*
buttercup family: *Ranunculaceae*
butterfly-orchid: *Platanthera*
butterwort: *Pinguicula*
buttonclover: *Medicago orbicularis*
buttonweed: *Cotula coronopifolia*
cabbage: *Brassica*
cabbage: *Brassica oleracea*
cabbage family: *Brassicaceae*
cabbage thistle: *Cirsium oleraceum*
calamint: *Calamintha*
calamus root: *Acorus calamus*
caleypea: *Lathyrus hirsutus*
California burclover: *Medicago polymorpha*
californian fuchsia: *Epilobium*
californian poppy: *Eschscholzia californica*

- caltrops:** *Tribulus terrestris*
- Cambridge milk-parsley:** *Selinum carvifolia*
- campion:** *Lychnis*
- campion:** *Silene*
- Canada bluegrass:** *Poa compressa*
- canadian fleabane:** *Conyza canadiensis*
- canadian goldenrod:** *Solidago canadiensis*
- canadian thistle:** *Cirsium arvense*
- canary-grass:** *Phalaris*
- canary-grass:** *Phalaris canariensis*
- candytuft:** *Iberis*
- canola:** *Brassica napus*
- Canterbury-bells:** *Campanula medium*
- cape-gooseberry:** *Physalis peruviana*
- caper spurge:** *Euphorbia lathyrus*
- capeweed:** *Arctotheca calendula*
- caraway:** *Carum*
- caraway:** *Carum carvi*
- carline:** *Carlina*
- carline thistle:** *Carlina vulgaris*
- carnation:** *Dianthus caryophyllus*
- carnation sedge:** *Carex panicea*
- carrot:** *Daucus carota*
- carrot family:** *Apiaceae*
- casterpillar-plant:** *Scorpiurus muricatus*
- cat-mint:** *Nepeta*
- cat's-ear:** *Hypochaeris*
- cat's-ear:** *Hypochaeris radicata*
- cat's foot:** *Antennaria dioica*
- cat's-tail:** *Phleum*
- cat's-tail grass:** *Lophochloa cristata*
- cat's-tail millet:** *Setaria pumila*
- catbrier:** *Smilax*
- catchfly:** *Lychnis*
- catchfly:** *Silene*
- catnep:** *Nepeta*
- catnip:** *Nepeta*
- caucasian stonecrop:** *Sedum spurium*
- celeriac:** *Apium graveolens*
- celery:** *Apium*
- celery-leaved buttercup:** *Ranunculus sceleratus*
- centaury:** *Centaurea*
- centaury:** *Centaurium*
- cereal rye:** *Secale cereale*
- cinquefoil:** *Potentilla*
- cistus:** *Cistus*
- clalk false-brome:** *Brachypodium pinnatum*
- clary:** *Salvia*
- clary:** *Salvia sclarea*
- cleavers:** *Galium aparine*
- clothbur:** *Xanthium spinosum*
- cloud bentgrass:** *Agrostis nebulosa*
- clove gilliflower:** *Dianthus caryophyllus*
- clover:** *Trifolium*
- club-rush:** *Scirpus*
- club-rush:** *Scirpus setaceus*
- clubmoss:** *Lycopodium*
- clubmoss family:** *Lycopodiaceae*
- cluster clover:** *Trifolium glomeratum*
- clustered bellflower:** *Campanula glomerata*
- clustered dock:** *Rumex conglomeratus*
- cock's-eggs:** *Salpichroa origanifolia*
- cock's-foot:** *Dactylis glomerata*
- cocklebur:** *Xanthium*
- cockspur:** *Echinochloa*
- cockspur:** *Echinochloa crus-galli*
- cogongrass:** *Imperata cylindrica*
- colonial bentgrass:** *Agrostis capillaris*
- colt's-foot:** *Tussilago farfara*
- columbine:** *Aquilegia*
- columbine:** *Aquilegia vulgaris*
- colza:** *Brassica napus*
- comfrey:** *Symphytum officinale*
- common amaranth:** *Amaranthus retroflexus*
- common barley:** *Hordeum vulgare*
- common bentgrass:** *Agrostis capillaris*
- common bird's-foot-trefoil:** *Lotus corniculatus*
- common bistort:** *Polygonum bistorta*
- common broomrape:** *Orobanche minor*
- common butterwort:** *Pinguicula vulgaris*
- common centaury:** *Centaureum erythraea*
- common club-rush:** *Scirpus lacustris*
- common cornsalad:** *Valerianella locusta*
- common cottongrass:** *Eriophorum angustifolium*
- common couch:** *Elymus repens*
- common cow-wheat:** *Melampyrum pratense*

common cudweed: *Filago vulgaris*
common chickweed: *Stellaria media*
common dog-violet: *Viola riviniana*
common evening-primrose: *Oenothera biennis*
common field-speedwell: *Veronica persica*
common figwort: *Scrophularia nodosa*
common fleabane: *Pulicaria dysenterica*
common fumitory: *Fumaria officinalis*
common glasswort: *Salicornia europaea*
common hemp-nettle: *Galeopsis tetrahit*
common knapweed: *Centaurea nigra*
common mallow: *Malva sylvestris*
common marsh-bedstraw: *Galium palustre*
common meadow-rue: *Thalictrum flavum*
common milkwort: *Polygala vulgaris*
common millet: *Panicum miliaceum*
common mouse-ear: *Cerastium fontanum*
common mullein: *Verbascum thapsus*
common nettle: *Urtica dioica*
common orache: *Atriplex patula*
common pea: *Pisum sativum*
common plantain: *Plantago major*
common poppy: *Papaver rhoes*
common purslane: *Portulaca oleracea*
common ragwort: *Senecio jacobaea*
common ramping-fumitory: *Fumaria muralis*
common reed: *Phragmites australis*
common restarrow: *Ononis repens*
common rock-rose: *Helianthemum nummularium*
common saltmarsh-grass: *Puccinellia maritima*
common sevygrass: *Cochlearia officinalis*
common sea-lavender: *Limonium vulgare*
common sedge: *Carex nigra*
common sorrel: *Rumex acetosa*
common spike-rush: *Eleocharis palustris*
common stitchwort: *Stellaria media*
common stork's-bill: *Erodium cicutarium*
common toadflax: *Linaria vulgaris*
common twayblade: *Listera ovata*
common valerian: *Valeriana officinalis*
common velvetgrass: *Holcus lanatus*
common vetch: *Vicia sativa*
common water-crowfoot: *Ranunculus aquatilis*

common wild oat: *Avena fatua*
common wintergreen: *Pyrola minor*
common witlowgrass: *Erophila verna*
compact brome: *Bromus madritensis*
compact grape-hyacinth: *Muscaris botryoides*
compact rush: *Juncus conglomeratus*
compass plant: *Lactuca serriola*
confused canary-grass: *Phalaris brachystachys*
confused fescue: *Festuca lemanii*
consumption weed: *Baccharis halimifolia*
copse-bindweed: *Bilderdykia dumetorum*
coral-necklace: *Illecebrum verticillatum*
coralroot orchid: *Corallorrhiza trifida*
cord-grass: *Spartina*
coriander: *Coriandrum sativum*
corky-fruited water-dropwort: *Oenanthe pimpinelloides*
corn: *Zea mays*
corn bind: *Convolvulus arvensis*
corn bromegrass: *Bromus arvensis*
corn buttercup: *Ranunculus arvensis*
corn cleavers: *Galium tricornutum*
corn chamomile: *Anthemis arvensis*
corn marigold: *Chrysanthemum segetum*
corn mignonette: *Reseda phytpeuma*
corn mint: *Mentha arvensis*
corn parsley: *Petroselinum segetum*
corn poppy: *Papaver rhoes*
corn speedwell: *Veronica arvensis*
corn spurrey: *Spergula arvensis*
corncockle: *Agrostemma githago*
cornfield knotgrass: *Polygonum rurivagum*
cornflower: *Centaurea cyanus*
Cornish heath: *Erica vagans*
Cornish moneywort: *Sibthorpia europaea*
cornsalad: *Valerianella*
corsican heath: *Erica terminalis*
corydalis: *Corydalis*
cotton clover: *Trifolium tomentosum*
cotton deergrass: *Scirpus hudsonianus*
cotton grass: *Imperata cylindrica*
cotton sedge: *Eriophorum angustifolium*
cotton thistle: *Onopordum acanthium*

cotton weed: *Otanthus maritimus*

cottongrass: *Eriophorum*

couch: *Elymus*

couchgrass: *Cynodon dactylon*

couchgrass: *Elymus repens*

cow parsley: *Anthriscus sylvestris*

cow parsnip: *Heracleum sphondylium*

cow-wheat: *Melampyrum*

cowbane: *Cicuta virosa*

cowberry: *Vaccinium vitis-idaea*

cowherb: *Vaccaria pyramidata*

cowslip: *Primula veris*

crab grass: *Digitaria*

crab grass: *Eleusine*

crab grass: *Panicum*

cramp bark: *Viburnum opulus*

cranberry: *Vaccinium*

crane's-bill: *Geranium*

crane's-bill family: *Geraniaceae*

crazyweed: *Oxytropis*

creeping bellflower: *Campanula rapunculoides*

creeping bentgrass: *Agrostis stolonifera*

creeping buttercup: *Ranunculus repens*

creeping cinquefoil: *Potentilla reptans*

creeping fescue: *Festuca rubra*

creeping fog: *Holcus mollis*

creeping forget-me-not: *Myosotis secunda*

creeping foxtail: *Alopecurus arundinaceus*

creeping Jenny: *Lysimachia nummularia*

creeping lady's-tresses: *Goodyera repens*

creeping marshwort: *Apium repens*

creeping soft-grass: *Holcus mollis*

creeping thistle: *Cirsium arvense*

creeping yellow-cress: *Roripa sylvestris*

cress: *Arabis*

cress: *Cardamine*

cress: *Lepidium*

crested cow-wheat: *Melampyrum cristatum*

crested dog's-tail: *Cynosurus cristatus*

crested hair-grass: *Koeleria macrantha*

crested wheatgrass: *Agropyron cristatum*

crimson clover: *Trifolium incarnatum*

crinkled hair-grass: *Deschampsia flexuosa*

crocus: *Crocus*

cross-leaved heath: *Erica tetralix*

crosswort: *Cruciata*

crosswort: *Cruciata laevipes*

crow garlic: *Allium vineale*

crowberry: *Empetrum nigrum*

crowberry family: *Empetraceae*

crowfoot: *Ranunculus*

crown daisy: *Chrysanthemum*

crown daisy: *Chrysanthemum coronarium*

crown daisy: *Leucanthemum vulgare*

crownvetch: *Coronilla varia*

crows foot grass: *Eleusine indica*

cuckold: *Bidens*

cuckoo pint: *Arum maculatum*

cuckooflower: *Cardamine pratensis*

cudweed: *Filago*

cudweed: *Gnaphalium*

cudweed: *Omalotheeca*

cultivated oat: *Avena sativa*

cumin: *Cuminum cyminum*

curled dock: *Rumex crispus*

curlewberry: *Empetrum nigrum*

curly dock: *Rumex crispus*

curved hard-grass: *Parapholis incurva*

curved sedge: *Carex maritima*

cut-grass: *Leersia oryzoides*

cut-leaved crane's-bill: *Geranium dissectum*

cut-leaved dead-nettle: *Lamium hybridum*

cut-leaved germander: *Teucrium botrys*

cut-leaved selfheal: *Prunella laciniata*

cyclamen: *Cyclamen*

cyclamen-flowered daffodil: *Narcissus cyclamineus*

cyperus sedge: *Carex pseudocyperus*

cypsel: *Minuartia sedoides*

cypress spurge: *Euphorbia cyparissias*

chaffweed: *Anagallis minima*

chalk milkwort: *Polygala calcarea*

chamois ragwort: *Senecio doronicum*

chamomile: *Anthemis*

chamomile: *Chamaemelum nobile*

chamomile tea: *Chamaemelum nobile*

changing forget-me-not: *Myosotis discolor*
charlock: *Sinapis arvensis*
cheat grass: *Bromus secalinus*
cheeses: *Lavatera*
cheeses: *Malva*
cheesewood: *Pittosporum tobira*
cherry: *Prunus*
cherry laurel: *Prunus laurocerasus*
chervil: *Anthriscus*
chervil: *Chaerophyllum*
chess brome: *Bromus secalinus*
chia seeds: *Salvia lavandulifolia*
chibasa: *Juncus*
chick-pea milk-vetch: *Astragalus cicer*
chicken claws: *Salicornia europaea*
chickweed: *Cerastium*
chickweed: *Stellaria*
chickweed willowherb: *Epilobium alsinifolium*
chicory: *Cichorium intybus*
childing pink: *Petrorhagia nanteuilii*
chinese mugwort: *Artemisia verlotiorum*
chinese mustard: *Brassica juncea*
chingma: *Abutilon theophrasti*
chiretta: *Swertia*
chives: *Allium schoenoprasum*
daffodil: *Narcissus*
daffodil: *Narcissus pseudonarcissus*
daisy: *Bellis perennis*
daisy family: *Asteraceae*
daisy fleabane: *Erigeron annuus*
dallisgrass: *Paspalum dilatatum*
damask violet: *Hesperis matronalis*
dame's rocket: *Hesperis matronalis*
dame's-violet: *Hesperis matronalis*
dandelion: *Taraxacum*
dandelion: *Taraxacum officinale*
danewort: *Sambucus ebulus*
dari: *Sorghum bicolor*
dark mullein: *Verbascum nigrum*
dark-red helleborine: *Epipactis atrorubens*
darnel: *Lolium temulentum*
Davall's sedge: *Carex davalliana*
dead-nettle: *Lamium*

dead-nettle family: *Lamiaceae*
deadly nightshade: *Atropa belladonna*
deciduous bilberry: *Vaccinium myrtillus*
deergrass: *Scirpus cespitosus*
dense-flowered fumitory: *Funaria densiflora*
dense-flowered mullein: *Verbascum densiflorum*
dense-flowered orchid: *Neotinea maculata*
dense silky-bent: *Apera interrupta*
Deptford pink: *Dianthus armeria*
devil's bit scabious: *Succisa pratensis*
devil's guts: *Cuscuta*
dewberry: *Rubus caesius*
dhub: *Cynodon dactylon*
dhub: *Cynodon dactylon*
Dickie's bladder-fern: *Cystopteris dickieana*
dill: *Anethum graveolens*
dioecious sedge: *Carex dioica*
dis grass: *Ampelodesmos mauritanica*
diss: *Ampelodesmos mauritanica*
distant sedge: *Carex distans*
dittander: *Lepidium latifolium*
divided sedge: *Carex divisa*
dock: *Rumex*
dodder: *Cuscuta*
dodder: *Cuscuta epithymum*
dodder family: *Cuscutaceae*
dog daisy: *Leucanthemum vulgare*
dog nettle: *Urtica urens*
dog-rose: *Rosa canina*
dog's mercury: *Mercurialis perennis*
dog's tooth violet: *Erythronium dens-canis*
dog's-tail: *Cynosurus*
dogtooth pea: *Lathyrus sativus*
doob grass: *Cynodon dactylon*
Dorset heath: *Erica ciliaris*
dotted sedge: *Carex punctata*
dove's-foot crane's-bill: *Geranium molle*
downy brome: *Bromus tectorum*
downy-fruited sedge: *Carex tomentosa*
downy hemp-nettle: *Galeopsis segetum*
downy oat-grass: *Avenula pubescens*
downy safflower: *Carthamus lanatus*
downy woundwort: *Stachys germanica*

dragon arum: *Dranculus vulgaris*
dragon's-teech: *Tetragonalobus maritimus*
drooping brome: *Bromus tectorum*
drooping star-of-Bethlehem: *Ornithogalum nutans*
dropseed: *Sporobolus*
dropseed: *Sporobolus indicus*
dropwort: *Filipendula vulgaris*
duke of Argyll's teaplant: *Lycium barbarum*
dune fescue: *Vulpia fasciculata*
durma mats: *Phragmites australis*
durra: *Sorghum bicolor*
durum: *Triticum durum*
dutch clover: *Trifolium repens*
dutch crocus: *Crocus vernus*
dwarf cudweed: *Omalotheca supina*
dwarf elder: *Sambucus ebulus*
dwarf gorse: *Ulex minor*
dwarf mallow: *Malva neglecta*
dwarf marigold: *Schkuhria pinnata*
dwarf mouse-ear: *Cerastium pumilum*
dwarf pansy: *Viola kitaibeliana*
dwarf rush: *Juncus capitatus*
dwarf spike-rush: *Eleocharis parvula*
dwarf spurge: *Euphorbia exigua*
dwarf thistle: *Cirsium acaule*
dyer's chamomile: *Anthemis tinctoria*
dyer's rocket: *Reseda luteola*
dyer's woad: *Isatis tinctoria*
eagle fern: *Pteridium aquilinum*
early dog-violet: *Viola reichenbachiana*
early forget-me-not: *Myosotis ramosissima*
early goldenrod: *Solidago gigantea*
early hair-grass: *Aira praecox*
early marsh-orchid: *Dactylorhiza incarnata*
early meadow-grass: *Poa infirma*
early medick: *Medicago praecox*
early millet: *Milium vernale*
early-purple orchid: *Orchis mascula*
early sand-grass: *Mibora minima*
early spider-orchid: *Ophrys sphegodes*
earth chestnut: *Lathyrus tuberosus*
earth nut: *Conopodium majus*

eastern gladiolus: *Gladiolus communis*
eastern larkspur: *Consolida orientalis*
eastern rocket: *Sisymbrium orientale*
edelweiss: *Leontopodium alpinum*
eggs and bacon: *Lotus corniculatus*
eglantine: *Rosa rubiginosa*
egyptian clover: *Trifolium alexandrinum*
egyptian lupin: *Lupinus albus*
egyptian mallow: *Malva parviflora*
eight-stamened waterwort: *Elatine hydropiper*
einkorn: *Triticum monococcum*
elaeagnus: *Elaeagnus*
elder: *Sambucus*
elder: *Sambucus nigra*
elecampane: *Inula helenium*
emmer: *Triticum durum*
enchanter's-nightshade: *Circaeaa*
enchanter's-nightshade: *Circaeaa lutetiana*
english iris: *Iris latifolia*
english ryegrass: *Lolium perenne*
english stonecrop: *Sedum anglicum*
epazote: *Chenopodium ambrosioides*
equal-leaved knotgrass: *Polygonum arenastrum*
eryngo: *Eryngium*
esparto grass: *Stipa tenacissima*
esperce: *Hedysarum coronarium*
european beachgrass: *Ammophila arenaria*
european broom: *Cytisus scoparius*
european buckthorn: *Rhamnus cathartica*
european bur-grass: *Tragus racemosus*
european feather grass: *Stipa pennata*
evening-primrose: *Oenothera*
evergreen lingonberry: *Vaccinium vitis-idaea*
everlastingflower: *Helichrysum*
eyebright: *Euphrasia*
eyebright: *Euphrasia officinalis*
fair maids of France: *Ranunculus aconitifolius*
fair maids of Kent: *Ranunculus aconitifolius*
fairway wheatgrass: *Agropyron cristatum*
fairy flax: *Linum catharticum*
fairy foxglove: *Erinus alpinus*
falcon-pea: *Lathyrus cicer*
false alep-mint: *Mentha longifolia*

- false brome:** *Brachypodium*
- false brome:** *Brachypodium sylvaticum*
- false cleavers:** *Galium spurium*
- false fennel:** *Ridolfia segetum*
- false flax:** *Camelina sativa*
- false fox-sedge:** *Carex otrubae*
- false garlic:** *Allium vineale*
- false grass-poly:** *Lythrum junceum*
- false London-rocket:** *Sisymbrium loeselii*
- false oat-grass:** *Arrhenatherum elatius*
- false sedge:** *Kobresia simpliciuscula*
- fat-hen:** *Chenopodium album*
- feaberry:** *Ribes uva-crispa*
- feather grass:** *Stipa*
- feather hyacinth:** *Muscari comosum*
- fen bedstraw:** *Galium uliginosum*
- fen ragwort:** *Senecio paludosus*
- fen violet:** *Viola persicifolia*
- fen wood-rush:** *Luzula pallescens*
- fennel:** *Foeniculum vulgare*
- fenugreek:** *Trigonella*
- fenugreek:** *Trigonella foenum-graecum*
- ferngrass:** *Desmazeria*
- ferngrass:** *Desmazeria rigida*
- fescue:** *Festuca*
- fescue:** *Vulpia*
- fescue-leaved hair-grass:** *Deschampsia cespitosa*
- feverfew:** *Tanacetum parthenium*
- few-flowered fumitory:** *Fumaria vaillantii*
- few-flowered spike-rush:** *Eleocharis quinqueflora*
- fibrous wheatgrass:** *Elymus caninus*
- fiddle dock:** *Rumex pulcher*
- field bean:** *Vicia faba*
- field bindweed:** *Convolvulus arvensis*
- field brome:** *Bromus arvensis*
- field cow-wheat:** *Melampyrum arvense*
- field chess:** *Bromus arvensis*
- field eryngo:** *Eryngium campestre*
- field forget-me-not:** *Myosotis arvensis*
- field garlic:** *Allium oleraceum*
- field gentian:** *Gentianella campestris*
- field gromwell:** *Lithospermum arvense*
- field horsetail:** *Equisetum arvense*
- field madder:** *Sherardia arvensis*
- field marigold:** *Calendula arvensis*
- field mint:** *Mentha arvensis*
- field mouse-ear:** *Cerastium arvense*
- field pansy:** *Viola arvensis*
- field pea:** *Pisum sativum*
- field penny-cress:** *Thlaspi arvense*
- field pepperwort:** *Lepidium campestre*
- field rose:** *Rosa arvensis*
- field scabious:** *Knautia arvensis*
- field wood-rush:** *Luzula campestris*
- field wormwood:** *Artemisia campestris*
- field woundwort:** *Stachys arvensis*
- fig-leaved goosefoot:** *Chenopodium ficifolium*
- figwort:** *Scrophularia*
- figwort family:** *Scrophulariaceae*
- filmy-fern family:** *Hymenophyllaceae*
- fine-leaved sheep's-fescue:** *Festuca tenuifolia*
- fine-leaved fumitory:** *Fumaria parviflora*
- fine-leaved sandwort:** *Minuartia hybrida*
- fine-leaved sheep's-fescue:** *Festuca tenuifolia*
- fine-leaved vetch:** *Vicia tenuifolia*
- fine-leaved water-dropwort:** *Oenanthe aquatica*
- finger-grass:** *Digitaria*
- finger-grass:** *Paspalum*
- fingered sedge:** *Carex digitata*
- fingered speedwell:** *Veronica triphylllos*
- fiorin:** *Agrostis stolonifera*
- fir clubmoss:** *Huperzia selago*
- firethorn:** *Pyracantha coccinea*
- fireweed:** *Epilobium angustifolium*
- fitsroot:** *Astragalus glycyphyllos*
- flag:** *Iris*
- flagroot:** *Acorus calamus*
- flatpea:** *Lathyrus sylvestris*
- flatpod peavine:** *Lathyrus cicer*
- flatsedge:** *Blysmus compressus*
- flattened meadow-grass:** *Poa compressa*
- flax:** *Linum*
- flax:** *Linum usitatissimum*
- flax family:** *Linaceae*
- flea sedge:** *Carex pulicaris*

- fleabane:** *Conyza*
fleabane: *Dittrichia*
fleabane: *Erigeron*
fleabane: *Inula*
fleabane: *Pulicaria*
fleur-de-lis: *Iris germanica*
flixweed: *Descurainia sophia*
floating bur-reed: *Sparganium angustifolium*
floating club-rush: *Scirpus fluitans*
floating sweet-grass: *Glyceria fluitans*
florist's-fern: *Dryopteris dilatata*
flowering-rush: *Butomus umbellatus*
flowering-rush family: *Butomaceae*
fluellens: *Kickxia*
fly honeysuckle: *Lonicera xylosteum*
fly orchid: *Ophrys insectifera*
fodder burnet: *Sanguisorba minor*
fodder pea: *Lathyrus annuus*
fodder vetch: *Vicia villosa*
fool's parsley: *Aethusa cynapium*
fool's watter-cress: *Apium nodiflorum*
forget-me-not: *Myosotis*
forked spleenwort: *Asplenium septentrionale*
four-leaved allseed: *Polycarpon tetraphyllum*
four-o'clock plant: *Mirabilis jalapa*
fox bane: *Aconitum vulparia*
foxberry: *Vaccinium vitis-idaea*
foxglove: *Digitalis*
foxglove: *Digitalis purpurea*
foxtail: *Alopecurus*
foxtail bristle-grass: *Setaria italica*
foxtail brome: *Bromus rubens*
foxtail chess: *Bromus rubens*
foxtail millet: *Setaria italica*
fragrant agrimony: *Agrimonia procera*
fragrant evening-primrose: *Oenothera stricta*
fragrant orchid: *Gymnadenia conopsea*
french crane's-bill: *Geranium endressii*
french figwort: *Scrophularia canina*
french hawk's-beard: *Crepis nicaeensis*
french honeysuckle: *Hedysarum coronarium*
french lavender: *Lavandula stoechas*
french mallow: *Malva nicaensis*
french meadow-rue: *Thalictrum aquilegiifolium*
french oat-grass: *Gaudinia fragilis*
french rocket: *Sisymbrium erysimoides*
french ryegrass: *Arrhenatherum elatius*
french sorrel: *Rumex scutatus*
french speedwell: *Veronica acinifolia*
fringed gentian: *Gentianella ciliata*
fringed rupturewort: *Herniaria ciliolata*
fringed sandwort: *Arenaria ciliata*
fritillary: *Fritillaria meleagris*
frog bit: *Coeloglossum viride*
frog orchid: *Coeloglossum viride*
frog rush: *Juncus hybridus*
frost flowers: *Aster*
frosted orache: *Atriplex laciniata*
fuller's herb: *Saponaria officinalis*
fuller's teasel: *Dipsacus sativus*
fumitory: *Fumaria*
fumitory family: *Fumariaceae*
furrowed melilot: *Melilotus sulcata*
furze: *Ulex*
galingale: *Cyperus*
galingale: *Cyperus longus*
gang-flower: *Polygala vulgaris*
garden anchusa: *Anchusa azurea*
garden candytuft: *Iberis umbellata*
garden cress: *Lepidium sativum*
garden chervil: *Anthriscus cerefolium*
garden forget-me-not: *Myosotis sylvatica*
garden mignonette: *Reseda odorata*
garden orache: *Atriplex hortensis*
garden parsley: *Petroselinum crispum*
garden pink-sorrel: *Oxalis latifolia*
garden radish: *Raphanus sativus*
garden rocket: *Eruca vesicaria*
garden Solomon's-seal: *Polygonatum odoratum*
garden tulip: *Tulipa gesneriana*
garlic: *Allium*
garlic mustard: *Alliaria petiolata*
garlic penny-cress: *Thlaspi aliiaceum*
garnet berry: *Ribes rubrum*
gentian: *Gentiana*
gentian: *Gentianella*

- gentian family:** Gentianaceae
geranium: *Geranium*
german millet: *Setaria italica*
german velvetgrass: *Holcus mollis*
germander: *Teucrium*
germander speedwell: *Veronica chamaedrys*
ghost orchid: *Epigonium aphyllum*
giant bellflower: *Campanula latifolia*
giant fennel: *Ferula communis*
giant fescue: *Festuca gigantea*
giant reed: *Arundo donax*
giant scabious: *Cephalaria*
Gibraltar mint: *Mentha pulegium*
gilliflower: *Cheiranthus*
gilliflower: *Dianthus*
gilliflower: *Matthiola*
gladdon: *Iris foetidissima*
gladiolus: *Gladiolus*
glandular globe-thistle: *Echinops sphaerocephalus*
glandular plantain: *Plantago afra*
glasswort: *Salicornia*
glasswort: *Salsola*
glaucous sedge: *Carex flacca*
globe-thistle: *Echinops*
globeflower: *Trollius europaeus*
goat's-beard: *Tragopogon*
goat's-beard: *Tragopogon pratensis*
goat's-rue: *Galega officinalis*
goat's thorn: *Astragalus*
goatgrass: *Aegilops*
gobo: *Arctium lappa*
gold-of-pleasure: *Camelina*
gold-of-pleasure: *Camelina sativa*
golden cress: *Lepidium sativum*
golden chamomile: *Anthemis tinctoria*
golden chervil: *Chaerophyllum aureum*
golden dock: *Rumex maritimus*
golden dog's-tail: *Lamarckia aurea*
golden feather: *Tanacetum parthenium*
golden ragwort: *Senecio doria*
golden-samphire: *Inula crithmoides*
golden-saxifrage: *Chrysosplenium*
- golden thistle:** *Scolymus hispanicus*
goldenrod: *Solidago*
goldenrod: *Solidago virgaurea*
goldentop grass: *Lamarckia aurea*
goldilocks aster: *Aster linosyris*
goldilocks buttercup: *Ranunculus auricomus*
good-King-Henry: *Chenopodium bonus-henricus*
gooseberry: *Ribes*
gooseberry: *Ribes uva-crispa*
gooseberry family: Grossulariaceae
goosefoot: *Chenopodium*
goosefoot family: Chenopodiaceae
goosegrass: *Eleusine indica*
gorse: *Ulex*
gorse: *Ulex europaeus*
gossegrass: *Galium aparine*
granny-bonnets: *Aquilegia*
grape-hyacinth: *Muscari*
grape-hyacinth: *Muscari neglectum*
grass family: Gramineae
grass family: Poaceae
grass-leaved orache: *Atriplex littoralis*
grass-of-Parnassus: *Parnassia palustris*
grass-poly: *Lythrum hyssopifolia*
grass vetchling: *Lathyrus nissolia*
grasspea: *Lathyrus sativus*
great brome: *Bromus diandrus*
great brome: *Bromus rigidus*
great burnet: *Sanguisorba officinalis*
great fen-sedge: *Cladium mariscus*
great horsetail: *Equisetum telmateia*
great lettuce: *Lactuca virosa*
great millet: *Sorghum bicolor*
great mullein: *Verbascum thapsus*
great pignut: *Bunium bulbocastanum*
great willowherb: *Epilobium hirsutum*
great wood-rush: *Luzula sylvatica*
great yellow-cress: *Roripa amphibia*
greater bird's-foot-trefoil: *Lotus pedunculatus*
greater broomrape: *Orobanche rapum-genistae*
greater burdock: *Arctium lappa*
greater burnet-saxifrage: *Pimpinella major*
greater butterfly-orchid: *Platanthera chlorantha*

greater celandine: *Chelidonium majus*
 greater cuckooflower: *Cardamine raphanifolia*
 greater chickweed: *Stellaria neglecta*
 greater dodder: *Cuscuta europaea*
 greater knapweed: *Centaurea sabiosa*
 greater musk-mallow: *Malva alcea*
 greater periwinkle: *Vinca major*
 greater plantain: *Plantago major*
 greater pond-sedge: *Carex riparia*
 greater quaking-grass: *Briza maxima*
 greater sea-spurrey: *Spergularia media*
 greater spearwort: *Ranunculus lingua*
 greater stitchwort: *Stellaria holostea*
 greater tufted-sedge: *Carex paniculata*
 greater water-parsnip: *Sium latifolium*
 greater yellow-rattle: *Rhinanthus angustifolius*
 greek sea-spurrey: *Spergularia bocconii*
 green alkanet: *Pentaglottis sempervirens*
 green amaranth: *Amaranthus hybridus*
 green briar: *Smilax*
 green bristle-grass: *Setaria viridis*
 green field-speedwell: *Veronica agrestis*
 green foxtail grass: *Setaria viridis*
 green hellebore: *Helleborus viridis*
 green hound's-tongue: *Cynoglossum germanicum*
 green-ribbed sedge: *Carex binervis*
 green-winged orchid: *Orchis morio*
 greengage: *Prunus*
 greenweed: *Genista*
 grey cinquefoil: *Potentilla inclinata*
 grey field-speedwell: *Veronica polita*
 grey goosefoot: *Chenopodium opulifolium*
 grey hair-grass: *Corynephorus canescens*
 grey love-grass: *Eragrostis cilianensis*
 grey mouse-ear: *Cerastium brachypetalum*
 grey sedge: *Carex divulsa*
 gromwell: *Lithospermum officinale*
 ground cherry: *Physalis*
 ground-ivy: *Glechoma hederacea*
 ground-pine: *Ajuga chamaepitys*
 groundsel: *Senecio vulgaris*
 guelder-rose: *Viburnum opulus*
 guernsey centaury: *Exaculum pusillum*

gum sarcocolla: *Astragalus*
 gypsywort: *Lycopus europaeus*
 hag-taper: *Verbascum thapsus*
 hair-grass: *Aira*
 hair-grass: *Corynephorus*
 hair-grass: *Deschampsia*
 hair-grass: *Koeleria*
 hair-grass: *Trisetum*
 hair sedge: *Carex capillaris*
 hairless blue-sow-thistle: *Cicerbita plumieri*
 hairy bitter-cress: *Cardamine hirsuta*
 hairy-brome: *Bromus ramosus*
 hairy buttercup: *Ranunculus sardous*
 hairy crabgrass: *Digitaria sanguinalis*
 hairy chervil: *Chaerophyllum hirsutum*
 hairy chess: *Bromus commutatus*
 hairy dog-rose: *Rosa caesia*
 hairy finger-grass: *Digitaria sanguinalis*
 hairy-fruited broom: *Cytisus striatus*
 hairy-fruited cornsalad: *Valerianella eriocarpa*
 hairy garlic: *Allium subhirsutum*
 hairy greenweed: *Genista pilosa*
 hairy rock-cress: *Arabis hirsuta*
 hairy rocket: *Erucastrum gallicum*
 hairy rupturewort: *Herniaria hirsuta*
 hairy sedge: *Carex hirta*
 hairy St John's-woort: *Hypericum hirsutum*
 hairy stonecrop: *Sedum villosum*
 hairy tare: *Vicia hirsuta*
 hairy vetch: *Vicia villosa*
 hairy vetchling: *Lathyrus hirsutus*
 hairy violet: *Viola hirta*
 hairy wood-rush: *Luzula pilosa*
 hallelujah: *Oxalis acetosella*
 Hamburg parsley: *Petroselinum crispum*
 hard-fern: *Blechnum spicant*
 hard-fern family: *Blechnaceae*
 hard fescue: *Festuca ovina* var. *duriuscula*
 hard goatgrass: *Aegilops triuncialis*
 hard-grass: *Parapholis*
 hard-grass: *Parapholis strigosa*
 hard heads: *Centaurea nigra*
 hard meadow grass: *Desmazeria rigida*

- hard Poa:** *Desmazeria rigida*
hard rush: *Juncus inflexus*
hard shield-fern: *Polystichum aculeatum*
hardy ryegrass: *Lolium remotum*
hare barley: *Hordeum leporinum*
hare's-ear: *Bupleurum*
hare's-ear mustard: *Conringia orientalis*
hare's-foot clover: *Trifolium arvense*
hare's-foot fern: *Davallia canariensis*
hare's-foot fern family: *Davalliaceae*
hare's-foot sedge: *Carex lachenalii*
hare's-tail: *Lagurus ovatus*
hare's-tail cottongrass: *Eriophorum vaginatum*
harebell: *Campanula rotundifolia*
harsh downy-rose: *Rosa tomentosa*
hart's-tongue: *Phyllitis scolopendrium*
hartwort: *Tordylium maximum*
hautbois: *Fragaria moschata*
hautboy: *Fragaria moschata*
hawk's-beard: *Crepis*
hawkbit: *Leontodon*
hawkweed: *Hieracium*
hawkweed oxtongue: *Picris hieracioides*
hawthorn: *Crataegus*
hawthorn: *Crataegus monogyna*
hay-scented bucker-fern: *Dryopteris aemula*
hayrattle: *Rhinanthus minor*
heart's ease: *Viola tricolor*
heath: *Erica*
heath bedstraw: *Galium saxatile*
heath cudweed: *Omalotheca sylvatica*
heath dog violet: *Viola canina*
heath-grass: *Danthonia decumbens*
heath groundsel: *Senecio sylvaticus*
heath lobelia: *Lobelia urens*
heath milkwort: *Polygala serpyllifolia*
heath rush: *Juncus squarrosus*
heath speedwell: *Veronica officinalis*
heath spotted-orchid: *Dactylorhiza maculata*
heath wood-rush: *Luzula multiflora*
heather: *Calluna vulgaris*
heather: *Erica*
heather family: *Ericaceae*
- hedge bedstraw:** *Galium mollugo*
hedge bindweed: *Calystegia sepium*
hedge garlic: *Alliaria petiolata*
hedge hyssop: *Gratiola officinalis*
hedge mustard: *Sisymbrium officinale*
hedge nettle: *Stachys*
hedge-parsley: *Torilis*
hedge woundwort: *Stachys sylvatica*
hedgehog broom: *Erinacea anthyllis*
hedgehog dog's-tail grass: *Cynosurus echinatus*
hedgehog grass: *Cenchrus*
hedgehog holly: *Ilex aquifolium*
hedgerow crane's-bill: *Geranium pyrenaicum*
helmet flower: *Scutellaria*
hellebore: *Helleborus*
helleborine: *Cephalanthera*
helleborine: *Epipactis*
hemlock: *Conium maculatum*
hemlock water-dropwort: *Oenanthe crocata*
hemp-agrimony: *Eupatorium cannabinum*
hemp broomrape: *Orobanche ramosa*
hemp-nettle: *Galeopsis*
hen-and-chickens: *Bellis perennis*
henbane: *Hyoscyamus niger*
henbit dead-nettle: *Lamium amplexicaule*
herb Christopher: *Actaea spicata*
herb-of-Grace: *Ruta graveolens*
herb Paris: *Paris quadrifolia*
herb-Robert: *Geranium robertianum*
herdgrass: *Phleum pratense*
hernia: *Herniaria glabra*
highland bentgrass: *Agrostis castellana*
hoary alyssum: *Alyssum alyssoides*
hoary cinquefoil: *Potentilla argentea*
hoary cress: *Cardaria draba*
hoary mullein: *Verbascum pulverulentum*
hoary mustard: *Hirschfeldia incana*
hoary plantain: *Plantago media*
hoary rock-rose: *Helianthemum canum*
hoary stock: *Matthiola incana*
hoary willowherb: *Epilobium parviflorum*
hoary witlowgrass: *Draba incana*
hog brake: *Pteridium aquilinum*

hog millet: *Panicum miliaceum*
hog's fennel: *Peucedanum*
hog's fennel: *Peucedanum officinale*
hogweed: *Heracleum sphondylium*
holy clover: *Onobrychis viciifolia*
holy flax: *Santolina*
holy thistle: *Silybum marianum*
hollow-root: *Corydalis bulbosa*
holly: *Ilex aquifolium*
holly family: *Aquifoliaceae*
holly-fern: *Polystichum lonchitis*
hollyhock: *Alcea rosea*
hominy: *Zea mays*
honesty: *Lunaria annua*
honewort: *Trinia glauca*
honey-bell: *Nothoscordum inodorum*
honey locust: *Gleditsia*
honeysuckle: *Lonicera*
honeysuckle: *Lonicera periclymenum*
honeysuckle family: *Caprifoliaceae*
hood canary-grass: *Phalaris paradoxa*
hoop-petticoat daffodil: *Narcissus bulbocodium*
hop clover: *Medicago lupulina*
hop clover: *Trifolium aureum*
hop trefoil: *Trifolium campestre*
horned pansy: *Viola cornuta*
horned-poppy: *Glaucium*
horned rampion: *Phyteuma*
horse mint: *Mentha longifolia*
horse-radish: *Armoracia rusticana*
horsebean: *Vicia faba*
horseshoe vetch: *Hippocrepis comosa*
horsetail: *Equisetum*
horsetail family: *Equisetaceae*
hound's-tongue: *Cynoglossum*
hound's-tongue: *Cynoglossum officinale*
house-leek: *Sempervivum tectorum*
huckleberry: *Vaccinium*
hungarian brome: *Bromus inermis*
hungarian millet: *Setaria italica*
hungarian vetch: *Vicia pannoica*
hutchinsia: *Hornungia petraea*
hybrid jonquil: *Narcissus odorus*

Hyeres tree-mallow: *Lavatera olbia*
hyssop: *Hyssopus officinalis*
igusa: *Juncus effusus*
imperforate St John's-woort: *Hypericum maculatum*
indehiscent pigweed: *Amaranthus standleyanus*
indian cress: *Tropaeolum majus*
indian love-grass: *Eragrostis pilosa*
indian mallow: *Abutilon theophrasti*
intermediate periwinkle: *Vinca difformis*
intermediate polypody: *Polypodium interjectum*
intermediate quaking-grass: *Briza media*
interrupted clubmoss: *Lycopodium annotinum*
iris: *Iris*
iris family: *Iridaceae*
irish fleabane: *Inula salicina*
irish heath: *Erica erigena*
irish spurge: *Euphorbia hyberna*
Issler's clubmoss: *Diphasium complanatum*
italian bluebell: *Hyacinthoides italicica*
italian catchfly: *Silene italica*
italian clover: *Trifolium incarnatum*
italian lords-and-ladies: *Arum italicum*
italian millet: *Setaria italica*
italian parsley: *Petroselinum crispum*
italian ryegrass: *Lolium multiflorum*
ivy: *Hedera helix*
ivy broomrape: *Orobanche hederae*
ivy family: *Araliaceae*
ivy-leaved bellflower: *Wahlenbergia hederacea*
ivy-leaved crowfoot: *Ranunculus hederaceus*
ivy-leaved speedwell: *Veronica hederifolia*
ivy-leaved toadflax: *Cymbalaria muralis*
jack-by-the-hedge: *Alliaria petiolata*
jack-in-the-pulpit: *Arum maculatum*
Jacob's-ladder: *Polemonium caeruleum*
Jacob's-ladder family: *Polemoniaceae*
jacobaea: *Senecio elegans*
japanese honeysuckle: *Lonicera japonica*
japanese-lantern: *Physalis*
japanese-lantern: *Physalis alkekengi*
japanese millet: *Echinochloa crus-galli*
Jersey buttercup: *Ranunculus paludosus*

- Jersey cudweed:** *Gnaphalium luteo-album*
Jersey fern: *Anogramma leptophylla*
Jersey forget-me-not: *Myosotis sylvatica*
Jersey knapweed: *Centaurea paniculata*
Jersey love-grass: *Eragrostis pilosa*
Jersey orchid: *Orchis laxiflora*
Jersey pink: *Dianthus gallicus*
Jersey thrif: *Armeria alliacea*
Jersey toadflax: *Linaria pelisseriana*
Jerusalem artichoke: *Helianthus tuberosus*
Jerusalem sage: *Phlomis fruticosa*
jewel weed: *Impatiens*
jiggle-joggles: *Briza media*
Jimson weed: *Datura stramonium*
Johnson-grass: *Sorghum halepense*
jointed rush: *Juncus articulatus*
jonquil: *Narcissus jonquilla*
jowar: *Sorghum bicolor*
juneberry: *Amelanchier*
junegrass: *Koeleria macrantha*
jungle rice: *Echinochloa colona*
Juno's tears: *Verbena officinalis*
keeled-fruited cornsalad: *Valerianella carinata*
keeled garlic: *Allium carinatum*
kelch-grass: *Schismus barbatus*
kengued seed: *Silybum Marianum*
Kentucky bluegrass: *Poa pratensis*
kerry lily: *Simethis planifolia*
khesara: *Lathyrus sativus*
kidney saxifrage: *Saxifraga hirsuta*
kidneyvetch: *Anthyllis vulneraria*
killarney fern: *Trichomanes speciosum*
king cup: *Caltha palustris*
knapweed: *Centaurea*
knapweed broomrape: *Orobanche elatior*
knawel: *Scleranthus*
kneed foxtail: *Alopecurus geniculatus*
knolted hedge-parsley: *Torilis nodosa*
knotgrass: *Paspalum vaginatum*
knotgrass: *Polygonum*
knotgrass: *Polygonum aviculare*
knotted clover: *Trifolium striatum*
knotted crane's-bill: *Geranium nodosum*
- knotted pearlwort:** *Sagina nodosa*
knotweed: *Polygonum*
knotweed family: *Polygonaceae*
Kraus's clubmoss: *Selaginella kraussiana*
kümmel: *Carum carvi*
kurdee: *Carthamus tinctorius*
kweek grass: *Cynodon dactylon*
lactucarium: *Lactuca virosa*
lad's love: *Artemisia abrotanum*
ladanum: *Cistus ladanifer*
lady-fern: *Athyrium filix-femina*
lady-fern family: *Athyriaceae*
lady orchid: *Orchis purpurea*
lady's bedstraw: *Galium verum*
lady's comb: *Scandix pecten-veneris*
lady's fingers: *Anthyllis vulneraria*
lady's-mantle: *Alchemilla*
lady's-mantle: *Alchemilla xanthochlora*
lady's-slipper: *Cypripedium calceolus*
lady's smock: *Cardamine pratensis*
lady's-tresses: *Spiranthes*
lalang: *Imperata cylindrica*
lamb's lettuce: *Valerianella locusta*
lamb's succory: *Arnoseris minima*
lambsquarters: *Chenopodium*
lanceolate spleenwort: *Asplenium obovatum*
land cress: *Barbarea verna*
land quillwort: *Isoetes histrix*
lappa clover: *Trifolium lappaceum*
large bindweed: *Calystegia silvatica*
large bitter-cress: *Cardamine amara*
large-flowered butterwort: *Pinguicula grandiflora*
large foxtail: *Alopecurus myosuroides*
large-headed brome: *Bromus lanceolatus*
large hop clover: *Trifolium campestre*
large speedwell: *Veronica austriaca*
large thyme: *Thymus pulegioides*
large trefoil: *Trifolium aureum*
large yellow-sedge: *Carex flava*
larkspur: *Consolida*
late spider-orchid: *Ophrys fuciflora*
laurustinus: *Viburnum tinus*

- lavender:** *Lavandula*
- lavender-cotton:** *Santolina chamaecyparissus*
- lax viper's-bugloss:** *Echium rosulatum*
- leafy rush:** *Juncus foliosus*
- leafy spurge:** *Euphorbia esula*
- least adder's-tongue:** *Ophioglossum lusitanicum*
- least bur-reed:** *Sparganium minimum*
- least lettuce:** *Lactuca saligna*
- least mallow:** *Malva parviflora*
- least pepperwort:** *Lepidium virginicum*
- leek:** *Allium ampeloprasum*
- legumes:** *Fabaceae*
- legumes:** *Leguminosae*
- Lent lily:** *Narcissus pseudonarcissus*
- leopard's-bane:** *Doronicum*
- leopard's-bane:** *Doronicum pardalianches*
- lesser bulrush:** *Typha angustifolia*
- lesser burdock:** *Arctium minus*
- lesser butterfly-orchid:** *Platanthera bifolia*
- lesser canary-grass:** *Phalaris minor*
- lesser celandine:** *Ranunculus ficaria*
- lesser centaury:** *Centaureum pulchellum*
- lesser clubmoss:** *Selaginella*
- lesser clubmoss:** *Selaginella selaginoides*
- lesser clubmoss family:** *Selaginellaceae*
- lesser chickweed:** *Stellaria pallida*
- lesser gold-of-pleasure:** *Camelina microcarpa*
- lesser hairy-brome:** *Bromus benekenii*
- lesser hawkbit:** *Leontodon taraxacoides*
- lesser marshwort:** *Apium inundatum*
- lesser meadow-rue:** *Thalictrum minus*
- lesser periwinkle:** *Vinca minor*
- lesser pond-sedge:** *Carex acutiformis*
- lesser quaking-grass:** *Briza minor*
- lesser sea-spurrey:** *Spergularia marina*
- lesser skullcap:** *Scutellaria minor*
- lesser spearwort:** *Ranunculus flammula*
- lesser star-thistle:** *Centaurea diluta*
- lesser stitchwort:** *Stellaria graminea*
- lesser swine-cress:** *Coronopus didymus*
- lesser trefoil:** *Trifolium dubium*
- lesser twayblade:** *Listera cordata*
- lesser water-parsnip:** *Berula erecta*
- lettuce:** *Lactuca*
- lily:** *Lilium*
- lily family:** *Liliaceae*
- lily-of-the-field:** *Anemone coronaria*
- lily-of-the-valley:** *Convallaria majalis*
- limestone fern:** *Gymnocarpium robertianum*
- limestone woundwort:** *Stachys alpina*
- ling:** *Calluna vulgaris*
- linseed oil:** *Linum usitatissimum*
- liquorice:** *Glycyrrhiza glabra*
- little burclover:** *Medicago minima*
- little love-grass:** *Eragrostis minor*
- little mouse-ear:** *Cerastium semidecandrum*
- little quaking-grass:** *Briza minor*
- little-Robin:** *Geranium purpureum*
- littleseed canary-grass:** *Phalaris minor*
- live forever:** *Sedum telephium*
- live long:** *Sedum*
- liverleaf:** *Hepatica nobilis*
- lizard orchid:** *Himantoglossum hircinum*
- locoweed:** *Astragalus*
- locoweed:** *Oxytropis*
- London-rocket:** *Sisymbrium irio*
- long-bracted sedge:** *Carex extensa*
- long-headed poppy:** *Papaver dubium*
- long-stalked crane's-bill:** *Geranium columbinum*
- longleaf:** *Falcaria vulgaris*
- loose-flowered orchid:** *Orchis laxiflora*
- loose silky-bent:** *Apera spica-venti*
- loosestrife:** *Lysimachia*
- lop-sided oat:** *Avena strigosa*
- lords-and-ladies:** *Arum*
- lords-and-ladies:** *Arum maculatum*
- lords-and-ladies family:** *Araceae*
- lousewort:** *Pedicularis*
- lovage:** *Levisticum officinale*
- love-grass:** *Eragrostis*
- love-in-a-mist:** *Nigella damascena*
- love-in-idleness:** *Viola tricolor*
- love-restoring stonewrop:** *Sedum anacampseros*
- lucerne:** *Medicago sativa*
- lungwort:** *Pulmonaria*
- lupin:** *Lupinus*

- lyme-grass:** *Leymus arenarius*
Mackay's heath: *Erica mackiana*
madder: *Rubia tinctorum*
madwort: *Asperugo procumbens*
maiden pink: *Dianthus deltoides*
maidenhair fern: *Adiantum capillus-veneris*
maidenhair fern family: *Adiantaceae*
maidenhair spleenwort: *Asplenium trichomanes*
maize: *Zea mays*
male-fern: *Dryopteris borreri*
male-fern: *Dryopteris filix-mas*
maltese star-thistle: *Centaurea melitensis*
malling toadflax: *Chaenorhinum origanifolium*
mallow: *Malva*
mallow family: *Malvaceae*
man orchid: *Aceras anthropophorum*
mandrake: *Mandragora*
mangel-wurzel: *Beta vulgaris*
mangold: *Beta vulgaris*
many-seeded goosefoot: *Chenopodium polyspermum*
many-stalked spike-rush: *Eleocharis multicaulis*
maple-leaved goosefoot: *Chenopodium hybridum*
mare's-tail family: *Hippuridaceae*
mares's tail: *Hippuris vulgaris*
marguerite: *Leucanthemum*
marigold: *Calendula*
marjoram: *Origanum majorana*
marram: *Ammophila arenaria*
marsh arrowgrass: *Triglochin palustre*
marsh betony: *Stachys palustris*
marsh cinquefoil: *Potentilla palustris*
marsh clubmoss: *Lepidotis inundata*
marsh cudweed: *Filaginella uliginosa*
marsh dock: *Rumex palustris*
marsh fern: *Thelypteris palustris*
marsh fern family: *Thelypteridaceae*
marsh foxtail: *Alopecurus geniculatus*
marsh gentian: *Gentiana pneumonanthe*
marsh grass: *Spartina*
marsh hawk's-beard: *Crepis paludosa*
marsh helleborine: *Epipactis palustris*
marsh horsetail: *Equisetum palustre*
marsh-mallow: *Althaea*
marsh-mallow: *Althaea officinalis*
marsh marigold: *Caltha palustris*
marsh-orchid: *Dactylorhiza*
marsh pea: *Lathyrus palustris*
marsh pennywort: *Hydrocotyle vulgaris*
marsh ragwort: *Senecio aquaticus*
marsh rosemary: *Limonium*
marsh rosemary: *Limonium vulgare*
marsh samphire: *Salicornia*
marsh speedwell: *Veronica scutellata*
marsh St John's-woort: *Hypericum elodes*
marsh stitchwort: *Stellaria palustris*
marsh thistle: *Cirsium palustre*
marsh valerian: *Valeriana dioica*
marsh violet: *Viola palustre*
marsh willowherb: *Epilobium palustre*
marsh woundwort: *Stachys palustris*
marshwort: *Apium*
martagon lily: *Lilium martagon*
Martin's ramping-fumitory: *Fumaria reuteri*
masterwort: *Astrantia major*
masterwort: *Peucedanum ostruthium*
mastic: *Pistacia lentiscus*
mat-grass: *Nardus stricta*
mat-grass fescue: *Vulpia unilateralis*
matted sea-lavender: *Limonium bellidifolium*
maw seed: *Papaver somniferum*
may: *Crataegus*
may blob: *Caltha palustris*
may lily: *Maianthemum bifolium*
maywed: *Anthemis cotula*
mayweed: *Matricaria*
meadow barley: *Hordeum secalinum*
meadow brome: *Bromus commutatus*
meadow buttercup: *Ranunculus acris*
meadow clary: *Salvia pratensis*
meadow crane's-bill: *Geranium pratense*
meadow cress: *Cardamine pratensis*
meadow fescue: *Festuca pratensis*
meadow foxtail: *Alopecurus pratensis*
meadow-grass: *Poa*
meadow oat-grass: *Avenula pratensis*

- meadow pink:** *Dianthus deltoides*
meadow-rue: *Thalictrum*
meadow saffron: *Colchicum autumnale*
meadow saxifrage: *Saxifraga granulata*
meadow soft-grass: *Holcus lanatus*
meadow thistle: *Cirsium dissectum*
meadow vetchling: *Lathyrus pratensis*
meadowsweet: *Filipendula*
meadowsweet: *Filipendula ulmaria*
mealberry: *Arctostaphylos uva-ursi*
mealies: *Zea mays*
mean quaking-grass: *Briza media*
medic: *Medicago*
medick: *Medicago*
mediterranean barley: *Hordeum hystrix*
mediterranean brome: *Bromus lanceolatus*
mediterranean buckthorn: *Rhamnus alaternus*
mediterranean hair-grass: *Lophochloa cristata*
mediterranean love-grass: *Eragrostis barrelieri*
mediterranean needle-grass: *Stipa capensis*
mediterranean restarrow: *Ononis mitissima*
mediterranean ryegrass: *Lolium rigidum*
mediterranean spurge: *Euphorbia characias*
mediterranean stork's-bill: *Erodium botrys*
medium flowered winter-cress: *Barbarea intermedia*
mel grass: *Ammophila arenaria*
melancholy thistle: *Cirsium helenioides*
melick: *Melica*
melilot: *Melilotus*
mercury: *Mercurialis*
meu: *Meum athamanticum*
mexican fleabane: *Erigeron karvinskianus*
mexican poppy: *Argemone mexicana*
mexican-tea: *Chenopodium ambrosioides*
mezereon: *Daphne*
mezereon: *Daphne mezereum*
mezereon family: *Thymelaeaceae*
Michaelmas-daisy: *Aster*
midland hawthorn: *Crataegus laevigata*
mignonette: *Reseda*
mignonette family: *Resedaceae*
milfoil: *Achillea millefolium*
- military orchid:** *Orchis militaris*
milk thistle: *Silybum marianum*
milk thistle: *Sonchus*
milk-vetch: *Astragalus*
milk-vetch: *Oxytropis*
milkwort: *Polygala*
milkwort family: *Polygalaceae*
milo: *Sorghum bicolor*
millet: *Milium*
millet: *Panicum*
millet: *Sorghum*
millet grass: *Milium effusum*
mind-your-own-bussines: *Soleirolia soleirolii*
mint: *Mentha*
Mithridate mustard: *Thlaspi arvense*
mitnan: *Thymelaea hirsuta*
mock oyster: *Tragopogon porrifolius*
mole plant: *Euphorbia lathyris*
moly: *Allium moly*
moneywort: *Lysimachia nummularia*
monk's-hood: *Aconitum napellus*
monkey orchid: *Orchis simia*
Montpellier cistus: *Cistus monspeliensis*
moon carrot: *Seseli*
moon daisy: *Leucanthemum vulgare*
moon trefoil: *Medicago arborea*
moonwort: *Botrychium lunaria*
morning-glory: *Ipomoea*
morning-glory: *Ipomoea purpurea*
moschate: *Adoxa moschatellina*
moschate family: *Adoxaceae*
moss campion: *Silene acaulis*
moss pink: *Polemonium*
mossy cyphel: *Minuartia sedoides*
mossy sandwort: *Arenaria balearica*
mossy saxifrage: *Saxifraga continentalis*
mossy stonecrop: *Crassula tillae*
moth mullein: *Verbascum blattaria*
mother-of-thousands: *Cymbalaria muralis*
mother-of-thousands: *Soleirolia soleirolii*
motherwort: *Leonurus cardiaca*
mountain avens: *Dryas octopetala*
mountain bearberry: *Arctostaphylos alpinus*

- mountain bladder-fern:** *Cystopteris montana*
mountain bluet: *Centaurea montana*
mountain currant: *Ribes alpinum*
mountain everlasting: *Antennaria dioica*
mountain male-fern: *Dryopteris abbreviata*
mountain melick: *Melica nutans*
mountain pansy: *Viola lutea*
mountain rice: *Piptatherum*
mouse barley: *Hordeum murinum*
mouse-ear: *Cerastium*
mouse-ear: *Holosteum*
mouse-ear: *Myosotis*
mouse-ear chickweed: *Cerastium*
mouse-ear-hawkweed: *Hieracium pilosella*
mousetail: *Myosurus minimus*
mousetailplant: *Arisarum proboscideum*
mudwort: *Limosella aquatica*
mugwort: *Artemisia*
mugwort: *Artemisia vulgaris*
mullein: *Verbascum*
mullein pink: *Lychnis coronaria*
musk-mallow: *Malva moschata*
musk orchid: *Herminium monorchis*
musk rose: *Rosa moschata*
musk thistle: *Carduus nutans*
mustard: *Brassica*
mustard: *Sinapis*
nal: *Phragmites australis*
Narbonne vetch: *Vicia narbonensis*
narrow buckler-fern: *Dryopteris carthusiana*
narrow clover: *Trifolium angustifolium*
narrow-fruited cornsalad: *Valerianella dentata*
narrow-fruited water-cress: *Nasturtium microphyllum*
narrow-leaved bitter-cress: *Cardamine impatiens*
narrow-leaved cudweed: *Filago gallica*
narrow-leaved everlasting-pea: *Lathyrus sylvestris*
narrow-leaved hawk's-beard: *Crepis tectorum*
narrow-leaved helleborine: *Cephalanthera longifolia*
narrow-leaved lungwort: *Pulmonaria longifolia*
narrow-leaved lupin: *Lupinus angustifolius*
narrow-leaved meadow-grass: *Poa angustifolia*
narrow-leaved Michaelmas-daisy: *Aster lanceolatus*
narrow-leaved pepperwort: *Lepidium ruderale*
narrowleaf bird's-foot-trefoil: *Lotus tenuis*
narrowleaf vetch: *Vicia angustifolia*
nasturtium: *Tropaeolum majus*
nasturtium family: *Tropaeolaceae*
navelwort: *Umbilicus rupestris*
neapolitan garlic: *Allium neopolitanum*
needle furze: *Genista anglica*
needle whin: *Genista anglica*
needle-grass: *Stipa*
nettle: *Urtica*
nettle family: *Urticaceae*
nettle-leaved bellflower: *Campanula trachelium*
nettle-leaved goosefoot: *Chenopodium murale*
nettle-leaved mullein: *Verbascum chaixii*
niger: *Guizotia abyssinica*
night-flowering catchfly: *Silene noctiflora*
nightshade: *Solanum*
nightshade family: *Solanaceae*
nipplewort: *Lapsana communis*
nit-grass: *Gastridium ventricosum*
nodding bur-marigold: *Bidens cernua*
nodding clover: *Trifolium cernuum*
nonesuch daffodil: *Narcissus incomparabilis*
Noogoora bur: *Xanthium*
Norfolk everlasting-pea: *Lathyrus heterophyllus*
Norfolk skullcap: *Scutellaria hastifolia*
northern bedstraw: *Galium boreale*
northern dock: *Rumex longifolius*
northern hawk's-beard: *Crepis mollis*
northern spike-rush: *Eleocharis austriaca*
northern yellow-cress: *Roripa islandica*
Nottingham catchfly: *Silene nutans*
oak fern: *Gymnocarpium*
oak fern: *Gymnocarpium dryopteris*
oak-leaved goosefoot: *Chenopodium glaucum*
oat: *Avena*
oat: *Avena sativa*
oat-grass: *Arrhenatherum*
oat-grass: *Avena*

- oat-grass:** *Danthonia*
- oat-grass:** *Helictotrichon*
- oblong-leaved sundew:** *Drosera intermedia*
- old maid's beard:** *Clematis vitalba*
- old man:** *Artemisia abrotanum*
- oleander:** *Nerium oleander*
- oleaster:** *Elaeagnus*
- one-flowered wintergreen:** *Moneses uniflora*
- one-glumed hard-grass:** *Hainardia cylindrica*
- onion:** *Allium*
- opium poppy:** *Papaver somniferum*
- opposite-leaved golden-saxifrage:**
Chrysosplenium oppositifolium
- optical fibre plant:** *Scirpus cernuus*
- orache:** *Atriplex*
- orange bird's-foot:** *Ornithopus pinnatus*
- orange foxtail:** *Alopecurus aequalis*
- orange lily:** *Lilium bulbiferum*
- orange mullein:** *Verbascum phlomoides*
- orchardgrass:** *Dactylis glomerata*
- orchid:** *Orchis*
- orchid family:** *Orchidaceae*
- oriental hawthorn:** *Crataegus laciniata*
- orpine:** *Sedum telephium*
- orris root:** *Iris germanica*
- oval sedge:** *Carex ovalis*
- oxeye daisy:** *Leucanthemum vulgare*
- oxlip:** *Primula elatior*
- oxtongue:** *Picris*
- oxytropis:** *Oxytropis*
- oyster plant:** *Tragopogon porrifolius*
- paddy:** *Oryza sativa*
- paigle:** *Primula veris*
- paigle:** *Ranunculus*
- pale cabbage:** *Brassica tournefortii*
- pale dog-violet:** *Viola lactea*
- pale flax:** *Linum bienne*
- pale forget-me-not:** *Myosotis stolonifera*
- pale galingale:** *Cyperus eragrostis*
- pale persicaria:** *Polygonum lapathifolium*
- pale sedge:** *Carex pallens*
- pale speedwell:** *Veronica cymbalaria*
- pale St John's-wort:** *Hypericum montanum*
- pale stonecrop:** *Sedum sediforme*
- pale toadflax:** *Linaria repens*
- pale weasel's-snout:** *Misopates calycinum*
- pale willowherb:** *Epilobium roseum*
- palsywort:** *Primula veris*
- pampas-grass:** *Cortaderia selloana*
- panic:** *Panicum*
- panic grass:** *Panicum*
- pansy:** *Viola*
- paper-white daffodil:** *Narcissus papyraceus*
- parsley:** *Petroselinum*
- parsley fern:** *Cryptogramma crispa*
- parsley pier:** *Aphanes arvensis*
- parsley water-dropwort:** *Oenanthe lachenalii*
- parsnip:** *Pastinaca sativa*
- pasqueflower:** *Pulsatilla vulgaris*
- Paterson's curse:** *Echium plantagineum*
- pea:** *Lathyrus*
- pea:** *Pisum*
- pea family:** *Fabaceae*
- peach-leaved bellflower:** *Campanula persicifolia*
- pearl barley:** *Hordeum vulgare*
- pearlwort:** *Sagina*
- pearlwort surrey:** *Spergula morisonii*
- peavine:** *Lathyrus*
- pellitory-of-the wall:** *Parietaria diffusa*
- pendulous sedge:** *Carex pendula*
- penny-cress:** *Thlaspi*
- penny flower:** *Lunaria annua*
- penny pies:** *Umbilicus rupestris*
- pennyroyal:** *Mentha pulegium*
- pennywort:** *Cymbalaria muralis*
- pennywort:** *Umbilicus rupestris*
- peony:** *Paeonia*
- peony family:** *Paeoniaceae*
- pepper-saxifrage:** *Silaum silaus*
- peppermint:** *Mentha piperita*
- pepperwort:** *Lepidium*
- perennial candytuft:** *Iberis sempervirens*
- perennial centaury:** *Centaurium scilloides*
- perennial cornflower:** *Centaurea montana*
- perennial flax:** *Linum perenne*
- perennial knawel:** *Scleranthus perennis*

perennial pigweed: *Amaranthus deflexus*
perennial ragweed: *Ambrosia coronopifolia*
perennial rocket: *Sisymbrium strictissimum*
perennial ryegrass: *Lolium perenne*
perennial sow-thistle: *Sonchus arvensis*
perennial wall-rocket: *Diplotaxis tenuifolia*
perennial yellow-woundwort: *Stachys recta*
perfoliate alexanders: *Smyrnium perfoliatum*
perfoliate honeysuckle: *Lonicera caprifolium*
perfoliate penny-cress: *Thlaspi perfoliatum*
perfoliate pepperwort: *Lepidium perfoliatum*
perforate St John's-woort: *Hypericum perforatum*
periwinkle: *Vinca*
periwinkle family: *Apocynaceae*
persian clover: *Trifolium resupinatum*
pettigree: *Ruscus aculeatus*
pettigree: *Ruscus aculeatus*
petty spurge: *Euphorbia peplus*
petty whin: *Genista anglica*
phalaris: *Phalaris*
pheasant's-eye: *Adonis annua*
pheasant's-eye daffodil: *Narcissus poeticus*
picotee: *Dianthus caryophyllus*
pigeon grass: *Setaria pumila*
pigmy rush: *Juncus pygmaeus*
pigmyweed: *Crassula*
pignut: *Conopodium majus*
pigweed: *Amaranthus*
pigweed family: *Amaranthaceae*
pill sedge: *Carex pilulifera*
pillwort: *Pilularia globulifera*
pillwort family: *Marsileaceae*
pimpernel: *Anagallis*
pineapple-weed: *Chamomilla suaveolens*
pink: *Dianthus*
pink: *Petrorhagia*
pink family: *Caryophyllaceae*
pink shepherd's-purse: *Capsella rubella*
pink-sorrel: *Oxalis articulata*
pink water-speedwell: *Veronica catenata*
pink woodruff: *Asperula taurina*
pinnate coralroot: *Cardamine heptaphylla*

pittosporum: *Pittosporum*
pittosporum family: *Pittosporaceae*
plain treasureflower: *Arctotheca calendula*
plantain: *Plantago*
plantain family: *Plantaginaceae*
plantain-leaved leopard's-bane: *Doronicum plantagineum*
plough-man's-spikenard: *Inula conyzoides*
Plymouth thistle: *Carduus pycnocephalus*
poison ryegrass: *Lolium temulentum*
polypody: *Polypodium*
polypody: *Polypodium vulgare*
polypody family: *Polypodiaceae*
pond water-crowfoot: *Ranunculus peltatus*
poor man's weather-glass: *Anagallis arvensis*
poppy: *Papaver*
poppy family: *Papaveraceae*
Portland spurge: *Euphorbia portlandica*
Portugal laurel: *Prunus lusitanica*
portuguese heath: *Erica lusitanica*
portuguese squill: *Scilla peruviana*
pot marigold: *Calendula officinalis*
pot marjoram: *Origanum onites*
poverty brome: *Bromus sterilis*
prairie grass: *Bromus willdenowii*
prickly broom: *Calicotome spinosa*
prickly lettuce: *Lactuca serriola*
prickly poppy: *Argemone mexicana*
prickly poppy: *Papaver argemone*
prickly sedge: *Carex muricata*
prickly sow-thistle: *Sonchus asper*
primrose: *Primula*
primrose: *Primula vulgaris*
primrose family: *Primulaceae*
privet: *Ligustrum*
procumbent pearlwort: *Sagina procumbens*
procumbent yellow-sorrel: *Oxalis corniculata*
proliferous pink: *Petrorhagia prolifera*
proso millet: *Panicum miliaceum*
prostrate pigweed: *Amaranthus blitoides*
prostrate toadflax: *Linaria supina*
psyllium: *Plantago afra*
purging buckthorn: *Rhamnus cathartica*

- purging flax:** *Linum catharticum*
- purple amaranth:** *Amaranthus cruentus*
- purple-awned brome:** *Bromus lanceolatus*
- purple clematis:** *Clematis viticela*
- purple clover:** *Trifolium pratense*
- purple colt's-foot:** *Homogyne alpina*
- purple false-brome:** *Brachypodium distachyon*
- purple-loosestrife:** *Lythrum*
- purple-loosestrife:** *Lythrum salicaria*
- purple-loosestrife family:** *Lythraceae*
- purple milk-vetch:** *Astragalus danicus*
- purple moor-grass:** *Molinia caerulea*
- purple oxytropis:** *Oxytropis halleri*
- purple ragwort:** *Senecio lopezii*
- purple saxifrage:** *Saxifraga oppositifolia*
- purple small-reed:** *Calamagrostis canescens*
- purple spurge:** *Euphorbia peplis*
- purple-stem cat's-tail:** *Phleum phleoides*
- purple vetch:** *Vicia benghalensis*
- purple viper's-bugloss:** *Echium plantagineum*
- pyramidal bugle:** *Ajuga pyramidalis*
- pyramidal orchid:** *Anacamptis pyramidalis*
- pyrenean columbine:** *Aquilegia pyrenaica*
- pyrenean lily:** *Lilium pyrenaicum*
- pyrenean saxifrage:** *Saxifraga umbrosa*
- pyrenean scurvygrass:** *Cochlearia pyrenaica*
- pyrenean squill:** *Scilla lilio-hyacinthus*
- pyrenean valerian:** *Valeriana pyrenaica*
- pyrenean-violet:** *Ramonda myconi*
- pyrenean-violet family:** *Gesneriaceae*
- quackgrass:** *Elymus repens*
- quaking-grass:** *Briza media*
- quickgrass:** *Elymus repens*
- quickthorn quickset:** *Crataegus monogyna*
- quillwort:** *Isoetes*
- quillwort family:** *Isoetaceae*
- rabbitfoot clover:** *Trifolium arvense*
- rabbitfootgrass:** *Polypogon monspeliensis*
- radish:** *Raphanus*
- ragged-Robin:** *Lychnis flos-cuculi*
- ragweed:** *Ambrosia*
- ragweed:** *Artemisia*
- ragwort:** *Senecio*
- rai:** *Brassica juncea*
- rampion:** *Phyteuma*
- rampion bellflower:** *Campanula rapunculus*
- ramsons:** *Allium ursinum*
- rape:** *Brassica*
- rape:** *Brassica napus*
- rare sping-sedge:** *Carex ericetorum*
- raspberry:** *Rubus idaeus*
- rat's-tail fescue:** *Vulpia myuros*
- rattail fescue:** *Vulpia myuros*
- recurved sandwort:** *Minuartia recurva*
- red bartsia:** *Odontites verna*
- red-berried elder:** *Sambucus racemosa*
- red brome:** *Bromus rubens*
- red campion:** *Silene dioica*
- red clover:** *Trifolium pratense*
- red currant:** *Ribes rubrum*
- red dead-nettle:** *Lamium purpureum*
- red fescue:** *Festuca rubra*
- red goosefoot:** *Chenopodium rubrum*
- red helleborine:** *Cephalanthera rubra*
- red hemp-nettle:** *Galeopsis angustifolia*
- red horned-poppy:** *Glaucium corniculatum*
- red-knotgrass:** *Polygonum perfoliatum*
- red-leaved rose:** *Rosa glauca*
- red oat:** *Avena sativa*
- red rose:** *Rosa gallica*
- red star-thistle:** *Centaurea calcitrapa*
- red-tipped cudweed:** *Filago lutescens*
- red valerian:** *Centranthus*
- red valerian:** *Centranthus ruber*
- redleg:** *Polygonum persicaria*
- redroot pigweed:** *Amaranthus retroflexus*
- redshank:** *Polygonum persicaria*
- redtop:** *Agrostis gigantea*
- reed canary-grass:** *Phalaris arundinacea*
- reed fescue:** *Festuca arundinacea*
- reed mace:** *Typha*
- reflexed saltmarsh-grass:** *Puccinellia distans*
- reflexed stonecrop:** *Sedum reflexum*
- remote sedge:** *Carex remota*
- rescue brome:** *Bromus wildenowii*

- rescuegrass: *Bromus willdenowii*
restarrow: *Ononis*
reversed clover: *Trifolium resupinatum*
rhododendron: *Rhododendron*
ribbed melilot: *Melilotus officinalis*
ribbon fern: *Pteris cretica*
ribbon fern family: *Pteridaceae*
ribbon grass: *Phalaris arundinacea*
ribwort plantain: *Plantago lanceolata*
rice: *Oryza sativa*
rice cut-grass: *Leersia oryzoides*
rice grass: *Spartina*
rice millet: *Piptatherum miliaceum*
rigid bucker-fern: *Dryopteris villarii*
ripgut brome: *Bromus diandrus*
ripgut brome: *Bromus rigidus*
ripgutgrass: *Bromus rigidus*
river water-crowfoot: *Ranunculus fluitans*
rivet wheat: *Triticum turgidum*
roast beef plant: *Iris foetidissima*
rock cinquefoil: *Potentilla rupestris*
rock-cress: *Arabis*
rock foil: *Saxifraga*
rock jasmine: *Androsace*
rock-rose: *Cistus*
rock-rose: *Helianthemum*
rock-rose family: *Cistaceae*
rock samphire: *Crithmum maritimum*
rock sea-lavender: *Limonium binervosum*
rock sea-spurrey: *Spergularia rupicola*
rock sedge: *Carex rupestris*
rock soapwort: *Saponaria ocymoides*
rock speedwell: *Veronica fruticans*
rock stonecrop: *Sedum forsterianum*
rocket: *Hesperis matronalis*
rocket: *Sisymbrium*
roman nettle: *Urtica pilulifera*
rose: *Rosa*
rose bay: *Nerium oleander*
rose campion: *Lychnis coronaria*
rose clover: *Trifolium hirtum*
rose family: *Rosaceae*
rose mallow: *Hibiscus*
rose-of-heaven: *Silene coeli-rosa*
rose of Lancaster: *Rosa gallica*
rosebay willowherb: *Chamaenerion angustifolium*
rosebay willowherb: *Epilobium angustifolium*
rosemary: *Rosmarinus officinalis*
roseroot: *Rhodiola rosea*
rosy cress: *Arabis collina*
rosy garlic: *Allium roseum*
rough bluegrass: *Poa trivialis*
rough bristle-grass: *Setaria verticillata*
rough cocklebur: *Xanthium strumarium*
rough chervil: *Chaerophyllum temulentum*
rough dog's-tail: *Cynosurus echinatus*
rough-fruited buttercup: *Ranunculus muricatus*
rough hawk's-beard: *Crepis biennis*
rough hawkbit: *Leontodon hispidus*
rough horsetail: *Equisetum hyemale*
rough marsh-mallow: *Althaea hirsuta*
rough meadow-grass: *Poa trivialis*
rough poppy: *Papaver hybridum*
rough stalked bluegrass: *Poa trivialis*
rough star-thistle: *Centaurea aspera*
roughpea: *Lathyrus hirsutus*
round-fruited rush: *Juncus compressus*
round-headed club-rush: *Scirpus holoschoenus*
round-headed leek: *Allium sphaerocephalon*
round-headed rampion: *Phyteuma orbiculare*
round-leaved crane's-bill: *Geranium rotundifolium*
round-leaved crowfoot: *Ranunculus omiophyllus*
round-leaved fluellens: *Kickxia spuria*
round-leaved mint: *Mentha suaveolens*
round-leaved saxifrage: *Saxifraga rotundifolia*
round-leaved St John's-woort: *Hypericum nummularium*
round-leaved sundew: *Drosera rotundifolia*
round-leaved wintergreen: *Pyrola rotundifolia*
royal fern: *Osmunda regalis*
royal fern family: *Osmundaceae*
ruddles: *Calendula officinalis*
rue: *Ruta graveolens*
rue-leaved saxifrage: *Saxifraga tridactylites*

- rupturewort:** *Herniaria*
rush: *Eleocharis*
rush: *Juncus*
rush family: *Juncaceae*
rush grass: *Sporobolus*
rush-leaved fescue: *Festuca juncifolia*
russian millet: *Panicum miliaceum*
russian olive: *Elaeagnus angustifolia*
russian thistle: *Salsola kali*
russian vetch: *Vicia villosa*
russian-vine: *Bilderdykia aubertii*
rustyback: *Ceterach officinarum*
rye: *Secale cereale*
rye brome: *Bromus secalinus*
ryegrass: *Lolium*
sacaton: *Sporobolus*
safflower: *Carthamus*
safflower: *Carthamus tinctorius*
saffron thistle: *Carthamus*
sagapenum: *Ferula*
sage: *Artemisia*
sage: *Phlomis*
sage: *Salvia officinalis*
sage leaf cistus: *Cistus salviaefolius*
sagebrush: *Artemisia*
sainfoin: *Onobrychis viciifolia*
salad burnet: *Sanguisorba minor*
salad rocket: *Eruca vesicaria*
salsify: *Tragopogon porrifolius*
salt meadow grass: *Puccinellia*
saltbush: *Atriplex*
saltmarsh-grass: *Puccinellia*
saltmarsh rush: *Juncus gerardii*
saltwort: *Salsola*
saltwort: *Salsola kali*
Salzmann's restarrow: *Ononis baetica*
sand cat's-tail: *Phleum arenarium*
sand catchfly: *Silene conica*
sand couch: *Elymus farctus*
sand crocus: *Romulea columnae*
sand leek: *Allium scorodoprasum*
sand sedge: *Carex arenaria*
sand-spurrey: *Spergularia*
sand-spurrey: *Spergularia rubra*
sand toadflax: *Linaria arenaria*
sandbur: *Cenchrus*
sandwort: *Arenaria*
sandwort: *Minuartia*
sanicle: *Sanicula europaea*
sapgreen: *Rhamnus cathartica*
sarcocolla: *Astragalus*
sarson: *Brassica rapa*
saw-wort: *Serratula tinctoria*
saxifrage: *Saxifraga*
saxifrage family: *Saxifragaceae*
scabious: *Scabiosa*
scald: *Cuscuta*
scaly hawkbit: *Hedypnois cretica*
scarlet pimpernel: *Anagallis arvensis*
scented goosefoot: *Chenopodium multifidum*
scented orchid: *Gymnadenia conopsea*
scorpion grass: *Myosotis*
scorpion senna: *Coronilla emerus*
scorpion vetch: *Coronilla*
scotch thistle: *Cirsium vulgare*
scots lovage: *Ligusticum*
scouring rush: *Equisetum*
scurfy pea: *Bituminaria*
scurvygrass: *Cochlearia*
Schraders bromegrass: *Bromus willdenowii*
sea arrowgrass: *Triglochin maritimum*
sea aster: *Aster tripolium*
sea barley: *Hordeum marinum*
sea bindweed: *Calystegia soldanella*
sea-blite: *Suaeda*
sea-blite: *Suaeda maritima*
sea-buckthorn: *Hippophae rhamnoides*
sea-buckthorn family: *Elaeagnaceae*
sea campion: *Silene vulgaris*
sea clover: *Trifolium squamosum*
sea club-rush: *Scirpus maritimus*
sea couch: *Elymus pungens*
sea heath: *Frankenia*
sea heath: *Frankenia laevis*
sea-holly: *Eryngium maritimum*
sea-kale: *Crambe maritima*

- sea knotgrass:** *Polygonum maritimum*
sea-lavender: *Limonium*
sea mayweed: *Matricaria maritima*
sea-milkwort: *Claux maritima*
sea mouse-ear: *Cerastium diffusum*
sea pea: *Lathyrus japonicus*
sea pearlwort: *Sagina maritima*
sea pink: *Armeria maritima*
sea plantain: *Plantago maritima*
sea poppy: *Glaucium flavum*
sea-purslane: *Halimione portulacoides*
sea rocket: *Cakile maritima*
sea rush: *Juncus maritimus*
sea spleenwort: *Asplenium marinum*
sea spurge: *Euphorbia paralias*
sea-spurrey: *Spergularia*
sea stock: *Matthiola sinuata*
sea stork's-bill: *Erodium maritimum*
sedge: *Carex*
sedge family: *Cyperaceae*
seedcake: *Carum carvi*
selfheal: *Prunella*
selfheal: *Prunella vulgaris*
senna: *Coronilla*
Serena medic: *Medicago polymorpha*
serpolet oil: *Thymus praecox*
serradella: *Ornithopus sativus*
serrated wintergreen: *Orthilia secunda*
serviceberry: *Amelanchier*
shad: *Amelanchier*
shad bush: *Amelanchier*
shaggy mouse-ear-hawkweed: *Hieracium peleterianum*
shaggy-soldier: *Galinsoga ciliata*
shaking-grass: *Briza*
shama millet: *Echinochloa colona*
shamrock: *Medicago lupulina*
sharp club-rush: *Scirpus pungens*
sharp-flowered rush: *Juncus acutiflorus*
sharp-leaved fluellens: *Kickxia elatine*
sharp rush: *Juncus acutus*
sheathed sedge: *Carex vaginata*
sheep's-bit: *Jasione*
sheep's-bit scabious: *Jasione montana*
sheep's-fescue: *Festuca ovina*
sheep's sorrel: *Rumex acetosella*
shepherd's cress: *Teesdalia nudicaulis*
shepherd's-needle: *Scandix pecten-veneris*
shepherd's-purse: *Capsella*
shepherd's-purse: *Capsella bursa-pastoris*
shepherd's rod: *Dipsacus pilosus*
shepherd's weather-glass: *Anagallis arvensis*
Shetland mouse-ear-hawkweed: *Hieracium flagellare*
shield-fern: *Dryopteris*
shield-fern: *Polystichum*
shining crane's-bill: *Geranium lucidum*
shiverygrass: *Briza minor*
shore dock: *Rumex rupestris*
shoreweed: *Littorella uniflora*
short-awned foxtail: *Alopecurus aequalis*
short-fruited willowherb: *Epilobium obscurum*
short-spiked canary-grass: *Phalaris brachystachys*
short-styled field-rose: *Rosa stylosa*
short-tepalled pigweed: *Amaranthus graecizans*
shrubby cinquefoil: *Potentilla fruticosa*
shrubby hare's-ear: *Bupleurum fruticosum*
shrubby orache: *Atriplex halimus*
shrubby scorpion-vetch: *Coronilla valentina*
shrubby sea-blite: *Suaeda vera*
sibbaldia: *Sibbaldia procumbens*
sickle-fruited fenugreek: *Trigonella corniculata*
sickle-leaved hare's-ear: *Bupleurum falcatum*
signal-grass: *Brachiaria eruciformis*
silky bent: *Apera*
silky bent: *Cynosurus*
silky bentgrass: *Apera spica-venti*
silver hair-grass: *Aira caryophyllea*
silver ragwort: *Senecio bicolor*
silver weed: *Potentilla anserina*
silverberry: *Elaeagnus*
silvergrass: *Vulpia myuros*
single-flowered vetch: *Vicia articulata*
singletarypea: *Lathyrus hirsutus*
six-rowed barley: *Hordeum vulgare*

six-stamened waterwort: *Elatine hexandra*
six weeks grass: *Vulpia myuros*
six weeks needle grass: *Aristida adscensionis*
six weeks three-awn: *Aristida adscensionis*
skullcap: *Scutellaria*
skullcap: *Scutellaria galericulata*
slands grass: *Bromus diandrus*
slender bedstraw: *Galium pumilum*
slender centaury: *Centaureum tenuiflorum*
slender club-rush: *Scirpus cernuus*
slender foxtail: *Alopecurus myosuroides*
slender hare's-ear: *Bupleurum tenuissimum*
slender oat: *Avena barbata*
slender rush: *Juncus tenuis*
slender salsify: *Tragopogon hybridus*
slender sedge: *Carex lasiocarpa*
slender spike-rush: *Eleocharis uniglumis*
slender St John's-woort: *Hypericum pulchrum*
slender thistle: *Carduus tenuiflorus*
slender trefoil: *Trifolium micranthum*
sloe: *Prunus spinosa*
small alison: *Alyssum alyssoides*
small bur-grass: *Tragus racemosus*
small cord-grass: *Spartina maritima*
small cow-wheat: *Melampyrum sylvaticum*
small cudweed: *Filago minima*
small fleabane: *Pulicaria vulgaris*
small-flowered buttercup: *Ranunculus parviflorus*
small-flowered catchfly: *Silene gallica*
small-flowered crane's-bill: *Geranium pusillum*
small-flowered sweet-briar: *Rosa micrantha*
small hare's-ear: *Bupleurum baldense*
small hop clover: *Trifolium dubium*
small-leaved sweet-briar: *Rosa agrestis*
small love-grass: *Eragrostis minor*
small melilot: *Melilotus indica*
small nettle: *Urtica urens*
small oat: *Avena strigosa*
small-reed: *Calamagrostis*
small restarrow: *Ononis reclinata*
small scabious: *Scabiosa columbaria*
small sweet-grass: *Glyceria declinata*

small teasel: *Dipsacus pilosus*
small toadflax: *Chaenorhinum minus*
small water-pepper: *Polygonum minus*
small-white orchid: *Pseudorchis albida*
smaller cat's-tail: *Phleum nodosum*
smaller tree-mallow: *Lavatera cretica*
smearwort: *Aristolochia rotunda*
smilo-grass: *Piptatherum miliaceum*
Smith's pepperwort: *Lepidium heterophyllum*
smooth brome: *Bromus inermis*
smooth brome: *Bromus racemosus*
smooth cat's-ear: *Hypochaeris glabra*
smooth cord-grass: *Spartina alterniflora*
smooth finger-grass: *Digitaria ischaemum*
smooth hawk's-beard: *Crepis capillaris*
smooth meadow-grass: *Poa pratensis*
smooth rupturewort: *Herniaria glabra*
smooth sow-thistle: *Sonchus oleraceus*
smooth-stalked meadow-grass: *Poa pratensis*
smooth-stalked sedge: *Carex laevigata*
smooth tare: *Vicia tetrasperma*
smutgrass: *Sporobolus indicus*
snail medick: *Medicago scutellata*
snake tongue: *Ophioglossum*
snake's head: *Fritillaria*
sneezewort: *Achillea ptarmica*
snowball-tree: *Viburnum opulus*
snowberry: *Symporicarpus albus*
snowdrop: *Galanthus nivalis*
snowflake: *Leucojum*
snowy mespilus: *Amelanchier ovalis*
soapwort: *Saponaria*
soapwort: *Saponaria officinalis*
soft-brome: *Bromus hordeaceus*
soft chess: *Bromus hordeaceus*
soft-grass: *Holcus*
soft-leaved sedge: *Carex montana*
soft love-grass: *Eragrostis pilosa*
soft-rush: *Juncus effusus*
soft shield-fern: *Polystichum setiferum*
soft stork's-bill: *Erodium malacoides*
soja: *Glycine max*

- soldier orchid:** *Orchis militaris*
- Solomon's-seal:** *Polygonatum*
- Solomon's-seal:** *Polygonatum multiflorum*
- Somerset hair-grass:** *Koeleria vallesiana*
- Somerset rush:** *Juncus subulatus*
- sorghum:** *Sorghum*
- sorghum:** *Sorghum bicolor*
- sorrel:** *Oxalis*
- sorrel:** *Rumex*
- sourclover:** *Melilotus indica*
- southern marigold:** *Tagetes minuta*
- southern polypody:** *Polypodium australe*
- southern wood-rush:** *Luzula forsteri*
- southern yarrow:** *Achillea ligustica*
- southernwood:** *Artemisia abrotanum*
- sow-thistle:** *Sonchus*
- soy:** *Glycine max*
- soya bean:** *Glycine max*
- soybean:** *Glycine max*
- spanish bluebell:** *Hyacinthoides hispanica*
- spanish broom:** *Spartium junceum*
- spanish catchfly:** *Silene otites*
- spanish gorse:** *Genista hispanica*
- spanish iris:** *Iris xiphium*
- spanish oyster plant:** *Scolymus hispanicus*
- spanish reed:** *Arundo donax*
- spear-leaved orache:** *Atriplex hastata*
- spear-leaved willowherb:** *Epilobium lanceolatum*
- spear mint:** *Mentha spicata*
- spear thistle:** *Cirsium vulgare*
- spearwort:** *Ranunculus*
- speedwell:** *Veronica*
- spelt-wheat:** *Triticum aestivum*
- spider-orchid:** *Ophrys*
- spiderwort family:** *Commelinaceae*
- spignel:** *Meum athamanticum*
- spike bur-grass:** *Tragus racemosus*
- spike-rush:** *Eleocharis*
- spiked rampion:** *Phyteuma spicatum*
- spiked sedge:** *Carex spicata*
- spiked speedwell:** *Veronica spicata*
- spiked star-of-Bethlehem:** *Ornithogalum pyrenaicum*
- spineless butcher's-broom:** *Ruscus hypoglossum*
- spinks:** *Cardamine pratensis*
- spiny cocklebur:** *Xanthium spinosum*
- spiny restharrow:** *Ononis spinosa*
- spleenwort:** *Asplenium*
- spleenwort:** *Asplenium ruta-muraria*
- spleenwort family:** *Aspleniaceae*
- spotted burclover:** *Medicago arabica*
- spotted cat's-ear:** *Hypochoeris maculata*
- spotted dead-nettle:** *Lamium maculatum*
- spotted medick:** *Medicago arabica*
- spotted rock-rose:** *Tuberaria guttata*
- spotted spurge:** *Euphorbia maculata*
- spreading bellflower:** *Campanula patula*
- spreading hedge-parsley:** *Torilis arvensis*
- spreading love-grass:** *Eragrostis ciliaris*
- spring crocus:** *Crocus vernus*
- spring gentian:** *Gentiana verna*
- spring grass:** *Anthoxanthum odoratum*
- spring sandwort:** *Minuartia verna*
- spring sedge:** *Carex caryophyllea*
- spring snowflake:** *Leucojum vernum*
- spring speedwell:** *Veronica verna*
- spring squill:** *Scilla verna*
- spring vetch:** *Vicia lathyroides*
- spring wheat:** *Triticum aestivum*
- spring wild oat:** *Avena fatua*
- spurge:** *Euphorbia*
- spurge family:** *Euphorbiaceae*
- spurge-laurel:** *Daphne laureola*
- surrey:** *Spergula*
- square-stalked St John's-woort:** *Hypericum tetrapetalum*
- square-stalked willowherb:** *Epilobium tetragonum*
- squill:** *Scilla*
- squinancywort:** *Asperula cynanchica*
- squirreltail fescue:** *Vulpia bromoides*
- St Bernard's lily:** *Anthericum liliago*
- St Bruno's lily:** *Paradisea liliastrum*
- St Dabeoc's heath:** *Daboecia cantabrica*
- St John's-wort:** *Hypericum*
- St John's-wort family:** *Clusiaceae*

- St Lucie cherry:** *Prunus mahaleb*
- St Patrick's-cabbage:** *Saxifraga spathularis*
- stag's-horn clubmoss:** *Lycopodium clavatum*
- stalked carrot seedgrass:** *Tragus racemosus*
- star-of-Bethlehem:** *Gagea*
- star-of-Bethlehem:** *Ornithogalum*
- star-of-Bethlehem:** *Ornithogalum umbellatum*
- star sedge:** *Carex echinata*
- star-thistle:** *Centaurea*
- starry clover:** *Trifolium stellatum*
- starry saxifrage:** *Saxifraga stellaris*
- starved wood-sedge:** *Carex depauperata*
- starwort:** *Aster*
- starwort:** *Calitricha*
- starwort:** *Stellaria*
- starwort mouse-ear:** *Cerastium cerastoides*
- statice:** *Limonium*
- sterile brome:** *Bromus sterilis*
- sterile oat:** *Avena sterilis*
- sticky catchfly:** *Lychnis viscaria*
- sticky clary:** *Salvia glutinosa*
- sticky groundsel:** *Senecio viscosus*
- sticky mouse-ear:** *Cerastium glomeratum*
- stiff brome:** *Brachypodium distachyon*
- stiff saltmarsh-grass:** *Puccinellia rupestris*
- stink-grass:** *Eragrostis ciliaris*
- stinking chamomile:** *Anthemis cotula*
- stinking fleabane:** *Dittrichia graveolens*
- stinking gladwin:** *Iris foetidissima*
- stinking goosefoot:** *Chenopodium vulvaria*
- stinking hawk's-beard:** *Crepis foetida*
- stinking hellebore:** *Helleborus foetidus*
- stinking iris:** *Iris foetidissima*
- stinking tutsan:** *Hypericum hircinum*
- stitchwort:** *Stellaria*
- stock:** *Matthiola*
- stone bramble:** *Rubus saxatilis*
- stone parsley:** *Sison amomum*
- stonecrop:** *Sedum*
- stonecrop family:** *Crassulaceae*
- stork's-bill:** *Erodium*
- stramonium:** *Datura stramonium*
- strapwort:** *Corrigiola litoralis*
- straw foxglove:** *Digitalis lutea*
- strawberry:** *Fragaria*
- strawberry clover:** *Trifolium fragiferum*
- strawberry-tree:** *Arbutus unedo*
- striate clover:** *Trifolium striatum*
- strong-spined medick:** *Medicago truncatula*
- subterranean clover:** *Trifolium subterraneum*
- succory:** *Cichorium intybus*
- Sudan-grass:** *Sorghum sudanense*
- suffocated clover:** *Trifolium suffocatum*
- sugar beet:** *Beta vulgaris*
- sulphur cinquefoil:** *Potentilla recta*
- sulphur clover:** *Trifolium ochroleucon*
- sulla:** *Hedysarum coronarium*
- sulla sweetvetch:** *Hedysarum coronarium*
- summer-cypress:** *Kochia scoparia*
- summer lady's-tresses:** *Spiranthes aestivalis*
- summer savory:** *Satureja hortensis*
- summer snowflake:** *Leucojum aestivum*
- sun spurge:** *Euphorbia helioscopia*
- sundew:** *Drosera*
- sundew family:** *Droseraceae*
- sunolgrass:** *Phalaris coerulescens*
- swedish clover:** *Trifolium hybridum*
- sweet alison:** *Lobularia maritima*
- sweet alyssum:** *Lobularia maritima*
- sweet balm:** *Melissa officinalis*
- sweet-briar:** *Rosa rubiginosa*
- sweet cicely:** *Myrrhis odorata*
- sweet corn:** *Zea mays*
- sweet chamomile:** *Chamaemelum nobile*
- sweet-flag:** *Acorus calamus*
- sweet galingale:** *Cyperus longus*
- sweet-grass:** *Glyceria*
- sweet hearts:** *Galium aparine*
- sweet marjoram:** *Origanum majorana*
- sweet rocket:** *Hesperis matronalis*
- sweet scabious:** *Scabiosa atropurpurea*
- sweet-scented orchid:** *Gymnadenia conopsea*
- sweet spurge:** *Euphorbia dulcis*
- sweet vernal-grass:** *Anthoxanthum odoratum*
- sweet violet:** *Viola odorata*
- sweet-William:** *Dianthus barbatus*

- sweet-William catchfly:** *Silene armeria*
- sweetclover:** *Melilotus*
- swine-cress:** *Coronopus*
- swine-cress:** *Coronopus squamatus*
- swine succory:** *Arnoseris minima*
- swiss ryegrass:** *Lolium rigidum*
- switch-grass:** *Panicum*
- tall fescue:** *Festuca arundinacea*
- tall fleabane:** *Erigeron annuus*
- tall melilot:** *Melilotus altissima*
- tall mouse-ear-hawkweed:** *Hieracium praealtum*
- tall oat-grass:** *Arrhenatherum elatius*
- tall pepperwort:** *Lepidium graminifolium*
- tall ramping-fumitory:** *Fumaria bastardii*
- Tangier pea:** *Lathyrus tingitanus*
- tansy:** *Tanacetum*
- tansy:** *Tanacetum vulgare*
- tare:** *Vicia sativa*
- tassel hyacinth:** *Muscari comosum*
- tasteless water-pepper:** *Polygonum mite*
- tattered medick:** *Medicago laciniata*
- tawny sedge:** *Carex hostiana*
- tea balm:** *Melissa officinalis*
- teasel:** *Dipsacus*
- teasel family:** *Dipsacaceae*
- Teesdale violet:** *Viola rupestris*
- thale cress:** *Arabidopsis thaliana*
- thick-leaved stonecrop:** *Sedum dasyphyllum*
- thin-spiked wood-sedge:** *Carex strigosa*
- thistle:** *Carduus*
- thistle:** *Carlina*
- thistle:** *Cirsium*
- thistle broomrape:** *Orobanche reticulata*
- thorn:** *Crataegus*
- thorn-apple:** *Datura*
- thorn-apple:** *Datura stramonium*
- thorny gorse:** *Ulex parviflorus*
- thorow-vax:** *Bupleurum rotundifolium*
- thread-leaved water-crowfoot:** *Ranunculus trichophyllum*
- thread rush:** *Juncus filiformis*
- three-cornered garlic:** *Allium triquetrum*
- three-flowered rush:** *Juncus triglumis*
- three-leaved rush:** *Juncus trifidus*
- three-lobed crowfoot:** *Ranunculus tripartitus*
- three-lobed stork's-bill:** *Erodium chium*
- three-nerved sandwort:** *Moehringia trinervia*
- three-nerved sedge:** *Carex trinervis*
- thrift:** *Armeria*
- thrift:** *Armeria maritima*
- thrift family:** *Plumbaginaceae*
- throatwort:** *Trachelium caeruleum*
- thyme:** *Thymus*
- thyme:** *Thymus vulgaris*
- thyme broomrape:** *Orobanche alba*
- thyme-leaved sandwort:** *Arenaria serpyllifolia*
- thyme-leaved speedwell:** *Veronica serpyllifolia*
- timothy:** *Phleum pratense*
- timothygrass:** *Phleum pratense*
- toad rush:** *Juncus bufonius*
- toadflax:** *Chaenorhinum*
- toadflax:** *Linaria*
- toothed medick:** *Medicago polymorpha*
- toothpick-plant:** *Ammi visnaga*
- tor-grass:** *Brachypodium pinnatum*
- tormentil:** *Potentilla erecta*
- torpedograss:** *Panicum repens*
- tottergrass:** *Briza media*
- touch-me-not balsam:** *Impatiens noli-tangere*
- tower cress:** *Arabis turrita*
- tower mustard:** *Arabis glabra*
- trailing azalea:** *Loiseleuria procumbens*
- trailing snapdragon:** *Asarina procumbens*
- trailing St John's-woort:** *Hypericum humifusum*
- trailing tormentil:** *Potentilla anglica*
- traveller's joy:** *Clematis vitalba*
- treacle mustard:** *Erysimum cheiranthoides*
- tree groundsel:** *Baccharis halimifolia*
- tree heath:** *Erica arborea*
- tree-mallow:** *Lavatera*
- tree-mallow:** *Lavatera arborea*
- tree-medick:** *Medicago arborea*
- trefoil:** *Lotus*
- trefoil:** *Trifolium*
- triangular club-rush:** *Scirpus triquetus*
- trifid bur-marigold:** *Bidens tripartita*

true fox-sedge: *Carex vulpina*
tuberous canary-grass: *Phalaris aquatica*
tuberous hawk's-beard: *Aethorhiza bulbosa*
tuberous pea: *Lathyrus tuberosus*
tuberous thistle: *Cirsium tuberosum*
tubular corn-lily: *Ixia paniculata*
tubular water-dropwort: *Oenanthe fistulosa*
tufted forget-me-not: *Myosotis laxa*
tufted hair-grass: *Deschampsia cespitosa*
tufted-sedge: *Carex elata*
tufted vetch: *Vicia cracca*
tulip: *Tulipa*
tumbleweed: *Amaranthus albus*
Tunbridge filmy-fern: *Hymenophyllum tunbridgeense*
tunic-flower: *Petrorhagia saxifraga*
turk's-cap: *Lilium martagon*
turnip: *Brassica rapa*
turnip-rooted parsley: *Petroselinum crispum*
tussock grass: *Deschampsia cespitosa*
tutsan: *Hypericum androsaemum*
twayblade: *Listera*
twiggy mullein: *Verbascum virgatum*
twin-headed clover: *Trifolium bocconeii*
twistwood: *Viburnum lantana*
twitchgrass: *Elymus repens*
two-rowed barley: *Hordeum distichon*
unbranched bur-reed: *Sparganium emersum*
upland enchanter's-nightshade: *Ciraea intermedia*
upright brome: *Bromus erectus*
upright clover: *Trifolium strictum*
upright chickweed: *Moehringia erecta*
upright goosefoot: *Chenopodium urbicum*
upright hedge-parsley: *Torilis japonica*
upright spurge: *Euphorbia serrulata*
upright yellow-sorrel: *Oxalis europaea*
uva-ursi: *Arctostaphylos uva-ursi*
valerian: *Valeriana*
valerian family: *Valerianaceae*
variegated horsetail: *Equisetum variegatum*
various-leaved fescue: *Festuca heterophylla*
vegetable oyster: *Tragopogon porrifolius*

velvet bent: *Agrostis canina*
velvet bentgrass: *Agrostis canina*
velvetgrass: *Holcus lanatus*
velvetleaf: *Abutilon theophrasti*
Venus's comb: *Scandix pecten-veneris*
Venus's-looking-glass: *Legousia*
vernal-grass: *Anthoxanthum*
vernal-grass: *Anthoxanthum odoratum*
verbain: *Verbena officinalis*
verbain family: *Verbenaceae*
vetch: *Vicia*
vetchling: *Lathyrus*
viburnum: *Viburnum*
violet: *Viola*
violet cress: *Ionopsidium acaule*
violet family: *Violaceae*
viper's-bugloss: *Echium*
viper's-bugloss: *Echium vulgare*
viper's-grass: *Scorzonera humilis*
virgin's-bower: *Clematis flammula*
Virginia stock: *Malcomia maritima*
Wagner pea: *Lathyrus sylvestris*
wake-robin: *Arum maculatum*
wall barley: *Hordeum murinum*
wall bedstraw: *Galium parisienne*
wall brome: *Bromus tectorum*
wall cress: *Arabis*
wall-flower: *Cheiranthus cheiri*
wall germander: *Teucrium chamaedrys*
wall lettuce: *Mycelis muralis*
wall pennywort: *Umbilicus rupestris*
wall pepper: *Sedum acre*
wall-rocket: *Diplotaxis*
wall-rue: *Asplenium ruta-muraria*
wall speedwell: *Veronica arvensis*
wall willowgrass: *Draba muralis*
wallaby grass: *Danthonia*
wallflower: *Erysimum*
wandering sailor: *Cymbalaria muralis*
wandering-Jew: *Tradescantia fluminensis*
warabi: *Pteridium aquilinum*
warteress: *Coronopus*
warty-cabbage: *Bunias*

- water avens:** *Geum rivale*
- water bentgrass:** *Polypogon viridis*
- water chickweed:** *Myosoton aquaticum*
- water-cress:** *Nasturtium*
- water-cress:** *Nasturtium officinale*
- water-cress:** *Roripa*
- water dock:** *Rumex hidrolapathum*
- water-dropwort:** *Oenanthe*
- water fennel:** *Oenanthe aquatica*
- water fern:** *Azolla filiculoides*
- water fern family:** *Azollaceae*
- water figwort:** *Scrophularia auriculata*
- water finger-grass:** *Paspalum paspalodes*
- water forget-me-not:** *Myosotis scorpioides*
- water foxtail:** *Alopecurus geniculatus*
- water germander:** *Teucrium scordium*
- water hair:** *Catabrosa aquatica*
- water hemlock:** *Cicuta virosa*
- water hemlock:** *Oenanthe crocata*
- water horehound:** *Lycopus europaeus*
- water horsetail:** *Equisetum fluviatile*
- water mint:** *Mentha aquatica*
- water-parsnip:** *Sium*
- water-pepper:** *Polygonum hidropiper*
- water plantain:** *Alisma plantago-aquatica*
- water-purslane:** *Lythrum portula*
- water-starwort family:** *Callitrichaceae*
- waterbent:** *Polypogon viridis*
- waterwort:** *Elatine*
- waterwort family:** *Elatinaceae*
- wavy bitter-cress:** *Cardamine flexuosa*
- wavy hair-grass:** *Deschampsia flexuosa*
- wavy St John's-woort:** *Hypericum undulatum*
- wayfaring-tree:** *Viburnum lantana*
- weather-glass:** *Anagallis*
- weld:** *Reseda luteola*
- welsh poppy:** *Meconopsis cambrica*
- welted thistle:** *Carduus crispus*
- western clover:** *Trifolium occidentale*
- western gorse:** *Ulex gallii*
- western marsh-orchid:** *Dactylorhiza majalis*
- wheat:** *Triticum*
- wheat:** *Triticum aestivum*
- wheat-faba bean:** *Vicia faba*
- wheatgrass:** *Agropyron*
- wheatgrass:** *Elymus*
- whin:** *Ulex europaeus*
- white asphodel:** *Asphodelus albus*
- white beak-sedge:** *Rhynchospora alba*
- white broom:** *Cytisus multiflorus*
- white butterbur:** *Petasites albus*
- white campion:** *Silene vulgaris*
- white clover:** *Trifolium repens*
- white cockle:** *Silene vulgaris*
- white dead-nettle:** *Lamium album*
- white hellebore:** *Veratrum album*
- white helleborine:** *Cephalanthera damasonium*
- white horehound:** *Marrubium vulgare*
- white lupin:** *Lupinus albus*
- white melilot:** *Melilotus alba*
- white mignonette:** *Reseda alba*
- white mullein:** *Verbascum lychnitis*
- white mustard:** *Sinapis alba*
- white oat:** *Avena sativa*
- white pigweed:** *Amaranthus albus*
- white ramping-fumitory:** *Fumaria capreolata*
- white rock-rose:** *Helianthemum apenninum*
- white rocket:** *Diplotaxis erucoides*
- white sedge:** *Carex curta*
- white stonecrop:** *Sedum album*
- white sweetclover:** *Melilotus alba*
- white wood-rush:** *Luzula luzuloides*
- whitethorn:** *Crataegus monogyna*
- whitlowgrass:** *Draba*
- whitlowgrass:** *Erophila*
- whorl-grass:** *Catabrosa aquatica*
- whorled caraway:** *Carum verticillatum*
- whorled clary:** *Salvia verticillata*
- whorled mint:** *Mentha verticillata*
- whorled Solomon's-seal:** *Polygonatum verticillatum*
- whortleberry:** *Vaccinium myrtillus*
- wild angelica:** *Angelica sylvestris*
- wild barley:** *Hordeum leporinum*
- wild basil:** *Clinopodium vulgare*
- wild candytuft:** *Iberis amara*

- wild celery:** *Apium graveolens*
- wild clary:** *Salvia verbenaca*
- wild cotoneaster:** *Cotoneaster integerrimus*
- wild chamomile:** *Chamomilla recutita*
- wild garlic:** *Allium ursinum*
- wild gladiolus:** *Gladiolus illyricus*
- wild leek:** *Allium ampeloprasum*
- wild liquorice:** *Astragalus glycyphyllos*
- wild madder:** *Rubia*
- wild madder:** *Rubia peregrina*
- wild marjoram:** *Origanum vulgare*
- wild mignonette:** *Reseda lutea*
- wild oat:** *Avena fatua*
- wild oat:** *Avena sativa*
- wild onion:** *Allium vineale*
- wild pansy:** *Viola tricolor*
- wild privet:** *Ligustrum vulgare*
- wild radish:** *Raphanus raphanistrum*
- wild rye:** *Elymus*
- wild strawberry:** *Fragaria vesca*
- wild teasel:** *Dipsacus fullonum*
- wild thyme:** *Thymus praecox*
- wild tulip:** *Tulipa sylvestris*
- wild wheat:** *Aegilops*
- willow gentian:** *Gentiana asclepiadea*
- willowherb:** *Epilobium*
- willowherb family:** *Onagraceae*
- wimmera ryegrass:** *Lolium rigidum*
- wind flower:** *Anemone*
- windgrass:** *Apera spica-venti*
- winter barley:** *Hordeum vulgare*
- winter bluegrass:** *Poa bulbosa*
- winter-cress:** *Barbarea*
- winter-cress:** *Barbarea verna*
- winter-cress:** *Barbarea vulgaris*
- winter daffodil:** *Sternbergia lutea*
- winter heliotrope:** *Petasites fragans*
- winter pea:** *Pisum sativum*
- winter savory:** *Satureja montana*
- winter vetch:** *Vicia villosa*
- winter wild-oat:** *Avena sterilis*
- wintergrass:** *Poa annua*
- wintergrass:** *Stipa*
- wintergreen:** *Pyrola*
- wintergreen family:** *Pyrolaceae*
- wiregrass:** *Aristida*
- wiregrass:** *Eleusine indica*
- witch-grass:** *Digitaria*
- witch-grass:** *Elymus repens*
- witch-grass:** *Panicum capillare*
- woad:** *Isatis tinctoria*
- wolf's-bane:** *Aconitum vulparia*
- wonderberry:** *Solanum nigrum*
- wood anemone:** *Anemone nemorosa*
- wood avens:** *Geum urbanum*
- wood barley:** *Hordelymus europaeus*
- wood bitter-vetch:** *Vicia orobus*
- wood calamint:** *Calamintha sylvatica*
- wood club-rush:** *Scirpus sylvaticus*
- wood crane's-bill:** *Geranium sylvaticum*
- wood dock:** *Rumex sanguineus*
- wood fescue:** *Festuca altissima*
- wood forget-me-not:** *Myosotis sylvatica*
- wood garlic:** *Allium ursinum*
- wood germander:** *Teucrium scorodonia*
- wood horsetail:** *Equisetum sylvaticum*
- wood meadow-grass:** *Poa nemoralis*
- wood melick:** *Melica uniflora*
- wood millet:** *Milium effusum*
- wood-rush:** *Luzula*
- wood sage:** *Teucrium scorodonia*
- wood-sedge:** *Carex sylvatica*
- wood small-reed:** *Calamagrostis epigejos*
- wood-sorrel:** *Oxalis*
- wood-sorrel:** *Oxalis acetosella*
- wood-sorrel family:** *Oxalidaceae*
- wood speedwell:** *Veronica montana*
- wood spurge:** *Euphorbia amygdaloides*
- wood stitchwort:** *Stellaria nemorum*
- wood vetch:** *Vicia sylvatica*
- woodruff:** *Asperula*
- woodruff:** *Galium odoratum*
- woody fleabane:** *Dittrichia viscosa*
- woolly clover:** *Trifolium tomentosum*
- woolly mint:** *Mentha suaveolens*
- woolly thistle:** *Cirsium eriophorum*

- woollyfinger:** *Digitaria*
wormseed: *Chenopodium ambrosioides*
wormwood: *Artemisia absinthium*
woundwort: *Stachys*
yard-grass: *Eleusine*
yard-grass: *Eleusine indica*
yarrow: *Achillea*
yarrow: *Achillea millefolium*
yarrow broomrape: *Orobanche purpurea*
yellow alfalfa: *Medicago sativa* subsp. *falcata*
yellow anemone: *Anemone ranunculoides*
yellow archangel: *Lamiastrum galeobdolon*
yellow avens: *Geum urbanum*
yellow bartsia: *Parentucellia viscosa*
yellow berry: *Rhamnus saxatilis*
yellow bristle-grass: *Setaria pumila*
yellow bugle: *Ajuga chamaepitys*
yellow centaury: *Cicendia filiformis*
yellow chamomile: *Anthemis tinctoria*
yellow figwort: *Scrophularia vernalis*
yellow flag: *Iris pseudacorus*
yellow foxtail grass: *Setaria pumila*
yellow garlic: *Allium moly*
yellow gentian: *Gentiana lutea*
yellow horned-poppy: *Glaucium flavum*
yellow iris: *Iris pseudacorus*
- yellow loosestrife:** *Lysimachia vulgaris*
yellow lupin: *Lupinus luteus*
yellow melilot: *Melilotus officinalis*
yellow oat-grass: *Trisetum flavescens*
yellow oxytropis: *Oxytropis campestris*
yellow pimpernel: *Lysimachia nemorum*
yellow-rattle: *Rhinanthus*
yellow-rattle: *Rhinanthus minor*
yellow restarrow: *Ononis natrix*
yellow rocket: *Barbarea verna*
yellow rocket: *Barbarea vulgaris*
yellow saxifrage: *Saxifraga aizoides*
yellow serratella: *Ornithopus compressus*
yellow star-of-Bethlehem: *Gagea lutea*
yellow star-thistle: *Centaurea solstitialis*
yellow sweetclover: *Melilotus officinalis*
yellow thistle: *Cirsium erisithales*
yellow trefoil: *Medicago lupulina*
yellow trisetum: *Trisetum flavescens*
yellow-vetch: *Vicia lutea*
yellow vetchling: *Lathyrus aphaca*
yellow wittlowgrass: *Draba aizoides*
yellow-wort: *Blackstonia perfoliata*
Yorkshire-fog: *Holcus lanatus*
zigzag clover: *Trifolium medium*